



MedStar Medicare
Choice

MedStar Medicare Choice Care Advantage (HMO SNP)
2017 Formulary
(List of Covered Drugs)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.

HPMS Approved Formulary File Submission ID: 00017198, Version Number 15.

This formulary was updated on 07/01/2017. For more recent information or other questions, please contact MedStar Medicare Choice Member Services at **855-222-1041** or, for TTY users, **855-250-5604** seven days a week from 8 a.m. to 8 p.m.,* or visit **MedStarMedicareChoice.com**.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means MedStar Family Choice, Inc. When it refers to “plan” or “our plan,” it means MedStar Medicare Choice Care Advantage (HMO SNP).

This document includes a list of the drugs (formulary) for our plan, which is current as of 07/01/2017. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2018, and from time to time during the year.

This plan is available to anyone with Medicare who has been diagnosed with Chronic Heart Failure and/or Diabetes. MedStar Medicare Choice Care Advantage (HMO SNP) has a contract with Medicare. Enrollment in MedStar Medicare Choice Care Advantage depends on contract renewal.

This document may be available in an alternative format such as Braille, large print or audio; please call Member Services, at **855-222-1041** or, for TTY users, **855-250-5604**, seven days a week from 8 a.m. to 8 p.m.*, or visit **MedStarMedicareChoice.com**.

The Formulary may change at any time. You will receive notice when necessary.

What is the MedStar Medicare Choice Care Advantage (HMO SNP) Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MedStar Medicare Choice Care Advantage (HMO SNP) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2017 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2017 coverage year, except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released. Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. We feel it is important that you have continued access, for the remainder of the coverage year, to the formulary drugs that were available when you chose our plan, except for cases in which you can save additional money or we can ensure your safety.

If we remove drugs from our formulary, or add prior authorization, quantity limits, and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 60 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug. The enclosed formulary is current as of 07/01/2017. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages.

If our plan makes non-maintenance drug changes to this formulary that were approved by the Centers for Medicare & Medicaid Services (CMS), we will notify members by mailing errata sheets that list the prescription drug, change made, and the effective date. This will enable members to have the most up-to-date information regarding the covered drugs on our plan's formulary.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 2. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular, Hypertension/Lipids." If you know what your drug is used for, look for the category name in the list that begins on page 2. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 124. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredients as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, our plan provides 30 tablets a month per prescription for Lansoprazole. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 2. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section "How do I request an exception to the MedStar Medicare Choice Care Advantage (HMO SNP) formulary?" on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the MedStar Medicare Choice Care Advantage (HMO SNP) Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug, or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary, but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (unless you have a prescription written for fewer days) when you go to a network pharmacy. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility, we will allow you to refill your prescription until we have provided you with up to a 98-day transition supply, consistent with dispensing increment, (unless you have a prescription written for fewer days). We will cover more than one refill of these drugs for the first 90 days you are a member of our plan. If you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

In addition, all members who experience a level-of-care change are eligible for a transition supply. A level-of-care change is when a member changes from one treatment setting to another. For example, if a member is discharged from an inpatient facility to home on a non-formulary medication, the member will be eligible for a transition supply of that non-formulary medication. You can receive up to a 30-day supply of the medication (unless you have a prescription written for fewer days) after being discharged, to allow time for you and your physician to switch to a formulary alternative or request an exception. After your first 30-day supply, we will not pay for the drug, unless an exception was approved. Our transition policy applies only to those drugs that are “Part D drugs.” The transition policy cannot be used to cover non-Part D drugs.

For more information

For more detailed information about your MedStar Medicare Choice Care Advantage (HMO SNP) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227), 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

MedStar Medicare Choice Care Advantage (HMO SNP) Formulary

The formulary that begins on page 2 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 124.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., VENTOLIN HFA) and generic drugs are listed in lower case italics (e.g., *bupropion*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

Formulary Drug Tiers

The formulary drug tier table provides the tier description (e.g., preferred generic) and member cost-sharing for prescription drugs on each drug tier. Please refer to the table on the next page based on the plan you are a member of, MedStar Medicare Choice Care Advantage (HMO SNP). For additional information on your plan, please refer to the Evidence of Coverage, or contact Member Services, at **855-222-1041**, or for TTY users, **855-250-5604**, seven days a week from 8 a.m. to 8 p.m.,* or visit **MedStarMedicareChoice.com**.

MedStar Medicare Choice Care Advantage (HMO SNP) drug tiers and cost-sharing amounts after the annual deductible of \$200 (Excludes Tier 1, 2 & 6) for 2017:

MedStar Medicare Choice Care Advantage (HMO SNP)

| Drug Tier Number | Drug Tier Description | Member Cost-Sharing (30, 60, or 90-day supply) Retail | Member Cost-Sharing (30, 60, or 90-day supply) Mail-order |
|-------------------------|--------------------------------------|--|---|
| 1 | Preferred Generic drug tier | <ul style="list-style-type: none"> • \$4 copayment for a 30-day retail supply • \$8 copayment for a 60-day retail supply • \$12 copayment for a 90-day retail supply | <ul style="list-style-type: none"> • \$4 copayment for a 30-day mail-order supply • \$8 copayment for a 60-day mail-order supply • \$10 copayment for a 90-day mail-order supply |
| 2 | Generic drug tier | <ul style="list-style-type: none"> • \$15 copayment for a 30-day retail supply • \$30 copayment for a 60-day retail supply • \$45 copayment for a 90-day retail supply | <ul style="list-style-type: none"> • \$15 copayment for a 30-day mail-order supply • \$30 copayment for a 60-day mail-order supply • \$37.50 copayment for a 90-day mail-order supply |
| 3 | Preferred Brand drug tier | <ul style="list-style-type: none"> • \$47 copayment for a 30-day retail supply • \$94 copayment for a 60-day retail supply • \$141 copayment for a 90-day retail supply | <ul style="list-style-type: none"> • \$47 copayment for a 30-day mail-order supply • \$94 copayment for a 60-day mail-order supply • \$117.50 copayment for a 90-day mail-order supply |
| 4 | Non-Preferred Brand drug tier | <ul style="list-style-type: none"> • \$100 copayment for a 30-day retail supply • \$200 copayment for a 60-day retail supply • \$300 copayment for a 90-day retail supply | <ul style="list-style-type: none"> • \$100 copayment for a 30-day mail-order supply • \$200 copayment for a 60-day mail-order supply • \$250 copayment for a 90-day mail-order supply |
| 5 | Specialty drug tier | <ul style="list-style-type: none"> • 29% coinsurance for a maximum 30-day retail supply (only) | <ul style="list-style-type: none"> • 29% coinsurance for a maximum 30-day mail-order supply (only) |
| 6 | Diabetic drug tier | <ul style="list-style-type: none"> • \$10 copayment for a 30-day retail supply • \$20 copayment for a 60-day retail supply • \$30 copayment for a 90-day retail supply | <ul style="list-style-type: none"> • \$10 copayment for a 30-day mail-order supply • \$20 copayment for a 60-day mail-order supply • \$25 copayment for a 90-day mail-order supply |

NOTE: Drugs are provided in a Long-Term Care Facility for up to a 31-day supply

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| ANTI - INFECTIVES | | |
| ANTIFUNGAL AGENTS | | |
| ABELCET INTRAVENOUS SUSPENSION | 5 | B/D; MO |
| AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION | 5 | B/D; MO |
| <i>amphotericin b injection recon soln</i> | 4 | B/D; MO |
| CANCIDAS INTRAVENOUS RECON SOLN | 5 | B/D; MO |
| <i>clotrimazole mucous membrane troche</i> | 2 | MO |
| CRESEMBA INTRAVENOUS RECON SOLN | 5 | |
| CRESEMBA ORAL CAPSULE | 5 | MO |
| ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN | 4 | MO |
| <i>fluconazole in dextrose(iso-o) intravenous piggyback</i> | 2 | |
| FLUCONAZOLE IN NACL (ISO-OSM) INTRAVENOUS PIGGYBACK 100 MG/50 ML | 2 | |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i> | 2 | MO |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i> | 2 | |
| <i>fluconazole oral suspension for reconstitution</i> | 2 | MO |
| <i>fluconazole oral tablet</i> | 2 | MO |
| <i>flucytosine oral capsule</i> | 5 | MO |
| <i>griseofulvin microsize oral suspension</i> | 4 | MO |
| <i>griseofulvin microsize oral tablet</i> | 4 | MO |
| <i>griseofulvin ultramicrosize oral tablet</i> | 4 | MO |
| <i>itraconazole oral capsule</i> | 4 | PA; MO; QL (120 per 30 days) |
| <i>ketoconazole oral tablet</i> | 2 | MO |
| MYCAMINE INTRAVENOUS RECON SOLN | 5 | MO |
| NOXAFIL INTRAVENOUS SOLUTION | 5 | PA |
| NOXAFIL ORAL SUSPENSION | 5 | PA; MO |
| NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) | 5 | PA; MO; QL (93 per 30 days) |
| <i>nystatin oral suspension</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>nystatin oral tablet</i> | 2 | MO |
| ONMEL ORAL TABLET | 4 | PA; MO; QL (30 per 30 days) |
| <i>terbinafine hcl oral tablet</i> | 1 | MO |
| <i>voriconazole intravenous solution</i> | 2 | MO |
| <i>voriconazole oral suspension for reconstitution</i> | 5 | MO |
| <i>voriconazole oral tablet</i> | 5 | MO |
| ANTIVIRALS | | |
| <i>abacavir oral tablet</i> | 2 | MO |
| <i>abacavir-lamivudine oral tablet</i> | 5 | MO |
| <i>abacavir-lamivudine-zidovudine oral tablet</i> | 5 | MO |
| <i>acyclovir oral capsule</i> | 1 | MO |
| <i>acyclovir oral suspension 200 mg/5 ml</i> | 4 | MO |
| <i>acyclovir oral tablet</i> | 2 | MO |
| <i>acyclovir sodium intravenous solution</i> | 2 | B/D; MO |
| <i>adefovir oral tablet</i> | 5 | PA; MO |
| <i>amantadine hcl oral capsule</i> | 3 | MO |
| <i>amantadine hcl oral solution</i> | 3 | MO |
| <i>amantadine hcl oral tablet</i> | 3 | MO |
| APTIVUS ORAL CAPSULE | 5 | MO |
| APTIVUS ORAL SOLUTION | 5 | |
| ATRIPLA ORAL TABLET | 5 | MO |
| BARACLUDE ORAL SOLUTION | 4 | PA; MO |
| <i>cidofovir intravenous solution</i> | 5 | B/D; MO |
| COMPLERA ORAL TABLET | 5 | MO |
| CRIXIVAN ORAL CAPSULE 200 MG, 400 MG | 3 | MO |
| DESCOVY ORAL TABLET | 5 | MO |
| <i>didanosine oral capsule, delayed release(dr/ec) 125 mg</i> | 2 | |
| <i>didanosine oral capsule, delayed release(dr/ec) 200 mg, 250 mg, 400 mg</i> | 2 | MO |
| EDURANT ORAL TABLET | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| EMTRIVA ORAL CAPSULE | 3 | MO |
| EMTRIVA ORAL SOLUTION | 3 | MO |
| <i>entecavir oral tablet</i> | 5 | PA; MO |
| EPCLUSA ORAL TABLET | 5 | PA; MO; QL (28 per 28 days) |
| EPIVIR HBV ORAL SOLUTION | 4 | PA; MO |
| EVOTAZ ORAL TABLET | 5 | MO |
| <i>famciclovir oral tablet</i> | 2 | MO |
| <i>foscarnet intravenous solution</i> | 2 | B/D |
| FUZEON SUBCUTANEOUS RECON SOLN | 5 | MO |
| <i>ganciclovir sodium intravenous recon soln</i> | 2 | B/D; MO |
| GENVOYA ORAL TABLET | 5 | MO |
| HARVONI ORAL TABLET | 5 | PA; MO; QL (28 per 28 days) |
| INTELENCE ORAL TABLET 100 MG, 200 MG | 5 | MO |
| INTELENCE ORAL TABLET 25 MG | 4 | MO |
| INVIRASE ORAL CAPSULE | 4 | MO |
| INVIRASE ORAL TABLET | 5 | MO |
| ISENTRESS ORAL POWDER IN PACKET | 3 | MO |
| ISENTRESS ORAL TABLET | 5 | MO |
| ISENTRESS ORAL TABLET,CHEWABLE | 3 | MO |
| KALETRA ORAL SOLUTION | 5 | MO |
| KALETRA ORAL TABLET 100-25 MG | 4 | MO |
| KALETRA ORAL TABLET 200-50 MG | 5 | MO |
| <i>lamivudine oral solution</i> | 2 | MO |
| <i>lamivudine oral tablet 100 mg</i> | 2 | PA; MO |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> | 2 | MO |
| <i>lamivudine-zidovudine oral tablet</i> | 4 | MO |
| LEXIVA ORAL SUSPENSION | 4 | MO |
| LEXIVA ORAL TABLET | 5 | MO |
| <i>lopinavir-ritonavir oral solution</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>moderiba dose pack oral tablets,dose pack</i> | 5 | MO |
| <i>moderiba oral tablet</i> | 2 | MO |
| <i>nevirapine oral suspension</i> | 2 | MO |
| <i>nevirapine oral tablet</i> | 2 | MO |
| <i>nevirapine oral tablet extended release 24 hr</i> | 2 | MO |
| NORVIR ORAL CAPSULE | 4 | MO |
| NORVIR ORAL SOLUTION | 4 | MO |
| NORVIR ORAL TABLET | 4 | MO |
| ODEFSEY ORAL TABLET | 5 | MO |
| <i>oseltamivir oral capsule 30 mg</i> | 3 | MO; QL (84 per 180 days) |
| <i>oseltamivir oral capsule 45 mg, 75 mg</i> | 3 | MO; QL (42 per 180 days) |
| PREZCOBIX ORAL TABLET | 5 | MO |
| PREZISTA ORAL SUSPENSION | 4 | MO |
| PREZISTA ORAL TABLET 150 MG, 75 MG | 4 | MO |
| PREZISTA ORAL TABLET 600 MG, 800 MG | 5 | MO |
| REBETOL ORAL SOLUTION | 5 | MO |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE | 3 | MO; QL (120 per 365 days) |
| RESCRIPTOR ORAL TABLET | 4 | MO |
| RESCRIPTOR ORAL TABLET, DISPERSIBLE | 4 | MO |
| RETROVIR INTRAVENOUS SOLUTION | 4 | MO |
| REYATAZ ORAL CAPSULE 150 MG, 200 MG, 300 MG | 5 | MO |
| REYATAZ ORAL POWDER IN PACKET | 5 | MO |
| <i>ribasphere oral capsule</i> | 2 | MO |
| <i>ribasphere oral tablet 200 mg, 400 mg</i> | 4 | MO |
| <i>ribasphere oral tablet 600 mg</i> | 5 | MO |
| <i>ribasphere ribapak oral tablets,dose pack 200 mg (28)- 400 mg (28)</i> | 5 | MO |
| <i>ribasphere ribapak oral tablets,dose pack 200 mg (7)- 400 mg (7)</i> | 5 | |
| <i>ribavirin inhalation recon soln</i> | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>ribavirin oral capsule</i> | 2 | MO |
| <i>ribavirin oral tablet 200 mg</i> | 2 | MO |
| <i>rimantadine oral tablet</i> | 2 | MO |
| SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG | 5 | MO |
| SELZENTRY ORAL TABLET 25 MG | 4 | MO |
| SOVALDI ORAL TABLET | 5 | PA; MO; QL (30 per 30 days) |
| <i>stavudine oral capsule</i> | 2 | MO |
| STRIBILD ORAL TABLET | 5 | MO |
| SUSTIVA ORAL CAPSULE | 4 | MO |
| SUSTIVA ORAL TABLET | 5 | MO |
| SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML | 5 | PA; MO |
| SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML | 5 | PA; MO; LA |
| TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION | 3 | MO; QL (525 per 180 days) |
| TIVICAY ORAL TABLET 10 MG | 4 | MO |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | MO |
| TRIUMEQ ORAL TABLET | 5 | MO |
| TRUVADA ORAL TABLET | 5 | MO |
| TYBOST ORAL TABLET | 3 | MO |
| <i>valacyclovir oral tablet</i> | 2 | MO |
| <i>valganciclovir oral recon soln</i> | 5 | MO |
| <i>valganciclovir oral tablet</i> | 5 | MO |
| VEMLIDY ORAL TABLET | 5 | PA; MO |
| VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN | 4 | MO |
| VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN | 4 | MO |
| VIRACEPT ORAL TABLET | 5 | MO |
| VIRAZOLE INHALATION RECON SOLN | 5 | MO |
| VIREAD ORAL POWDER | 5 | MO |
| VIREAD ORAL TABLET | 5 | MO |
| ZERIT ORAL RECON SOLN | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ZIAGEN ORAL SOLUTION | 4 | MO |
| <i>zidovudine oral capsule</i> | 2 | MO |
| <i>zidovudine oral syrup</i> | 2 | MO |
| <i>zidovudine oral tablet</i> | 2 | MO |
| CEPHALOSPORINS | | |
| AVYCAZ INTRAVENOUS RECON SOLN | 5 | MO |
| <i>cefaclor oral capsule</i> | 2 | MO |
| <i>cefaclor oral tablet extended release 12 hr</i> | 2 | MO |
| <i>cefadroxil oral capsule</i> | 2 | MO |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 2 | MO |
| <i>cefadroxil oral tablet</i> | 2 | MO |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | 2 | MO |
| CEFAZOLIN IN DEXTROSE (ISO-OS) INTRAVENOUS PIGGYBACK 2 GRAM/100 ML | 2 | |
| <i>cefazolin injection recon soln 1 gram, 500 mg</i> | 2 | MO |
| <i>cefazolin injection recon soln 10 gram, 100 gram, 20 gram, 300 g</i> | 2 | |
| <i>cefazolin intravenous recon soln</i> | 2 | |
| <i>cefdinir oral capsule</i> | 2 | MO |
| <i>cefdinir oral suspension for reconstitution</i> | 2 | MO |
| CEFEPIME IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK | 3 | MO |
| <i>cefepime in dextrose,iso-osm intravenous piggyback 1 gram/50 ml</i> | 3 | |
| <i>cefepime in dextrose,iso-osm intravenous piggyback 2 gram/100 ml</i> | 3 | MO |
| <i>cefepime injection recon soln</i> | 3 | MO |
| <i>cefotaxime injection recon soln 1 gram, 2 gram, 500 mg</i> | 2 | |
| <i>cefotaxime injection recon soln 10 gram</i> | 2 | MO |
| CEFOTETAN IN DEXTROSE, ISO-OSM INTRAVENOUS PIGGYBACK | 2 | |
| <i>cefotetan injection recon soln</i> | 2 | |
| <i>cefotetan intravenous recon soln</i> | 2 | |
| <i>cefoxitin in dextrose, iso-osm intravenous piggyback</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>cefoxitin intravenous recon soln 1 gram, 2 gram</i> | 2 | MO |
| <i>cefoxitin intravenous recon soln 10 gram</i> | 2 | |
| <i>cefpodoxime oral suspension for reconstitution</i> | 4 | MO |
| <i>cefpodoxime oral tablet</i> | 4 | MO |
| <i>cefprozil oral suspension for reconstitution</i> | 2 | MO |
| <i>cefprozil oral tablet</i> | 2 | MO |
| CEFTAZIDIME IN D5W INTRAVENOUS PIGGYBACK | 2 | |
| <i>ceftazidime injection recon soln 1 gram, 2 gram</i> | 2 | MO |
| <i>ceftazidime injection recon soln 6 gram</i> | 2 | |
| <i>ceftibuten oral capsule</i> | 2 | MO |
| <i>ceftibuten oral suspension for reconstitution</i> | 2 | MO |
| <i>ceftriaxone in dextrose,iso-os intravenous piggyback</i> | 2 | MO |
| <i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i> | 2 | MO |
| <i>ceftriaxone injection recon soln 10 gram</i> | 4 | |
| CEFTRIAZONE INJECTION RECON SOLN 100 GRAM | 4 | |
| <i>ceftriaxone intravenous recon soln</i> | 2 | MO |
| <i>cefuroxime axetil oral tablet</i> | 2 | MO |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 2 | MO |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram</i> | 2 | MO |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 1 | MO |
| <i>cephalexin oral capsule 750 mg</i> | 4 | MO |
| <i>cephalexin oral suspension for reconstitution</i> | 1 | MO |
| <i>cephalexin oral tablet</i> | 1 | MO |
| FORTAZ IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK | 4 | |
| FORTAZ INJECTION RECON SOLN 1 GRAM, 2 GRAM | 4 | MO |
| FORTAZ INTRAVENOUS RECON SOLN | 4 | |
| SUPRAX ORAL CAPSULE | 4 | MO |
| SUPRAX ORAL TABLET,CHEWABLE | 4 | MO |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG | 4 | MO |
| TEFLARO INTRAVENOUS RECON SOLN 600 MG | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| ZERBAXA INTRAVENOUS RECON SOLN | 5 | |
| ERYTHROMYCINS / OTHER MACROLIDES | | |
| <i>azithromycin intravenous recon soln</i> | 2 | MO |
| <i>azithromycin oral packet</i> | 2 | MO |
| <i>azithromycin oral suspension for reconstitution</i> | 2 | MO |
| <i>azithromycin oral tablet</i> | 2 | MO |
| <i>clarithromycin oral suspension for reconstitution</i> | 3 | MO |
| <i>clarithromycin oral tablet</i> | 2 | MO |
| <i>clarithromycin oral tablet extended release 24 hr</i> | 2 | MO |
| DIFICID ORAL TABLET | 5 | ST; MO; QL (20 per 10 days) |
| <i>e.e.s. 400 oral tablet</i> | 4 | MO |
| E.E.S. GRANULES ORAL SUSPENSION FOR RECONSTITUTION | 4 | MO |
| ERYPED 200 ORAL SUSPENSION FOR RECONSTITUTION | 4 | MO |
| ERYPED 400 ORAL SUSPENSION FOR RECONSTITUTION | 4 | MO |
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i> | 4 | MO |
| ERY-TAB ORAL TABLET, DELAYED RELEASE (DR/EC) 500 MG | 4 | MO |
| <i>erythrocin (as stearate) oral tablet 250 mg</i> | 4 | MO |
| ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG | 4 | MO |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution</i> | 4 | MO |
| <i>erythromycin ethylsuccinate oral tablet</i> | 4 | MO |
| <i>erythromycin oral capsule, delayed release (dr/ec)</i> | 2 | MO |
| <i>erythromycin oral tablet</i> | 4 | MO |
| MISCELLANEOUS ANTIINFECTIVES | | |
| ALBENZA ORAL TABLET | 3 | MO |
| ALINIA ORAL SUSPENSION FOR RECONSTITUTION | 4 | MO |
| ALINIA ORAL TABLET | 4 | MO; QL (40 per 30 days) |
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i> | 3 | MO |
| <i>atovaquone oral suspension</i> | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| <i>atovaquone-proguanil oral tablet</i> | 2 | MO |
| AZACTAM IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2 GRAM/50 ML | 4 | |
| AZACTAM INJECTION RECON SOLN 2 GRAM | 4 | MO |
| <i>aztreonam injection recon soln</i> | 4 | MO |
| <i>baciim intramuscular recon soln</i> | 2 | |
| <i>bacitracin intramuscular recon soln</i> | 2 | MO |
| BETHKIS INHALATION SOLUTION FOR NEBULIZATION | 5 | B/D; MO; QL (224 per 56 days) |
| BILTRICIDE ORAL TABLET | 3 | MO |
| CAPASTAT INJECTION RECON SOLN | 4 | |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION | 5 | MO; LA; QL (84 per 56 days) |
| <i>chloramphenicol sod succinate intravenous recon soln</i> | 2 | |
| <i>chloroquine phosphate oral tablet</i> | 2 | MO |
| <i>clindamycin hcl oral capsule</i> | 2 | MO |
| CLINDAMYCIN IN 0.9 % SOD CHLOR INTRAVENOUS PIGGYBACK | 2 | |
| <i>clindamycin in 5 % dextrose intravenous piggyback</i> | 2 | MO |
| <i>clindamycin palmitate hcl oral recon soln</i> | 2 | MO |
| <i>clindamycin pediatric oral recon soln</i> | 2 | |
| COARTEM ORAL TABLET | 3 | MO |
| <i>colistin (colistimethate na) injection recon soln</i> | 2 | MO |
| DALVANCE INTRAVENOUS SOLUTION | 5 | MO |
| DAPSONE ORAL TABLET | 3 | MO |
| <i>daptomycin intravenous recon soln</i> | 5 | MO |
| DARAPRIM ORAL TABLET | 4 | MO |
| DORIBAX INTRAVENOUS RECON SOLN | 4 | |
| DORIPENEM INTRAVENOUS RECON SOLN | 4 | |
| <i>ethambutol oral tablet</i> | 2 | MO |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 80 mg/50 ml</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| GENTAMICIN IN NAACL (ISO-OSM) INTRAVENOUS PIGGYBACK 100 MG/50 ML, 120 MG/100 ML | 2 | |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 90 mg/100 ml</i> | 2 | |
| <i>gentamicin injection solution 40 mg/ml</i> | 2 | MO |
| <i>hydroxychloroquine oral tablet</i> | 2 | MO |
| <i>imipenem-cilastatin intravenous recon soln</i> | 2 | MO |
| INVANZ INJECTION RECON SOLN | 4 | MO |
| INVANZ INTRAVENOUS RECON SOLN | 4 | |
| <i>isoniazid injection solution</i> | 2 | |
| <i>isoniazid oral solution</i> | 1 | MO |
| <i>isoniazid oral tablet</i> | 1 | MO |
| <i>ivermectin oral tablet</i> | 2 | MO |
| LINCOCIN INJECTION SOLUTION | 4 | MO |
| <i>lincomycin injection solution</i> | 4 | |
| <i>linezolid intravenous parenteral solution</i> | 5 | |
| <i>linezolid oral suspension for reconstitution</i> | 5 | MO |
| <i>linezolid oral tablet</i> | 5 | MO |
| <i>linezolid-0.9% sodium chloride intravenous parenteral solution</i> | 5 | |
| <i>mefloquine oral tablet</i> | 2 | MO |
| <i>meropenem intravenous recon soln</i> | 2 | MO |
| MEROPENEM-0.9% SODIUM CHLORIDE INTRAVENOUS PIGGYBACK | 2 | |
| <i>metro i.v. intravenous piggyback</i> | 2 | MO |
| <i>metronidazole in nacl (iso-os) intravenous piggyback</i> | 2 | MO |
| <i>metronidazole oral capsule</i> | 3 | MO |
| <i>metronidazole oral tablet</i> | 2 | MO |
| NEBUPENT INHALATION RECON SOLN | 4 | B/D; MO |
| <i>neomycin oral tablet</i> | 2 | MO |
| ORBACTIV INTRAVENOUS RECON SOLN | 5 | MO |
| <i>paromomycin oral capsule</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| PASER ORAL GRANULES DR FOR SUSP IN PACKET | 4 | MO |
| PENTAM INJECTION RECON SOLN | 4 | MO |
| <i>polymyxin b sulfate injection recon soln</i> | 2 | MO |
| PRIFTIN ORAL TABLET | 4 | MO |
| PRIMAQUINE ORAL TABLET | 3 | MO |
| <i>pyrazinamide oral tablet</i> | 2 | MO |
| <i>quinine sulfate oral capsule</i> | 2 | PA; MO |
| <i>rifabutin oral capsule</i> | 4 | MO |
| RIFAMATE ORAL CAPSULE | 4 | MO |
| <i>rifampin intravenous recon soln</i> | 2 | MO |
| <i>rifampin oral capsule</i> | 2 | MO |
| RIFATER ORAL TABLET | 4 | MO |
| SIRTURO ORAL TABLET | 5 | PA; MO; LA |
| SIVEXTRO INTRAVENOUS RECON SOLN | 5 | QL (6 per 30 days) |
| SIVEXTRO ORAL TABLET | 5 | MO; QL (6 per 30 days) |
| STREPTOMYCIN INTRAMUSCULAR RECON SOLN | 4 | MO |
| SYNERCID INTRAVENOUS RECON SOLN | 5 | |
| TIGECYCLINE INTRAVENOUS RECON SOLN | 5 | |
| <i>tinidazole oral tablet</i> | 3 | MO |
| TOBI PODHALER INHALATION CAPSULE | 5 | QL (224 per 56 days) |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE | 5 | MO; QL (224 per 56 days) |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization</i> | 5 | B/D; MO; QL (280 per 56 days) |
| <i>tobramycin sulfate injection recon soln</i> | 2 | |
| <i>tobramycin sulfate injection solution</i> | 2 | MO |
| TRECTOR ORAL TABLET | 4 | MO |
| TYGACIL INTRAVENOUS RECON SOLN | 5 | MO |
| XIFAXAN ORAL TABLET 200 MG | 4 | MO; QL (9 per 3 days) |
| XIFAXAN ORAL TABLET 550 MG | 5 | PA; MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PENICILLINS | | |
| <i>amoxicillin oral capsule</i> | 1 | MO |
| <i>amoxicillin oral suspension for reconstitution</i> | 1 | MO |
| <i>amoxicillin oral tablet</i> | 1 | MO |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 1 | MO |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i> | 2 | MO |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> | 4 | MO |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i> | 4 | MO |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> | 2 | MO |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i> | 4 | MO |
| <i>amoxicillin-pot clavulanate oral tablet, chewable</i> | 2 | MO |
| <i>ampicillin oral capsule</i> | 2 | MO |
| <i>ampicillin oral suspension for reconstitution</i> | 2 | MO |
| <i>ampicillin sodium injection recon soln</i> | 2 | MO |
| <i>ampicillin sodium intravenous recon soln</i> | 2 | |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i> | 2 | MO |
| <i>ampicillin-sulbactam injection recon soln 15 gram</i> | 2 | |
| BICILLIN C-R INTRAMUSCULAR SYRINGE | 4 | MO |
| BICILLIN L-A INTRAMUSCULAR SYRINGE | 4 | MO |
| <i>dicloxacillin oral capsule</i> | 2 | MO |
| <i>nafcillin in dextrose iso-osm intravenous piggyback 1 gram/50 ml</i> | 4 | |
| <i>nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i> | 4 | MO |
| <i>nafcillin injection recon soln 1 gram, 2 gram</i> | 4 | MO |
| <i>nafcillin injection recon soln 10 gram</i> | 5 | MO |
| <i>nafcillin intravenous recon soln</i> | 4 | MO |
| <i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml</i> | 2 | |
| <i>oxacillin in dextrose(iso-osm) intravenous piggyback 2 gram/50 ml</i> | 5 | MO |
| <i>oxacillin injection recon soln 1 gram</i> | 2 | |
| <i>oxacillin injection recon soln 10 gram</i> | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>oxacillin injection recon soln 2 gram</i> | 2 | MO |
| <i>oxacillin intravenous recon soln</i> | 2 | |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 1 MILLION UNIT/50 ML, 2 MILLION UNIT/50 ML | 4 | |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 3 MILLION UNIT/50 ML | 4 | MO |
| <i>penicillin g potassium injection recon soln</i> | 2 | MO |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml</i> | 2 | MO |
| <i>penicillin g procaine intramuscular syringe 600,000 unit/ml</i> | 2 | |
| <i>penicillin g sodium injection recon soln</i> | 5 | MO |
| <i>penicillin v potassium oral recon soln</i> | 1 | MO |
| <i>penicillin v potassium oral tablet</i> | 1 | MO |
| <i>pfizerpen-g injection recon soln</i> | 2 | |
| PIPERACILLIN-TAZOBACTAM INTRAVENOUS RECON SOLN 13.5 GRAM | 4 | |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> | 4 | MO |
| ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2.25 GRAM/50 ML | 4 | |
| ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 3.375 GRAM/50 ML, 4.5 GRAM/100 ML | 4 | MO |
| ZOSYN INTRAVENOUS RECON SOLN 2.25 GRAM, 3.375 GRAM | 4 | MO |
| QUINOLONES | | |
| AVELOX IN NACL (ISO-OSMOTIC) INTRAVENOUS PIGGYBACK | 4 | MO |
| <i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg</i> | 2 | MO; QL (14 per 30 days) |
| <i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 500 mg</i> | 2 | MO; QL (28 per 30 days) |
| <i>ciprofloxacin hcl oral tablet</i> | 1 | MO |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback</i> | 2 | MO |
| <i>ciprofloxacin lactate intravenous solution 200 mg/20 ml</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ciprofloxacin lactate intravenous solution 400 mg/40 ml</i> | 2 | |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i> | 2 | |
| <i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i> | 2 | MO |
| <i>levofloxacin intravenous solution</i> | 2 | MO |
| <i>levofloxacin oral solution</i> | 3 | MO |
| <i>levofloxacin oral tablet</i> | 2 | MO |
| <i>moxifloxacin oral tablet</i> | 3 | MO |
| MOXIFLOXACIN-SOD.ACE,SUL-WATER INTRAVENOUS PIGGYBACK | 4 | |
| <i>ofloxacin oral tablet 300 mg</i> | 2 | |
| <i>ofloxacin oral tablet 400 mg</i> | 2 | MO |
| SULFA'S / RELATED AGENTS | | |
| <i>sulfadiazine oral tablet</i> | 2 | MO |
| <i>sulfamethoxazole-trimethoprim intravenous solution</i> | 2 | MO |
| <i>sulfamethoxazole-trimethoprim oral suspension</i> | 1 | MO |
| <i>sulfamethoxazole-trimethoprim oral tablet</i> | 1 | MO |
| TETRACYCLINES | | |
| <i>doxy-100 intravenous recon soln</i> | 2 | MO |
| <i>doxycycline hyclate oral capsule 100 mg</i> | 4 | MO |
| <i>doxycycline hyclate oral capsule 50 mg</i> | 3 | MO |
| <i>doxycycline hyclate oral tablet 100 mg</i> | 4 | MO |
| <i>doxycycline hyclate oral tablet 20 mg</i> | 2 | MO |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 2 | MO |
| <i>doxycycline monohydrate oral suspension for reconstitution</i> | 4 | MO |
| <i>doxycycline monohydrate oral tablet 100 mg, 150 mg</i> | 4 | MO |
| <i>doxycycline monohydrate oral tablet 50 mg, 75 mg</i> | 2 | MO |
| <i>minocycline oral capsule</i> | 2 | MO |
| <i>mondoxyne nl oral capsule 100 mg, 50 mg</i> | 2 | MO |
| <i>morgidox oral capsule 100 mg</i> | 4 | MO |
| <i>morgidox oral capsule 50 mg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>tetracycline oral capsule</i> | 4 | MO |
| VIBRAMYCIN ORAL SYRUP | 4 | MO |
| URINARY TRACT AGENTS | | |
| <i>methenamine hippurate oral tablet</i> | 2 | MO |
| <i>methenamine mandelate oral tablet</i> | 2 | MO |
| MONUROL ORAL PACKET | 4 | MO |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg</i> | 2 | MO; QL (90 per 365 days) |
| <i>nitrofurantoin macrocrystal oral capsule 50 mg</i> | 2 | MO; QL (180 per 365 days) |
| <i>nitrofurantoin monohyd/m-cryst oral capsule</i> | 2 | MO; QL (90 per 365 days) |
| <i>trimethoprim oral tablet</i> | 2 | MO |
| VANCOMYCIN | | |
| VANCOMYCIN IN 0.9% SODIUM CL INTRAVENOUS PIGGYBACK | 3 | |
| VANCOMYCIN IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | 3 | MO |
| VANCOMYCIN IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK 500 MG/100 ML, 750 MG/150 ML | 3 | |
| VANCOMYCIN INJECTION RECON SOLN | 3 | |
| <i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg</i> | 3 | MO |
| VANCOMYCIN INTRAVENOUS RECON SOLN 750 MG | 3 | MO |
| <i>vancomycin oral capsule</i> | 5 | MO |
| VIBATIV INTRAVENOUS RECON SOLN 750 MG | 5 | |
| ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS | | |
| ADJUNCTIVE AGENTS | | |
| <i>amifostine crystalline intravenous recon soln</i> | 2 | MO |
| <i>dexrazoxane hcl intravenous recon soln 250 mg</i> | 5 | |
| <i>dexrazoxane hcl intravenous recon soln 500 mg</i> | 5 | MO |
| ELITEK INTRAVENOUS RECON SOLN | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| FUSILEV INTRAVENOUS RECON SOLN | 5 | MO |
| KEPIVANCE INTRAVENOUS RECON SOLN | 5 | MO; LA |
| <i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg</i> | 2 | MO |
| <i>leucovorin calcium injection recon soln 500 mg</i> | 2 | |
| <i>leucovorin calcium oral tablet</i> | 2 | MO |
| LEVOLEUCOVORIN INTRAVENOUS RECON SOLN 175 MG | 5 | |
| <i>levoleucovorin intravenous recon soln 50 mg</i> | 5 | |
| LEVOLEUCOVORIN INTRAVENOUS SOLUTION | 5 | |
| <i>mesna intravenous solution</i> | 2 | MO |
| MESNEX ORAL TABLET | 4 | MO |
| XGEVA SUBCUTANEOUS SOLUTION | 5 | PA; MO; QL (1.7 per 28 days) |
| ZINECARD (AS HCL) INTRAVENOUS RECON SOLN 250 MG | 5 | MO |
| ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS | | |
| ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION | 5 | MO |
| <i>adriamycin intravenous solution</i> | 2 | |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> | 2 | B/D |
| <i>adrucil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> | 2 | B/D; MO |
| AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION | 5 | PA; MO |
| AFINITOR ORAL TABLET 10 MG | 5 | PA; MO; QL (30 per 30 days) |
| AFINITOR ORAL TABLET 2.5 MG | 5 | PA; MO; QL (120 per 30 days) |
| AFINITOR ORAL TABLET 5 MG, 7.5 MG | 5 | PA; MO; QL (60 per 30 days) |
| ALECENSA ORAL CAPSULE | 5 | PA; MO; QL (240 per 30 days) |
| ALIMTA INTRAVENOUS RECON SOLN | 5 | MO |
| ALKERAN ORAL TABLET | 3 | B/D; MO |
| <i>anastrozole oral tablet</i> | 2 | MO |
| ARRANON INTRAVENOUS SOLUTION | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| ARZERRA INTRAVENOUS SOLUTION | 5 | B/D; MO |
| AVASTIN INTRAVENOUS SOLUTION | 5 | MO |
| <i>azacitidine injection recon soln</i> | 5 | MO |
| <i>azathioprine oral tablet</i> | 2 | B/D; MO |
| <i>azathioprine sodium injection recon soln</i> | 2 | B/D |
| BAVENCIO INTRAVENOUS SOLUTION | 5 | PA; MO |
| BELEODAQ INTRAVENOUS RECON SOLN | 5 | MO |
| BENDEKA INTRAVENOUS SOLUTION | 5 | MO |
| <i>bexarotene oral capsule</i> | 5 | PA; MO |
| <i>bicalutamide oral tablet</i> | 2 | MO |
| BICNU INTRAVENOUS RECON SOLN | 4 | MO |
| <i>bleo 15k injection recon soln</i> | 2 | B/D |
| <i>bleomycin injection recon soln</i> | 2 | B/D; MO |
| BLINCYTO INTRAVENOUS KIT | 5 | B/D; MO |
| BOSULIF ORAL TABLET 100 MG | 5 | PA; MO; QL (180 per 30 days) |
| BOSULIF ORAL TABLET 500 MG | 5 | PA; MO; QL (60 per 30 days) |
| <i>busulfan intravenous solution</i> | 5 | |
| BUSULFEX INTRAVENOUS SOLUTION | 5 | |
| CABOMETYX ORAL TABLET 20 MG | 5 | PA; MO; LA; QL (90 per 30 days) |
| CABOMETYX ORAL TABLET 40 MG | 5 | PA; MO; LA; QL (60 per 30 days) |
| CABOMETYX ORAL TABLET 60 MG | 5 | PA; MO; LA; QL (30 per 30 days) |
| CAPRELSA ORAL TABLET 100 MG | 3 | PA; MO; LA; QL (90 per 30 days) |
| CAPRELSA ORAL TABLET 300 MG | 3 | PA; MO; LA; QL (30 per 30 days) |
| <i>carboplatin intravenous solution</i> | 2 | MO |
| CELLCEPT INTRAVENOUS RECON SOLN | 4 | B/D; MO |
| <i>cisplatin intravenous solution</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| <i>cladribine intravenous solution</i> | 5 | B/D; MO |
| <i>clofarabine intravenous solution</i> | 5 | |
| CLOLAR INTRAVENOUS SOLUTION | 5 | |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3) | 5 | PA; MO; QL (112 per 28 days) |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY) | 5 | PA; MO; QL (252 per 28 days) |
| COTELLIC ORAL TABLET | 5 | PA; MO; LA; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln</i> | 4 | MO |
| CYCLOPHOSPHAMIDE ORAL CAPSULE | 4 | B/D; MO |
| <i>cyclosporine intravenous solution</i> | 2 | B/D |
| <i>cyclosporine modified oral capsule</i> | 2 | B/D; MO |
| <i>cyclosporine modified oral solution</i> | 2 | B/D; MO |
| <i>cyclosporine oral capsule</i> | 2 | B/D; MO |
| CYRAMZA INTRAVENOUS SOLUTION | 5 | B/D; MO |
| <i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i> | 2 | B/D; MO |
| <i>cytarabine (pf) injection solution 20 mg/ml</i> | 2 | B/D |
| <i>cytarabine injection solution</i> | 2 | B/D; MO |
| <i>dacarbazine intravenous recon soln</i> | 2 | MO |
| DARZALEX INTRAVENOUS SOLUTION | 5 | MO; LA |
| <i>daunorubicin intravenous solution</i> | 2 | |
| <i>decitabine intravenous recon soln</i> | 5 | MO |
| <i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 20 mg/2 ml (10 mg/ml)</i> | 5 | |
| <i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i> | 5 | MO |
| DOCETAXEL INTRAVENOUS SOLUTION 20 MG/ML | 5 | |
| <i>doxorubicin intravenous recon soln</i> | 2 | |
| <i>doxorubicin intravenous solution</i> | 2 | MO |
| <i>doxorubicin, peg-liposomal intravenous suspension</i> | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE | 4 | PA; MO; QL (1 per 84 days) |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE | 4 | PA; MO; QL (1 per 112 days) |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE | 4 | PA; MO; QL (1 per 168 days) |
| ELIGARD SUBCUTANEOUS SYRINGE | 4 | PA; MO; QL (1 per 28 days) |
| EMCYT ORAL CAPSULE | 4 | PA; MO |
| EMPLICITI INTRAVENOUS RECON SOLN | 5 | B/D; MO |
| <i>epirubicin intravenous solution 200 mg/100 ml</i> | 2 | |
| <i>epirubicin intravenous solution 50 mg/25 ml</i> | 2 | MO |
| ERBITUX INTRAVENOUS SOLUTION | 5 | MO |
| ERIVEDGE ORAL CAPSULE | 5 | PA; MO; QL (30 per 30 days) |
| ERWINAZE INJECTION RECON SOLN | 5 | MO |
| ETOPOPHOS INTRAVENOUS RECON SOLN | 4 | MO |
| <i>etoposide intravenous solution</i> | 2 | MO |
| <i>exemestane oral tablet</i> | 4 | MO |
| FARESTON ORAL TABLET | 5 | PA; MO |
| FARYDAK ORAL CAPSULE 10 MG, 15 MG | 5 | PA; MO; QL (12 per 21 days) |
| FARYDAK ORAL CAPSULE 20 MG | 5 | PA; MO; QL (6 per 21 days) |
| FASLODEX INTRAMUSCULAR SYRINGE | 5 | MO |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 5 | PA; MO; QL (4 per 365 days) |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | 4 | PA; MO; QL (12 per 28 days) |
| <i>floxuridine injection recon soln</i> | 2 | |
| <i>fludarabine intravenous recon soln</i> | 2 | MO |
| <i>fludarabine intravenous solution</i> | 2 | |
| <i>fluorouracil intravenous solution</i> | 2 | B/D; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| <i>flutamide oral capsule</i> | 2 | MO |
| FOLOTYN INTRAVENOUS SOLUTION | 5 | MO |
| GAZYVA INTRAVENOUS SOLUTION | 5 | MO |
| <i>gemcitabine intravenous recon soln 1 gram, 200 mg</i> | 5 | MO |
| <i>gemcitabine intravenous recon soln 2 gram</i> | 5 | |
| <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> | 5 | MO |
| <i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i> | 5 | |
| <i>gengraf oral capsule</i> | 2 | B/D; MO |
| <i>gengraf oral solution</i> | 2 | B/D; MO |
| GILOTRIF ORAL TABLET 20 MG, 30 MG | 5 | PA; MO; QL (60 per 30 days) |
| GILOTRIF ORAL TABLET 40 MG | 5 | PA; MO; QL (30 per 30 days) |
| GLEEVEC ORAL TABLET 100 MG | 5 | PA; MO; QL (240 per 30 days) |
| GLEEVEC ORAL TABLET 400 MG | 5 | PA; MO; QL (60 per 30 days) |
| GLEOSTINE ORAL CAPSULE | 4 | PA; MO |
| HALAVEN INTRAVENOUS SOLUTION | 5 | MO |
| HERCEPTIN INTRAVENOUS RECON SOLN | 5 | MO |
| HEXALEN ORAL CAPSULE | 5 | MO |
| <i>hydroxyurea oral capsule</i> | 2 | MO |
| IBRANCE ORAL CAPSULE 100 MG, 75 MG | 5 | PA; MO; QL (42 per 28 days) |
| IBRANCE ORAL CAPSULE 125 MG | 5 | PA; MO; QL (21 per 28 days) |
| ICLUSIG ORAL TABLET 15 MG | 5 | PA; QL (90 per 30 days) |
| ICLUSIG ORAL TABLET 45 MG | 5 | PA; MO; QL (30 per 30 days) |
| <i>idarubicin intravenous solution</i> | 5 | |
| <i>ifosfamide intravenous recon soln</i> | 2 | MO |
| <i>ifosfamide intravenous solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| IMBRUVICA ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days) |
| INLYTA ORAL TABLET 1 MG | 5 | PA; MO; QL (600 per 30 days) |
| INLYTA ORAL TABLET 5 MG | 5 | PA; MO; QL (120 per 30 days) |
| IRESSA ORAL TABLET | 5 | PA; MO; QL (30 per 30 days) |
| <i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i> | 3 | MO |
| <i>irinotecan intravenous solution 500 mg/25 ml</i> | 3 | |
| ISTODAX INTRAVENOUS RECON SOLN | 5 | MO |
| IXEMPRA INTRAVENOUS RECON SOLN | 5 | MO |
| JAKAFI ORAL TABLET 10 MG | 5 | PA; MO; QL (180 per 30 days) |
| JAKAFI ORAL TABLET 15 MG, 20 MG | 5 | PA; MO; QL (120 per 30 days) |
| JAKAFI ORAL TABLET 25 MG | 5 | PA; MO; QL (60 per 30 days) |
| JAKAFI ORAL TABLET 5 MG | 5 | PA; MO; QL (300 per 30 days) |
| JEVTANA INTRAVENOUS SOLUTION | 5 | MO |
| KADCYLA INTRAVENOUS RECON SOLN | 5 | MO |
| KEYTRUDA INTRAVENOUS RECON SOLN | 5 | MO |
| KEYTRUDA INTRAVENOUS SOLUTION | 5 | MO |
| KISQALI ORAL TABLET | 5 | PA; MO; QL (63 per 28 days) |
| KYPROLIS INTRAVENOUS RECON SOLN | 5 | MO |
| LARTRUVO INTRAVENOUS SOLUTION | 5 | MO; LA |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1/DAY), 24 MG/DAY(10 MG X 2-4 MG X 1) | 5 | PA; MO; QL (90 per 30 days) |
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2) | 5 | PA; MO; QL (120 per 30 days) |
| LENVIMA ORAL CAPSULE 18 MG/DAY (10 MG X 1-4 MG X2), 8 MG/DAY (4 MG X 2) | 5 | PA; MO; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| <i>letrozole oral tablet</i> | 2 | MO |
| LEUKERAN ORAL TABLET | 4 | MO |
| <i>leuprolide subcutaneous kit</i> | 2 | PA; MO |
| LONSURF ORAL TABLET | 5 | PA; MO |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT | 5 | PA; MO; QL (1 per 84 days) |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT | 5 | PA; MO; QL (1 per 84 days) |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT | 5 | PA; MO; QL (1 per 168 days) |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT | 5 | PA; MO; QL (1 per 28 days) |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT | 5 | PA; MO; QL (1 per 84 days) |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT | 5 | PA; MO; QL (1 per 28 days) |
| LYNPARZA ORAL CAPSULE | 5 | PA; MO; QL (480 per 30 days) |
| LYSODREN ORAL TABLET | 5 | MO |
| MATULANE ORAL CAPSULE | 5 | MO |
| <i>megestrol oral suspension 400 mg/10 ml (10 ml)</i> | 3 | PA |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> | 3 | PA; MO |
| <i>megestrol oral tablet</i> | 3 | PA; MO |
| MEKINIST ORAL TABLET 0.5 MG | 5 | PA; MO; QL (120 per 30 days) |
| MEKINIST ORAL TABLET 2 MG | 5 | PA; MO; QL (30 per 30 days) |
| <i>melphalan hcl intravenous recon soln</i> | 5 | |
| <i>mercaptopurine oral tablet</i> | 2 | MO |
| <i>methotrexate sodium (pf) injection recon soln</i> | 2 | B/D |
| <i>methotrexate sodium (pf) injection solution</i> | 2 | B/D; MO |
| <i>methotrexate sodium injection solution</i> | 2 | B/D; MO |
| <i>methotrexate sodium oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| <i>mitomycin intravenous recon soln</i> | 5 | MO |
| <i>mitoxantrone intravenous concentrate</i> | 2 | MO |
| MUSTARGEN INJECTION RECON SOLN | 4 | MO |
| <i>mycophenolate mofetil hcl intravenous recon soln</i> | 4 | B/D |
| <i>mycophenolate mofetil oral capsule</i> | 2 | B/D; MO |
| <i>mycophenolate mofetil oral suspension for reconstitution</i> | 5 | B/D; MO |
| <i>mycophenolate mofetil oral tablet</i> | 2 | B/D; MO |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec)</i> | 4 | B/D; MO |
| NEXAVAR ORAL TABLET | 5 | PA; MO; LA; QL (120 per 30 days) |
| <i>nilutamide oral tablet</i> | 5 | MO |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG | 5 | PA; MO; QL (6 per 28 days) |
| NINLARO ORAL CAPSULE 4 MG | 5 | PA; MO; QL (3 per 28 days) |
| NIPENT INTRAVENOUS RECON SOLN | 5 | MO |
| NULOJIX INTRAVENOUS RECON SOLN | 5 | PA; MO |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i> | 5 | MO |
| <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i> | 4 | MO |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i> | 4 | MO |
| <i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i> | 5 | MO |
| ODOMZO ORAL CAPSULE | 5 | PA; MO; LA; QL (30 per 30 days) |
| ONCASPAR INJECTION SOLUTION | 5 | MO |
| OPDIVO INTRAVENOUS SOLUTION | 5 | MO |
| <i>oxaliplatin intravenous recon soln 100 mg</i> | 4 | MO |
| <i>oxaliplatin intravenous recon soln 50 mg</i> | 4 | |
| <i>oxaliplatin intravenous solution</i> | 4 | MO |
| <i>paclitaxel intravenous concentrate</i> | 2 | MO |
| PERJETA INTRAVENOUS SOLUTION | 5 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| POMALYST ORAL CAPSULE 1 MG | 5 | PA; MO; QL (84 per 28 days) |
| POMALYST ORAL CAPSULE 2 MG, 3 MG | 5 | PA; MO; QL (42 per 28 days) |
| POMALYST ORAL CAPSULE 4 MG | 5 | PA; MO; QL (21 per 28 days) |
| PORTRAZZA INTRAVENOUS SOLUTION | 5 | B/D; MO |
| PROGRAF INTRAVENOUS SOLUTION | 4 | B/D; MO |
| PURIXAN ORAL SUSPENSION | 5 | PA; MO |
| RAPAMUNE ORAL SOLUTION | 5 | PA; MO |
| REVLIMID ORAL CAPSULE 10 MG | 5 | PA; MO; LA; QL (63 per 28 days) |
| REVLIMID ORAL CAPSULE 15 MG, 20 MG | 5 | PA; MO; LA; QL (42 per 28 days) |
| REVLIMID ORAL CAPSULE 2.5 MG | 5 | PA; MO; LA; QL (210 per 28 days) |
| REVLIMID ORAL CAPSULE 25 MG | 5 | PA; MO; LA; QL (21 per 28 days) |
| REVLIMID ORAL CAPSULE 5 MG | 5 | PA; MO; LA; QL (105 per 28 days) |
| RITUXAN INTRAVENOUS CONCENTRATE | 5 | PA; MO |
| RUBRACA ORAL TABLET 200 MG, 300 MG | 5 | PA; MO; LA |
| RUBRACA ORAL TABLET 250 MG | 5 | PA |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON | 5 | PA; MO |
| SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 5 | PA; MO; QL (1 per 28 days) |
| SIGNIFOR SUBCUTANEOUS SOLUTION | 5 | PA; MO; QL (60 per 30 days) |
| SIMULECT INTRAVENOUS RECON SOLN 10 MG | 4 | B/D |
| SIMULECT INTRAVENOUS RECON SOLN 20 MG | 4 | B/D; MO |
| <i>sirolimus oral tablet 0.5 mg, 1 mg</i> | 4 | PA; MO |
| <i>sirolimus oral tablet 2 mg</i> | 5 | PA; MO |
| SOLTAMOX ORAL SOLUTION | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------|
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML | 5 | PA; MO; QL (0.5 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML | 5 | PA; MO; QL (0.4 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML | 5 | PA; MO; QL (0.6 per 28 days) |
| SPRYCEL ORAL TABLET 100 MG, 140 MG | 5 | PA; MO; QL (60 per 30 days) |
| SPRYCEL ORAL TABLET 20 MG | 5 | PA; MO; QL (270 per 30 days) |
| SPRYCEL ORAL TABLET 50 MG | 5 | PA; MO; QL (120 per 30 days) |
| SPRYCEL ORAL TABLET 70 MG, 80 MG | 5 | PA; MO; QL (90 per 30 days) |
| STIVARGA ORAL TABLET | 5 | PA; MO; QL (84 per 28 days) |
| SUTENT ORAL CAPSULE 12.5 MG | 5 | PA; MO; QL (210 per 30 days) |
| SUTENT ORAL CAPSULE 25 MG | 5 | PA; MO; QL (120 per 30 days) |
| SUTENT ORAL CAPSULE 37.5 MG | 5 | PA; MO; QL (90 per 30 days) |
| SUTENT ORAL CAPSULE 50 MG | 5 | PA; MO; QL (60 per 30 days) |
| SYLVANT INTRAVENOUS RECON SOLN | 5 | PA; MO |
| SYNRIBO SUBCUTANEOUS RECON SOLN | 5 | MO |
| TABLOID ORAL TABLET | 4 | PA; MO |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg</i> | 2 | B/D; MO |
| <i>tacrolimus oral capsule 5 mg</i> | 4 | B/D; MO |
| TAFINLAR ORAL CAPSULE 50 MG | 5 | PA; MO; QL (180 per 30 days) |
| TAFINLAR ORAL CAPSULE 75 MG | 5 | PA; MO; QL (120 per 30 days) |
| TAGRISO ORAL TABLET 40 MG | 5 | PA; MO; LA; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------|
| TAGRISSE ORAL TABLET 80 MG | 5 | PA; MO; LA; QL (30 per 30 days) |
| <i>tamoxifen oral tablet</i> | 2 | MO |
| TARCEVA ORAL TABLET 100 MG | 5 | PA; MO; QL (150 per 30 days) |
| TARCEVA ORAL TABLET 150 MG | 5 | PA; MO; QL (90 per 30 days) |
| TARCEVA ORAL TABLET 25 MG | 5 | PA; MO |
| TARGRETIN TOPICAL GEL | 5 | MO |
| TASIGNA ORAL CAPSULE 150 MG | 5 | PA; MO; QL (180 per 30 days) |
| TASIGNA ORAL CAPSULE 200 MG | 5 | PA; MO; QL (120 per 30 days) |
| TECENTRIQ INTRAVENOUS SOLUTION | 5 | MO; LA |
| TEMODAR INTRAVENOUS RECON SOLN | 5 | MO |
| THALOMID ORAL CAPSULE 100 MG, 50 MG | 5 | PA; MO |
| THALOMID ORAL CAPSULE 150 MG | 5 | PA; MO; QL (90 per 30 days) |
| THALOMID ORAL CAPSULE 200 MG | 5 | PA; MO; QL (60 per 30 days) |
| <i>thiotepa injection recon soln</i> | 5 | MO |
| <i>toposar intravenous solution</i> | 2 | MO |
| <i>topotecan intravenous recon soln</i> | 5 | |
| <i>topotecan intravenous solution</i> | 5 | MO |
| TORISEL INTRAVENOUS RECON SOLN | 5 | MO |
| TREANDA INTRAVENOUS RECON SOLN | 5 | MO |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG | 5 | PA; MO; QL (1 per 84 days) |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG | 5 | PA; MO; QL (1 per 168 days) |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG | 5 | PA; MO; QL (1 per 28 days) |
| TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML | 5 | PA; MO; QL (1 per 84 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML | 5 | PA; MO; QL (1 per 168 days) |
| TRELSTAR INTRAMUSCULAR SYRINGE 3.75 MG/2 ML | 5 | PA; MO; QL (1 per 28 days) |
| <i>tretinoin (chemotherapy) oral capsule</i> | 5 | MO |
| TRISENOX INTRAVENOUS SOLUTION | 5 | MO |
| TYKERB ORAL TABLET | 5 | PA; MO; LA; QL (180 per 30 days) |
| UNITUXIN INTRAVENOUS SOLUTION | 5 | MO |
| VALSTAR INTRAVESICAL SOLUTION | 5 | MO |
| VECTIBIX INTRAVENOUS SOLUTION | 5 | B/D; MO |
| VELCADE INJECTION RECON SOLN | 5 | MO |
| VENCLEXTA ORAL TABLET 10 MG | 4 | PA; MO; LA; QL (1200 per 30 days) |
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA; MO; LA; QL (120 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | 4 | PA; MO; LA; QL (240 per 30 days) |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK | 5 | PA; MO; LA; QL (42 per 30 days) |
| <i>vinblastine intravenous solution</i> | 2 | B/D; MO |
| <i>vincasar pfs intravenous solution 1 mg/ml</i> | 2 | B/D |
| <i>vincasar pfs intravenous solution 2 mg/2 ml</i> | 2 | B/D; MO |
| <i>vincristine intravenous solution</i> | 2 | B/D; MO |
| <i>vinorelbine intravenous solution</i> | 2 | MO |
| VOTRIENT ORAL TABLET | 5 | PA; MO; QL (120 per 30 days) |
| XALKORI ORAL CAPSULE 200 MG | 5 | PA; MO; QL (90 per 30 days) |
| XALKORI ORAL CAPSULE 250 MG | 5 | PA; MO; QL (60 per 30 days) |
| XERMELO ORAL TABLET | 5 | PA; MO; QL (84 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| XTANDI ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days) |
| YERVOY INTRAVENOUS SOLUTION | 5 | MO |
| YONDELIS INTRAVENOUS RECON SOLN | 5 | MO |
| ZALTRAP INTRAVENOUS SOLUTION | 5 | MO |
| ZANOSAR INTRAVENOUS RECON SOLN | 4 | MO |
| ZELBORAF ORAL TABLET | 5 | PA; MO; QL (240 per 30 days) |
| ZOLINZA ORAL CAPSULE | 5 | PA; MO; QL (120 per 30 days) |
| ZORTRESS ORAL TABLET 0.25 MG | 4 | PA; MO |
| ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG | 5 | PA; MO |
| ZYDELIG ORAL TABLET 100 MG | 5 | PA; MO; QL (90 per 30 days) |
| ZYDELIG ORAL TABLET 150 MG | 5 | PA; MO; QL (60 per 30 days) |
| ZYKADIA ORAL CAPSULE | 5 | PA; MO; QL (150 per 30 days) |
| ZYTIGA ORAL TABLET 250 MG | 5 | PA; MO; QL (120 per 30 days) |
| AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH | | |
| ANTICONVULSANTS | | |
| APTIOM ORAL TABLET 200 MG | 4 | PA; MO |
| APTIOM ORAL TABLET 400 MG, 600 MG, 800 MG | 5 | PA; MO |
| BANZEL ORAL SUSPENSION | 4 | PA; MO |
| BANZEL ORAL TABLET 200 MG | 4 | PA; MO |
| BANZEL ORAL TABLET 400 MG | 5 | PA; MO |
| BRIVIACT INTRAVENOUS SOLUTION | 5 | PA |
| BRIVIACT ORAL SOLUTION | 5 | PA; MO |
| BRIVIACT ORAL TABLET | 5 | PA; MO |
| <i>carbamazepine oral capsule, er multiphase 12 hr</i> | 2 | MO |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>carbamazepine oral tablet</i> | 2 | MO |
| <i>carbamazepine oral tablet extended release 12 hr</i> | 2 | MO |
| <i>carbamazepine oral tablet, chewable</i> | 2 | MO |
| CELONTIN ORAL CAPSULE 300 MG | 4 | MO |
| <i>clonazepam oral tablet 0.5 mg</i> | 2 | MO; QL (1200 per 30 days) |
| <i>clonazepam oral tablet 1 mg</i> | 2 | MO; QL (600 per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> | 2 | MO; QL (300 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.125 mg</i> | 2 | ST; MO; QL (4800 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.25 mg</i> | 2 | ST; MO; QL (2400 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.5 mg</i> | 2 | ST; MO; QL (1200 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 1 mg</i> | 2 | ST; MO; QL (600 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 2 mg</i> | 2 | ST; MO; QL (300 per 30 days) |
| <i>diazepam rectal kit</i> | 2 | MO |
| DILANTIN 30 MG ORAL CAPSULE | 3 | MO |
| <i>divalproex oral capsule, delayed rel sprinkle</i> | 2 | MO |
| <i>divalproex oral tablet extended release 24 hr</i> | 3 | MO |
| <i>divalproex oral tablet, delayed release (dr/ec)</i> | 2 | MO |
| <i>epitol oral tablet</i> | 2 | MO |
| EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR | 4 | MO |
| <i>ethosuximide oral capsule</i> | 4 | MO |
| <i>ethosuximide oral solution</i> | 4 | MO |
| <i>felbamate oral suspension</i> | 4 | MO |
| <i>felbamate oral tablet</i> | 4 | MO |
| <i>fosphenytoin injection solution</i> | 2 | MO |
| FYCOMPA ORAL SUSPENSION | 4 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------------|
| FYCOMPA ORAL TABLET | 4 | PA; MO |
| <i>gabapentin oral capsule</i> | 2 | MO |
| <i>gabapentin oral solution 250 mg/5 ml</i> | 2 | MO |
| <i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i> | 2 | |
| <i>gabapentin oral tablet 600 mg, 800 mg</i> | 2 | MO |
| GABITRIL ORAL TABLET 12 MG, 16 MG | 4 | MO |
| GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR | 4 | PA; MO; QL (156 per 365 days) |
| GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG | 4 | PA; MO; QL (30 per 30 days) |
| GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 600 MG | 4 | PA; MO; QL (90 per 30 days) |
| <i>lamotrigine oral tablet</i> | 2 | MO |
| <i>lamotrigine oral tablet, chewable dispersible</i> | 2 | MO |
| LEVETIRACETAM IN NAACL (ISO-OS) INTRAVENOUS PIGGYBACK 1,000 MG/100 ML, 1,500 MG/100 ML | 4 | |
| LEVETIRACETAM IN NAACL (ISO-OS) INTRAVENOUS PIGGYBACK 500 MG/100 ML | 4 | MO |
| <i>levetiracetam intravenous solution</i> | 2 | MO |
| <i>levetiracetam oral solution 100 mg/ml</i> | 4 | MO |
| <i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i> | 4 | |
| <i>levetiracetam oral tablet</i> | 2 | MO |
| <i>levetiracetam oral tablet extended release 24 hr</i> | 2 | MO |
| LYRICA ORAL CAPSULE 100 MG | 4 | PA; MO; QL (180 per 30 days) |
| LYRICA ORAL CAPSULE 150 MG | 4 | PA; MO; QL (120 per 30 days) |
| LYRICA ORAL CAPSULE 200 MG, 225 MG | 4 | PA; MO; QL (90 per 30 days) |
| LYRICA ORAL CAPSULE 25 MG | 4 | PA; MO; QL (720 per 30 days) |
| LYRICA ORAL CAPSULE 300 MG | 4 | PA; MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| LYRICA ORAL CAPSULE 50 MG | 4 | PA; MO; QL (360 per 30 days) |
| LYRICA ORAL CAPSULE 75 MG | 4 | PA; MO; QL (240 per 30 days) |
| LYRICA ORAL SOLUTION | 4 | PA; MO; QL (900 per 30 days) |
| ONFI ORAL SUSPENSION | 5 | PA; MO |
| ONFI ORAL TABLET 10 MG, 20 MG | 5 | PA; MO |
| <i>oxcarbazepine oral suspension</i> | 4 | MO |
| <i>oxcarbazepine oral tablet</i> | 2 | MO |
| PEGANONE ORAL TABLET | 4 | MO |
| <i>phenobarbital oral elixir</i> | 3 | PA; MO |
| <i>phenobarbital oral tablet</i> | 3 | PA; MO |
| <i>phenobarbital sodium injection solution 130 mg/ml</i> | 3 | MO |
| <i>phenobarbital sodium injection solution 65 mg/ml</i> | 3 | |
| <i>phenytoin oral suspension 100 mg/4 ml</i> | 2 | |
| <i>phenytoin oral suspension 125 mg/5 ml</i> | 2 | MO |
| <i>phenytoin oral tablet, chewable</i> | 2 | MO |
| <i>phenytoin sodium extended oral capsule</i> | 2 | MO |
| <i>phenytoin sodium intravenous solution</i> | 2 | MO |
| <i>phenytoin sodium intravenous syringe</i> | 2 | |
| POTIGA ORAL TABLET 200 MG | 5 | PA; MO |
| POTIGA ORAL TABLET 300 MG, 400 MG, 50 MG | 4 | PA; MO |
| <i>primidone oral tablet</i> | 2 | MO |
| <i>roweepira oral tablet 1,000 mg, 750 mg</i> | 2 | |
| <i>roweepira oral tablet 500 mg</i> | 2 | MO |
| SABRIL ORAL POWDER IN PACKET | 5 | PA; MO; LA; QL (180 per 30 days) |
| SABRIL ORAL TABLET | 5 | PA; MO; LA; QL (180 per 30 days) |
| SPRITAM ORAL TABLET FOR SUSPENSION | 4 | PA; MO |
| <i>tiagabine oral tablet</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>topiramate oral capsule, sprinkle</i> | 3 | MO |
| <i>topiramate oral tablet</i> | 2 | MO |
| <i>valproate sodium intravenous solution</i> | 2 | MO |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 2 | MO |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i> | 2 | |
| <i>valproic acid oral capsule</i> | 2 | MO |
| VIMPAT INTRAVENOUS SOLUTION | 5 | PA |
| VIMPAT ORAL SOLUTION | 4 | PA; MO |
| VIMPAT ORAL TABLET | 4 | PA; MO |
| <i>zonisamide oral capsule</i> | 2 | MO |
| ANTIPARKINSONISM AGENTS | | |
| APOKYN SUBCUTANEOUS CARTRIDGE | 5 | PA; MO; LA; QL (90 per 30 days) |
| <i>benztropine injection solution</i> | 2 | MO |
| <i>benztropine oral tablet</i> | 2 | MO |
| <i>bromocriptine oral capsule</i> | 3 | MO |
| <i>bromocriptine oral tablet</i> | 3 | MO |
| <i>carbidopa oral tablet</i> | 5 | MO |
| <i>carbidopa-levodopa oral tablet</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet extended release</i> | 2 | MO |
| <i>carbidopa-levodopa oral tablet, disintegrating</i> | 2 | MO |
| <i>carbidopa-levodopa-entacapone oral tablet</i> | 2 | MO |
| DUOPA J-TUBE INTESTINAL PUMP SUSPENSION | 5 | PA; MO |
| <i>entacapone oral tablet</i> | 2 | MO |
| NEUPRO TRANSDERMAL PATCH 24 HOUR | 4 | PA; MO; QL (30 per 30 days) |
| <i>pramipexole oral tablet</i> | 2 | MO |
| <i>rasagiline oral tablet</i> | 3 | MO |
| <i>ropinirole oral tablet</i> | 2 | MO |
| <i>selegiline hcl oral capsule</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| <i>selegiline hcl oral tablet</i> | 3 | MO |
| <i>trihexyphenidyl oral elixir</i> | 2 | MO |
| <i>trihexyphenidyl oral tablet</i> | 2 | MO |
| ZELAPAR ORAL TABLET,DISINTEGRATING | 5 | MO |
| MIGRAINE / CLUSTER HEADACHE THERAPY | | |
| <i>dihydroergotamine injection solution</i> | 3 | MO |
| <i>dihydroergotamine nasal spray,non-aerosol</i> | 5 | MO |
| <i>migergot rectal suppository</i> | 5 | MO |
| <i>naratriptan oral tablet</i> | 2 | MO; QL (9 per 28 days) |
| <i>rizatriptan oral tablet 10 mg</i> | 2 | MO; QL (12 per 28 days) |
| <i>rizatriptan oral tablet 5 mg</i> | 2 | MO; QL (24 per 28 days) |
| <i>rizatriptan oral tablet,disintegrating 10 mg</i> | 2 | MO; QL (12 per 28 days) |
| <i>rizatriptan oral tablet,disintegrating 5 mg</i> | 2 | MO; QL (24 per 28 days) |
| <i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> | 4 | MO; QL (12 per 28 days) |
| <i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> | 4 | MO; QL (18 per 28 days) |
| <i>sumatriptan succinate oral tablet</i> | 2 | MO; QL (9 per 28 days) |
| <i>sumatriptan succinate subcutaneous cartridge</i> | 4 | MO; QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector</i> | 4 | MO; QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous solution</i> | 4 | MO; QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i> | 4 | MO; QL (4 per 28 days) |
| <i>zolmitriptan oral tablet</i> | 4 | MO; QL (6 per 28 days) |
| <i>zolmitriptan oral tablet,disintegrating</i> | 4 | MO; QL (6 per 28 days) |
| MISCELLANEOUS NEUROLOGICAL THERAPY | | |
| AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR | 5 | PA; MO; LA; QL (60 per 30 days) |
| AUBAGIO ORAL TABLET | 5 | PA; MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------|
| COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML | 5 | MO; QL (30 per 30 days) |
| COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML | 5 | MO; QL (12 per 28 days) |
| <i>donepezil oral tablet 10 mg, 5 mg</i> | 2 | MO |
| <i>donepezil oral tablet, disintegrating</i> | 2 | MO |
| <i>galantamine oral capsule, ext rel. pellets 24 hr</i> | 2 | MO |
| <i>galantamine oral solution</i> | 2 | MO |
| <i>galantamine oral tablet</i> | 2 | MO |
| GILENYA ORAL CAPSULE | 5 | PA; MO; QL (30 per 30 days) |
| HORIZANT ORAL TABLET EXTENDED RELEASE | 4 | PA; MO; QL (60 per 30 days) |
| KEVEYIS ORAL TABLET | 5 | PA; MO; QL (120 per 30 days) |
| <i>memantine oral solution</i> | 2 | PA; MO |
| <i>memantine oral tablet</i> | 2 | PA; MO; QL (60 per 30 days) |
| MEMANTINE ORAL TABLETS, DOSE PACK | 3 | PA; MO; QL (49 per 28 days) |
| NUEDEXTA ORAL CAPSULE | 4 | PA; MO; QL (60 per 30 days) |
| <i>rivastigmine tartrate oral capsule</i> | 2 | MO |
| <i>rivastigmine transdermal patch 24 hour</i> | 2 | MO |
| TECFIDERA ORAL CAPSULE, DELAYED RELEASE (DR/EC) 120 MG (14)- 240 MG (46) | 5 | PA; MO; QL (120 per 365 days) |
| TECFIDERA ORAL CAPSULE, DELAYED RELEASE (DR/EC) 120 MG, 240 MG | 5 | PA; MO; QL (60 per 30 days) |
| <i>tetrabenazine oral tablet 12.5 mg</i> | 5 | PA; MO; QL (240 per 30 days) |
| <i>tetrabenazine oral tablet 25 mg</i> | 5 | PA; MO; QL (120 per 30 days) |
| TYSABRI INTRAVENOUS SOLUTION | 5 | PA; MO; LA; QL (15 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| ZINBRYTA SUBCUTANEOUS SYRINGE | 5 | PA; MO; LA; QL (1 per 28 days) |
| MUSCLE RELAXANTS / ANTISPASMODIC THERAPY | | |
| <i>baclofen oral tablet</i> | 2 | MO |
| <i>carisoprodol oral tablet 350 mg</i> | 2 | PA; MO |
| <i>carisoprodol-asa-codeine oral tablet</i> | 4 | PA; MO; QL (240 per 30 days) |
| <i>carisoprodol-aspirin oral tablet</i> | 2 | PA; MO |
| <i>chlorzoxazone oral tablet</i> | 2 | PA; MO |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 2 | PA; MO |
| <i>dantrolene oral capsule</i> | 3 | MO |
| GABLOFEN INTRATHECAL SOLUTION 10,000 MCG/20ML (500 MCG/ML), 20,000 MCG/20ML (1,000 MCG/ML) | 4 | B/D; MO |
| GABLOFEN INTRATHECAL SOLUTION 40,000 MCG/20ML (2,000 MCG/ML) | 5 | B/D; MO |
| GABLOFEN INTRATHECAL SYRINGE | 4 | B/D; MO |
| LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML | 5 | B/D; MO |
| LIORESAL INTRATHECAL SOLUTION 50 MCG/ML | 4 | B/D |
| LIORESAL INTRATHECAL SOLUTION 500 MCG/ML | 4 | B/D; MO |
| MESTINON ORAL SYRUP | 4 | MO |
| <i>methocarbamol oral tablet</i> | 2 | PA; MO |
| <i>neostigmine methylsulfate intravenous solution 0.5 mg/ml</i> | 2 | MO |
| <i>neostigmine methylsulfate intravenous solution 1 mg/ml</i> | 2 | |
| <i>orphenadrine citrate injection solution</i> | 2 | PA; MO |
| <i>orphenadrine citrate oral tablet extended release</i> | 2 | PA; MO |
| <i>pyridostigmine bromide oral tablet</i> | 2 | MO |
| <i>regonol injection solution</i> | 2 | |
| <i>tizanidine oral tablet</i> | 2 | MO |
| NARCOTIC ANALGESICS | | |
| ABSTRAL SUBLINGUAL TABLET 100 MCG, 200 MCG, 300 MCG | 5 | PA; MO; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| ABSTRAL SUBLINGUAL TABLET 400 MCG | 5 | PA; MO; QL (116 per 30 days) |
| ABSTRAL SUBLINGUAL TABLET 600 MCG | 5 | PA; MO; QL (77 per 30 days) |
| ABSTRAL SUBLINGUAL TABLET 800 MCG | 5 | PA; MO; QL (58 per 30 days) |
| <i>acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 300 mg-30 mg /12.5 ml</i> | 2 | QL (4500 per 30 days) |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i> | 2 | MO; QL (4500 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i> | 2 | MO; QL (390 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>ascomp with codeine oral capsule</i> | 4 | MO; QL (180 per 30 days) |
| <i>buprenorphine hcl injection solution</i> | 4 | MO; QL (267 per 30 days) |
| <i>buprenorphine hcl injection syringe</i> | 4 | QL (267 per 30 days) |
| <i>buprenorphine hcl sublingual tablet</i> | 2 | PA; MO; QL (60 per 30 days) |
| <i>butalbital compound w/codeine oral capsule</i> | 4 | MO; QL (180 per 30 days) |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i> | 4 | MO; QL (180 per 30 days) |
| <i>codeine sulfate oral tablet</i> | 2 | MO; QL (180 per 30 days) |
| <i>codeine-bitalbital-asa-caff oral capsule</i> | 4 | QL (180 per 30 days) |
| <i>diskets oral tablet,soluble</i> | 2 | QL (50 per 30 days) |
| <i>duramorph (pf) injection solution 0.5 mg/ml</i> | 2 | MO; QL (4000 per 30 days) |
| <i>duramorph (pf) injection solution 1 mg/ml</i> | 2 | QL (2000 per 30 days) |
| <i>endocet oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i> | 2 | MO; QL (360 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>endocet oral tablet 2.5-325 mg</i> | 2 | MO; QL (1600 per 30 days) |
| <i>fentanyl citrate (pf) injection solution</i> | 3 | MO; QL (400 per 30 days) |
| <i>fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)</i> | 3 | QL (400 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg</i> | 5 | PA; MO; QL (39 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 1,600 mcg</i> | 5 | PA; MO; QL (29 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> | 5 | PA; MO; QL (120 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 400 mcg</i> | 5 | PA; MO; QL (116 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 600 mcg</i> | 5 | PA; MO; QL (77 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 800 mcg</i> | 5 | PA; MO; QL (58 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 3 | MO; QL (10 per 30 days) |
| FENTORA BUCCAL TABLET, EFFERVESCENT 100 MCG, 200 MCG | 5 | PA; MO; QL (120 per 30 days) |
| FENTORA BUCCAL TABLET, EFFERVESCENT 400 MCG | 5 | PA; MO; QL (116 per 30 days) |
| FENTORA BUCCAL TABLET, EFFERVESCENT 600 MCG | 5 | PA; MO; QL (77 per 30 days) |
| FENTORA BUCCAL TABLET, EFFERVESCENT 800 MCG | 5 | PA; MO; QL (58 per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 4 | MO; QL (3600 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg</i> | 4 | MO; QL (390 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i> | 2 | MO; QL (150 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| HYDROMORPHONE (PF) INJECTION SOLUTION | 4 | MO; QL (30 per 30 days) |
| <i>hydromorphone injection solution 1 mg/ml</i> | 4 | QL (300 per 30 days) |
| <i>hydromorphone injection solution 2 mg/ml</i> | 4 | MO; QL (150 per 30 days) |
| <i>hydromorphone injection solution 4 mg/ml</i> | 4 | MO; QL (75 per 30 days) |
| <i>hydromorphone injection syringe 1 mg/ml</i> | 4 | QL (300 per 30 days) |
| <i>hydromorphone injection syringe 2 mg/ml</i> | 4 | QL (150 per 30 days) |
| <i>hydromorphone injection syringe 4 mg/ml</i> | 4 | MO; QL (75 per 30 days) |
| <i>hydromorphone oral tablet 2 mg, 4 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>hydromorphone oral tablet 8 mg</i> | 4 | MO; QL (180 per 30 days) |
| <i>ibuprofen-oxycodone oral tablet</i> | 4 | MO; QL (120 per 30 days) |
| LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY | 5 | PA; MO; QL (45 per 30 days) |
| LAZANDA NASAL SPRAY, NON-AEROSOL 300 MCG/SPRAY | 5 | PA; QL (16 per 30 days) |
| LAZANDA NASAL SPRAY, NON-AEROSOL 400 MCG/SPRAY | 5 | PA; MO; QL (30 per 30 days) |
| <i>levorphanol tartrate oral tablet</i> | 4 | MO; QL (240 per 30 days) |
| <i>lorcet (hydrocodone) oral tablet</i> | 2 | QL (360 per 30 days) |
| <i>lorcet hd oral tablet</i> | 2 | QL (360 per 30 days) |
| <i>lorcet plus oral tablet 7.5-325 mg</i> | 2 | QL (360 per 30 days) |
| <i>lortab 10-325 oral tablet</i> | 2 | MO; QL (360 per 30 days) |
| <i>lortab 5-325 oral tablet</i> | 2 | MO; QL (360 per 30 days) |
| <i>lortab 7.5-325 oral tablet</i> | 2 | MO; QL (360 per 30 days) |
| <i>methadone injection solution</i> | 2 | QL (160 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>methadone intensol oral concentrate</i> | 2 | MO; QL (200 per 30 days) |
| <i>methadone oral concentrate</i> | 2 | MO; QL (200 per 30 days) |
| <i>methadone oral solution 10 mg/5 ml</i> | 4 | MO; QL (1000 per 30 days) |
| <i>methadone oral solution 5 mg/5 ml</i> | 2 | MO; QL (2000 per 30 days) |
| <i>methadone oral tablet 10 mg</i> | 2 | MO; QL (200 per 30 days) |
| <i>methadone oral tablet 5 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>methadone oral tablet,soluble</i> | 2 | QL (50 per 30 days) |
| <i>methadose oral concentrate</i> | 2 | MO; QL (200 per 30 days) |
| <i>methadose oral tablet,soluble</i> | 2 | MO; QL (50 per 30 days) |
| <i>morphine (pf) injection solution 0.5 mg/ml</i> | 2 | QL (4000 per 30 days) |
| <i>morphine (pf) injection solution 1 mg/ml</i> | 2 | MO; QL (2000 per 30 days) |
| <i>morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml</i> | 2 | B/D; MO; QL (400 per 30 days) |
| <i>morphine (pf) intravenous patient control.analgesia soln 30 mg/30 ml</i> | 2 | B/D; QL (2000 per 30 days) |
| <i>morphine concentrate oral solution</i> | 2 | MO; QL (300 per 30 days) |
| <i>morphine intravenous cartridge 2 mg/ml</i> | 2 | QL (1000 per 30 days) |
| <i>morphine intravenous cartridge 4 mg/ml</i> | 2 | QL (500 per 30 days) |
| <i>morphine intravenous solution 10 mg/ml</i> | 2 | MO; QL (200 per 30 days) |
| <i>morphine intravenous syringe 2 mg/ml</i> | 2 | QL (1000 per 30 days) |
| <i>morphine intravenous syringe 4 mg/ml</i> | 2 | QL (500 per 30 days) |
| <i>morphine oral solution</i> | 2 | MO; QL (900 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>morphine oral tablet</i> | 2 | MO; QL (180 per 30 days) |
| <i>morphine oral tablet extended release 100 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>morphine oral tablet extended release 15 mg, 30 mg, 60 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>morphine oral tablet extended release 200 mg</i> | 2 | MO; QL (30 per 30 days) |
| OPANA ER ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 5 MG, 7.5 MG | 3 | MO; QL (60 per 30 days) |
| OPANA ER ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 40 MG | 3 | MO; QL (50 per 30 days) |
| <i>oxycodone oral capsule</i> | 2 | MO; QL (180 per 30 days) |
| <i>oxycodone oral concentrate</i> | 4 | MO; QL (180 per 30 days) |
| <i>oxycodone oral solution</i> | 2 | MO; QL (900 per 30 days) |
| OXYCODONE ORAL SYRINGE | 4 | QL (180 per 30 days) |
| <i>oxycodone oral tablet 10 mg, 5 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>oxycodone oral tablet 15 mg, 20 mg</i> | 4 | MO; QL (180 per 30 days) |
| <i>oxycodone oral tablet 30 mg</i> | 4 | MO; QL (134 per 30 days) |
| <i>oxycodone-acetaminophen oral solution</i> | 4 | QL (1800 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>oxycodone-aspirin oral tablet</i> | 4 | MO; QL (360 per 30 days) |
| <i>oxymorphone oral tablet</i> | 4 | MO; QL (180 per 30 days) |
| <i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>oxymorphone oral tablet extended release 12 hr 40 mg</i> | 4 | MO; QL (50 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 1,200 MCG (600 MCG/SPRAY X 2) | 5 | PA; MO; QL (77 per 30 days) |
| SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 1,600 MCG (800 MCG/SPRAY X 2) | 5 | PA; MO; QL (58 per 30 days) |
| SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 200 MCG/SPRAY | 5 | PA; MO; QL (120 per 30 days) |
| SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 400 MCG/SPRAY | 5 | PA; MO; QL (84 per 30 days) |
| SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 600 MCG/SPRAY | 5 | PA; MO; QL (56 per 30 days) |
| SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 800 MCG/SPRAY | 5 | PA; MO; QL (42 per 30 days) |
| <i>vicodin es oral tablet</i> | 4 | MO; QL (390 per 30 days) |
| <i>vicodin hp oral tablet</i> | 4 | MO; QL (390 per 30 days) |
| <i>vicodin oral tablet</i> | 4 | MO; QL (390 per 30 days) |
| NON-NARCOTIC ANALGESICS | | |
| <i>butorphanol tartrate injection solution 1 mg/ml</i> | 2 | MO; QL (720 per 30 days) |
| <i>butorphanol tartrate injection solution 2 mg/ml</i> | 2 | MO; QL (360 per 30 days) |
| <i>butorphanol tartrate nasal spray, non-aerosol</i> | 4 | MO; QL (40 per 30 days) |
| <i>celecoxib oral capsule</i> | 3 | MO |
| <i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i> | 2 | B/D |
| <i>diclofenac potassium oral tablet</i> | 2 | MO |
| <i>diclofenac sodium oral tablet extended release 24 hr</i> | 2 | MO |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i> | 4 | MO |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg, 75 mg</i> | 2 | MO |
| <i>diclofenac sodium topical gel 1 %</i> | 4 | MO; QL (1000 per 30 days) |
| <i>diflunisal oral tablet</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>etodolac oral capsule</i> | 4 | MO |
| <i>etodolac oral tablet</i> | 4 | MO |
| <i>fenoprofen oral tablet</i> | 2 | MO |
| <i>flurbiprofen oral tablet</i> | 2 | MO |
| <i>ibuprofen oral suspension</i> | 1 | MO |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | MO |
| <i>ketoprofen oral capsule</i> | 2 | MO |
| <i>meclofenamate oral capsule</i> | 4 | MO |
| <i>meloxicam oral suspension</i> | 2 | MO |
| <i>meloxicam oral tablet</i> | 1 | MO |
| <i>nabumetone oral tablet</i> | 2 | MO |
| <i>nalbuphine injection solution 10 mg/ml</i> | 4 | MO; QL (200 per 30 days) |
| <i>nalbuphine injection solution 20 mg/ml</i> | 4 | MO; QL (100 per 30 days) |
| <i>naloxone injection solution</i> | 2 | MO |
| <i>naloxone injection syringe</i> | 2 | MO |
| <i>naltrexone oral tablet</i> | 2 | MO |
| <i>naproxen oral suspension</i> | 1 | MO |
| <i>naproxen oral tablet</i> | 1 | MO |
| <i>naproxen oral tablet, delayed release (dr/ec)</i> | 2 | MO |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 1 | MO |
| <i>piroxicam oral capsule</i> | 3 | MO |
| PRIALT INTRATHECAL SOLUTION | 4 | B/D; MO |
| <i>salsalate oral tablet</i> | 2 | MO |
| SUBOXONE SUBLINGUAL FILM | 3 | PA; MO; QL (60 per 30 days) |
| <i>sulindac oral tablet</i> | 2 | MO |
| <i>tolmetin oral capsule</i> | 4 | MO |
| <i>tolmetin oral tablet 200 mg</i> | 2 | MO |
| <i>tolmetin oral tablet 600 mg</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>tramadol oral tablet</i> | 2 | MO; QL (240 per 30 days) |
| <i>tramadol-acetaminophen oral tablet</i> | 2 | MO; QL (40 per 5 days) |
| ZUBSOLV SUBLINGUAL TABLET 1.4-0.36 MG | 3 | PA; MO; QL (180 per 30 days) |
| ZUBSOLV SUBLINGUAL TABLET 11.4-2.9 MG | 3 | PA; MO; QL (30 per 30 days) |
| ZUBSOLV SUBLINGUAL TABLET 2.9-0.71 MG | 3 | PA; MO; QL (120 per 30 days) |
| ZUBSOLV SUBLINGUAL TABLET 5.7-1.4 MG | 3 | PA; MO; QL (90 per 30 days) |
| ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG | 3 | PA; MO; QL (60 per 30 days) |
| PSYCHOTHERAPEUTIC DRUGS | | |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG | 5 | MO; QL (2 per 28 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 400 MG | 5 | MO |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG | 5 | MO; QL (2 per 28 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 400 MG | 5 | MO; QL (1 per 28 days) |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>alprazolam oral tablet 2 mg</i> | 2 | MO; QL (150 per 30 days) |
| <i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>alprazolam oral tablet extended release 24 hr 2 mg</i> | 2 | MO; QL (150 per 30 days) |
| <i>alprazolam oral tablet extended release 24 hr 3 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>amitriptyline oral tablet</i> | 2 | PA; MO |
| <i>amitriptyline-chlordiazepoxide oral tablet</i> | 2 | MO |
| <i>amoxapine oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>aripiprazole oral solution</i> | 3 | PA; MO |
| <i>aripiprazole oral tablet 10 mg</i> | 3 | MO; QL (90 per 30 days) |
| <i>aripiprazole oral tablet 15 mg</i> | 3 | MO; QL (60 per 30 days) |
| <i>aripiprazole oral tablet 2 mg</i> | 3 | MO; QL (450 per 30 days) |
| <i>aripiprazole oral tablet 20 mg</i> | 3 | MO; QL (45 per 30 days) |
| <i>aripiprazole oral tablet 30 mg</i> | 3 | MO; QL (30 per 30 days) |
| <i>aripiprazole oral tablet 5 mg</i> | 3 | MO; QL (180 per 30 days) |
| <i>aripiprazole oral tablet, disintegrating 10 mg</i> | 3 | PA; MO; QL (90 per 30 days) |
| <i>aripiprazole oral tablet, disintegrating 15 mg</i> | 3 | PA; MO; QL (60 per 30 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML, 882 MG/3.2 ML | 5 | MO; QL (3.2 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML | 5 | MO; QL (4.8 per 28 days) |
| <i>armodafinil oral tablet</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>atomoxetine oral capsule 10 mg, 100 mg, 40 mg, 60 mg, 80 mg</i> | 3 | QL (30 per 30 days) |
| <i>atomoxetine oral capsule 18 mg</i> | 3 | QL (60 per 30 days) |
| <i>atomoxetine oral capsule 25 mg</i> | 3 | QL (90 per 30 days) |
| <i>bupropion hcl oral tablet</i> | 2 | MO |
| <i>bupropion hcl oral tablet extended release 12 hr</i> | 2 | MO |
| <i>bupropion hcl oral tablet extended release 24 hr</i> | 2 | MO |
| <i>bupirone oral tablet 10 mg, 15 mg, 5 mg</i> | 1 | MO |
| <i>bupirone oral tablet 30 mg</i> | 4 | MO |
| <i>bupirone oral tablet 7.5 mg</i> | 2 | MO |
| <i>chlorpromazine injection solution</i> | 2 | MO |
| <i>chlorpromazine oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>citalopram oral solution</i> | 1 | MO; QL (600 per 30 days) |
| <i>citalopram oral tablet 10 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>citalopram oral tablet 20 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>citalopram oral tablet 40 mg</i> | 1 | MO; QL (30 per 30 days) |
| <i>clomipramine oral capsule</i> | 4 | PA; MO |
| <i>clonidine hcl oral tablet extended release 12 hr</i> | 3 | PA; MO; QL (120 per 30 days) |
| <i>clorazepate dipotassium oral tablet 15 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>clorazepate dipotassium oral tablet 3.75 mg</i> | 2 | MO; QL (720 per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> | 2 | MO; QL (360 per 30 days) |
| <i>clozapine oral tablet</i> | 2 | MO |
| <i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i> | 2 | ST |
| CLOZAPINE ORAL TABLET,DISINTEGRATING 150 MG | 4 | ST; QL (180 per 30 days) |
| CLOZAPINE ORAL TABLET,DISINTEGRATING 200 MG | 4 | ST; QL (150 per 30 days) |
| <i>desipramine oral tablet</i> | 2 | MO |
| DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG | 4 | ST; MO; QL (120 per 30 days) |
| DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 50 MG | 4 | ST; MO; QL (240 per 30 days) |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG | 4 | ST; MO; QL (120 per 30 days) |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 50 MG | 4 | ST; MO; QL (240 per 30 days) |
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 100 MG | 4 | ST; MO; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 50 MG | 4 | ST; QL (240 per 30 days) |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg</i> | 4 | ST; MO; QL (120 per 30 days) |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 25 mg</i> | 4 | ST; MO; QL (480 per 30 days) |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 50 mg</i> | 4 | ST; MO; QL (240 per 30 days) |
| <i>dexmethylphenidate oral tablet</i> | 2 | PA; MO; QL (60 per 30 days) |
| <i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg</i> | 4 | PA; MO; QL (120 per 30 days) |
| <i>dextroamphetamine oral capsule, extended release 5 mg</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>dextroamphetamine oral tablet</i> | 2 | PA; MO; QL (180 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> | 4 | PA; MO; QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 20 mg, 5 mg, 7.5 mg</i> | 2 | PA; MO; QL (90 per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet 15 mg, 30 mg</i> | 2 | PA; MO; QL (60 per 30 days) |
| <i>diazepam injection solution</i> | 2 | |
| <i>diazepam injection syringe</i> | 2 | MO |
| <i>diazepam intensol oral concentrate</i> | 2 | MO; QL (240 per 30 days) |
| <i>diazepam oral concentrate</i> | 2 | MO; QL (240 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 2 | MO; QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml, 5 ml)</i> | 2 | QL (1200 per 30 days) |
| <i>diazepam oral tablet 10 mg</i> | 2 | MO; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>diazepam oral tablet 2 mg</i> | 2 | MO; QL (600 per 30 days) |
| <i>diazepam oral tablet 5 mg</i> | 2 | MO; QL (240 per 30 days) |
| <i>doxepin oral capsule</i> | 2 | PA; MO |
| <i>doxepin oral concentrate</i> | 2 | PA; MO |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i> | 2 | MO; QL (120 per 30 days) |
| <i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i> | 4 | MO; QL (90 per 30 days) |
| <i>duloxetine oral capsule, delayed release(dr/ec) 60 mg</i> | 2 | MO; QL (60 per 30 days) |
| EMSAM TRANSDERMAL PATCH 24 HOUR | 5 | MO |
| <i>ergoloid oral tablet</i> | 3 | MO |
| <i>escitalopram oxalate oral solution</i> | 4 | MO; QL (600 per 30 days) |
| <i>escitalopram oxalate oral tablet 10 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>escitalopram oxalate oral tablet 20 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>escitalopram oxalate oral tablet 5 mg</i> | 2 | MO; QL (120 per 30 days) |
| FANAPT ORAL TABLET 1 MG | 4 | PA; MO; QL (720 per 30 days) |
| FANAPT ORAL TABLET 10 MG, 8 MG | 4 | PA; MO; QL (90 per 30 days) |
| FANAPT ORAL TABLET 12 MG | 4 | PA; MO; QL (60 per 30 days) |
| FANAPT ORAL TABLET 2 MG | 4 | PA; MO; QL (360 per 30 days) |
| FANAPT ORAL TABLET 4 MG | 4 | PA; MO; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| FANAPT ORAL TABLET 6 MG | 4 | PA; MO; QL (120 per 30 days) |
| FANAPT ORAL TABLETS,DOSE PACK | 4 | PA; MO; QL (8 per 30 days) |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK | 4 | PA; MO; QL (28 per 28 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG | 4 | PA; MO; QL (30 per 30 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 20 MG | 4 | PA; MO; QL (180 per 30 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 40 MG | 4 | PA; MO; QL (90 per 30 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 80 MG | 4 | PA; MO; QL (60 per 30 days) |
| <i>fluoxetine oral capsule</i> | 1 | MO |
| <i>fluoxetine oral solution</i> | 1 | MO |
| <i>fluoxetine oral tablet 10 mg, 20 mg</i> | 1 | MO |
| <i>fluphenazine decanoate injection solution</i> | 2 | MO |
| <i>fluphenazine hcl injection solution</i> | 2 | MO |
| <i>fluphenazine hcl oral concentrate</i> | 1 | MO |
| <i>fluphenazine hcl oral elixir</i> | 1 | MO |
| <i>fluphenazine hcl oral tablet</i> | 1 | MO |
| <i>fluvoxamine oral tablet</i> | 2 | MO |
| GEODON INTRAMUSCULAR RECON SOLN | 4 | MO |
| <i>guanidine oral tablet</i> | 2 | MO |
| <i>haloperidol decanoate intramuscular solution</i> | 2 | MO |
| <i>haloperidol lactate injection solution</i> | 2 | MO |
| <i>haloperidol lactate oral concentrate</i> | 2 | MO |
| <i>haloperidol oral tablet</i> | 1 | MO |
| HETLIOZ ORAL CAPSULE | 5 | PA; MO; QL (30 per 30 days) |
| <i>imipramine hcl oral tablet</i> | 2 | PA; MO |
| <i>imipramine pamoate oral capsule</i> | 2 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML | 5 | MO; QL (1.5 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | MO; QL (2 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 4 | MO; QL (1.5 per 28 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML, 819 MG/2.625 ML | 5 | MO; QL (2.625 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML | 5 | MO; QL (2.63 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 5 | MO; QL (3.5 per 84 days) |
| KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 100 MG | 4 | ST; MO; QL (120 per 30 days) |
| KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 50 MG | 4 | ST; MO; QL (240 per 30 days) |
| LATUDA ORAL TABLET 120 MG, 80 MG | 5 | MO; QL (60 per 30 days) |
| LATUDA ORAL TABLET 20 MG | 5 | MO; QL (240 per 30 days) |
| LATUDA ORAL TABLET 40 MG | 5 | MO; QL (120 per 30 days) |
| LATUDA ORAL TABLET 60 MG | 5 | MO; QL (90 per 30 days) |
| <i>lithium carbonate oral capsule</i> | 1 | MO |
| <i>lithium carbonate oral tablet</i> | 1 | MO |
| <i>lithium carbonate oral tablet extended release</i> | 2 | MO |
| <i>lithium citrate oral solution 8 meq/5 ml</i> | 2 | MO |
| <i>lorazepam injection solution</i> | 2 | MO |
| <i>lorazepam injection syringe</i> | 2 | |
| <i>lorazepam intensol oral concentrate</i> | 2 | MO; QL (150 per 30 days) |
| <i>lorazepam oral concentrate</i> | 2 | MO; QL (150 per 30 days) |
| <i>lorazepam oral tablet 0.5 mg</i> | 2 | MO; QL (600 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>lorazepam oral tablet 1 mg</i> | 2 | MO; QL (300 per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> | 2 | MO; QL (150 per 30 days) |
| <i>loxapine succinate oral capsule</i> | 2 | MO |
| <i>maprotiline oral tablet</i> | 2 | MO |
| MARPLAN ORAL TABLET | 4 | MO |
| <i>metadate er oral tablet extended release</i> | 4 | PA; MO; QL (90 per 30 days) |
| <i>methamphetamine oral tablet</i> | 2 | MO; QL (150 per 30 days) |
| <i>methylphenidate oral capsule, er biphasic 30-70</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>methylphenidate oral capsule,er biphasic 50-50</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>methylphenidate oral solution 10 mg/5 ml</i> | 2 | PA; MO; QL (900 per 30 days) |
| <i>methylphenidate oral solution 5 mg/5 ml</i> | 2 | PA; MO; QL (1800 per 30 days) |
| <i>methylphenidate oral tablet 10 mg, 5 mg</i> | 2 | PA; MO; QL (90 per 30 days) |
| <i>methylphenidate oral tablet 20 mg</i> | 2 | PA; MO; QL (150 per 30 days) |
| <i>methylphenidate oral tablet extended release</i> | 4 | PA; MO; QL (90 per 30 days) |
| <i>methylphenidate oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> | 4 | PA; MO; QL (30 per 30 days) |
| <i>methylphenidate oral tablet extended release 24hr 36 mg</i> | 4 | PA; MO; QL (60 per 30 days) |
| <i>mirtazapine oral tablet</i> | 2 | MO |
| <i>mirtazapine oral tablet,disintegrating</i> | 2 | MO |
| <i>modafinil oral tablet</i> | 3 | PA; MO; QL (60 per 30 days) |
| <i>molindone oral tablet</i> | 4 | PA |
| <i>nefazodone oral tablet</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| <i>nortriptyline oral capsule</i> | 1 | MO |
| <i>nortriptyline oral solution</i> | 2 | MO |
| NUPLAZID ORAL TABLET | 5 | PA; MO; QL (60 per 30 days) |
| <i>olanzapine intramuscular recon soln</i> | 2 | MO |
| <i>olanzapine oral tablet 10 mg, 15 mg</i> | 2 | MO; QL (60 per 30 days) |
| <i>olanzapine oral tablet 2.5 mg</i> | 2 | MO; QL (240 per 30 days) |
| <i>olanzapine oral tablet 20 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>olanzapine oral tablet 5 mg</i> | 2 | MO; QL (120 per 30 days) |
| <i>olanzapine oral tablet 7.5 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>olanzapine oral tablet, disintegrating 10 mg, 15 mg</i> | 4 | MO; QL (60 per 30 days) |
| <i>olanzapine oral tablet, disintegrating 20 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>olanzapine oral tablet, disintegrating 5 mg</i> | 4 | MO; QL (120 per 30 days) |
| <i>oxazepam oral capsule</i> | 2 | MO; QL (120 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg</i> | 5 | PA; MO; QL (240 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 3 mg</i> | 5 | PA; MO; QL (120 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg, 9 mg</i> | 5 | PA; MO; QL (60 per 30 days) |
| <i>paroxetine hcl oral tablet</i> | 1 | MO |
| <i>paroxetine hcl oral tablet extended release 24 hr</i> | 4 | MO |
| PAXIL ORAL SUSPENSION | 4 | MO |
| <i>perphenazine oral tablet</i> | 2 | MO |
| <i>perphenazine-amitriptyline oral tablet</i> | 2 | MO |
| <i>phenelzine oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| <i>pimozide oral tablet</i> | 2 | MO |
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG | 4 | ST; MO; QL (120 per 30 days) |
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG | 4 | ST; MO; QL (480 per 30 days) |
| PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 50 MG | 4 | ST; MO; QL (240 per 30 days) |
| <i>protriptyline oral tablet</i> | 3 | MO |
| <i>quetiapine oral tablet 100 mg</i> | 2 | PA; MO; QL (240 per 30 days) |
| <i>quetiapine oral tablet 200 mg</i> | 2 | PA; MO; QL (120 per 30 days) |
| <i>quetiapine oral tablet 25 mg</i> | 2 | PA; MO; QL (960 per 30 days) |
| <i>quetiapine oral tablet 300 mg, 400 mg</i> | 2 | PA; MO; QL (90 per 30 days) |
| <i>quetiapine oral tablet 50 mg</i> | 2 | PA; MO; QL (480 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr</i> | 4 | PA; MO |
| REXULTI ORAL TABLET 0.25 MG | 5 | PA; MO; QL (480 per 30 days) |
| REXULTI ORAL TABLET 0.5 MG | 5 | PA; MO; QL (240 per 30 days) |
| REXULTI ORAL TABLET 1 MG | 5 | PA; MO; QL (120 per 30 days) |
| REXULTI ORAL TABLET 2 MG | 5 | PA; MO; QL (60 per 30 days) |
| REXULTI ORAL TABLET 3 MG | 5 | PA; MO; QL (45 per 30 days) |
| REXULTI ORAL TABLET 4 MG | 5 | PA; MO; QL (30 per 30 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML | 4 | MO; QL (8 per 28 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 25 MG/2 ML | 4 | MO; QL (4 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML | 5 | MO; QL (4 per 28 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 50 MG/2 ML | 5 | MO; QL (2 per 28 days) |
| <i>risperidone oral solution</i> | 2 | MO |
| <i>risperidone oral tablet 0.25 mg</i> | 2 | MO; QL (1920 per 30 days) |
| <i>risperidone oral tablet 0.5 mg</i> | 2 | MO; QL (960 per 30 days) |
| <i>risperidone oral tablet 1 mg</i> | 2 | MO; QL (480 per 30 days) |
| <i>risperidone oral tablet 2 mg</i> | 2 | MO; QL (240 per 30 days) |
| <i>risperidone oral tablet 3 mg</i> | 2 | MO; QL (180 per 30 days) |
| <i>risperidone oral tablet 4 mg</i> | 2 | MO; QL (120 per 30 days) |
| <i>risperidone oral tablet,disintegrating 0.25 mg</i> | 4 | MO; QL (1920 per 30 days) |
| <i>risperidone oral tablet,disintegrating 0.5 mg</i> | 4 | MO; QL (960 per 30 days) |
| <i>risperidone oral tablet,disintegrating 1 mg</i> | 4 | MO; QL (480 per 30 days) |
| <i>risperidone oral tablet,disintegrating 2 mg</i> | 4 | MO; QL (240 per 30 days) |
| <i>risperidone oral tablet,disintegrating 3 mg</i> | 4 | MO; QL (180 per 30 days) |
| <i>risperidone oral tablet,disintegrating 4 mg</i> | 4 | MO; QL (120 per 30 days) |
| ROZEREM ORAL TABLET | 4 | MO; QL (30 per 30 days) |
| SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG | 4 | PA; MO; QL (60 per 30 days) |
| SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 2.5 MG | 4 | PA; MO; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 5 MG | 4 | PA; MO; QL (120 per 30 days) |
| <i>sertraline oral concentrate</i> | 2 | MO |
| <i>sertraline oral tablet</i> | 2 | MO |
| SILENOR ORAL TABLET | 4 | MO; QL (30 per 30 days) |
| STRATTERA ORAL CAPSULE 10 MG, 100 MG, 40 MG, 60 MG, 80 MG | 4 | MO; QL (30 per 30 days) |
| STRATTERA ORAL CAPSULE 18 MG | 4 | MO; QL (60 per 30 days) |
| STRATTERA ORAL CAPSULE 25 MG | 4 | MO; QL (90 per 30 days) |
| <i>thioridazine oral tablet</i> | 2 | MO |
| <i>thiothixene oral capsule</i> | 2 | MO |
| <i>tranylcypromine oral tablet</i> | 4 | MO |
| <i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i> | 1 | MO |
| <i>trazodone oral tablet 300 mg</i> | 4 | MO |
| <i>trifluoperazine oral tablet</i> | 2 | MO |
| <i>trimipramine oral capsule</i> | 2 | PA; MO |
| TRINTELLIX ORAL TABLET 10 MG | 4 | PA; MO; QL (60 per 30 days) |
| TRINTELLIX ORAL TABLET 20 MG | 4 | PA; MO; QL (30 per 30 days) |
| TRINTELLIX ORAL TABLET 5 MG | 4 | PA; MO; QL (120 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> | 2 | MO; QL (90 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg</i> | 2 | MO; QL (300 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 75 mg</i> | 2 | MO; QL (150 per 30 days) |
| <i>venlafaxine oral tablet</i> | 2 | MO |
| VERSACLOZ ORAL SUSPENSION | 5 | PA; QL (540 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| VIIIBRYD ORAL TABLET 10 MG | 4 | PA; MO; QL (120 per 30 days) |
| VIIIBRYD ORAL TABLET 20 MG | 4 | PA; MO; QL (60 per 30 days) |
| VIIIBRYD ORAL TABLET 40 MG | 4 | PA; MO; QL (30 per 30 days) |
| VIIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23) | 4 | PA; MO; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG | 5 | PA; MO; QL (120 per 30 days) |
| VRAYLAR ORAL CAPSULE 3 MG, 4.5 MG | 5 | PA; MO; QL (60 per 30 days) |
| VRAYLAR ORAL CAPSULE 6 MG | 5 | PA; MO; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE,DOSE PACK | 4 | PA; MO; QL (7 per 30 days) |
| XYREM ORAL SOLUTION | 5 | PA; MO; LA; QL (540 per 30 days) |
| <i>zaleplon oral capsule</i> | 2 | ST; MO; QL (30 per 30 days) |
| <i>zenzedi oral tablet 10 mg, 5 mg</i> | 2 | PA; MO; QL (180 per 30 days) |
| <i>ziprasidone hcl oral capsule 20 mg</i> | 3 | MO; QL (300 per 30 days) |
| <i>ziprasidone hcl oral capsule 40 mg</i> | 3 | MO; QL (150 per 30 days) |
| <i>ziprasidone hcl oral capsule 60 mg</i> | 3 | MO; QL (120 per 30 days) |
| <i>ziprasidone hcl oral capsule 80 mg</i> | 3 | MO; QL (90 per 30 days) |
| <i>zolpidem oral tablet</i> | 2 | ST; MO; QL (30 per 30 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 4 | QL (3 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 4 | |
| CARDIOVASCULAR, HYPERTENSION / LIPIDS | | |
| ANTIARRHYTHMIC AGENTS | | |
| <i>amiodarone intravenous solution</i> | 2 | B/D; MO |
| <i>amiodarone intravenous syringe</i> | 2 | B/D |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> | 2 | MO |
| <i>amiodarone oral tablet 400 mg</i> | 4 | MO |
| <i>disopyramide phosphate oral capsule</i> | 2 | MO |
| <i>dofetilide oral capsule</i> | 3 | MO |
| <i>flecainide oral tablet</i> | 2 | MO |
| <i>ibutilide fumarate intravenous solution</i> | 2 | MO |
| <i>lidocaine (pf) intravenous solution</i> | 2 | MO |
| <i>lidocaine (pf) intravenous syringe</i> | 2 | |
| <i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)</i> | 2 | |
| <i>mexiletine oral capsule</i> | 2 | MO |
| MULTAQ ORAL TABLET | 3 | MO |
| <i>pacerone oral tablet 100 mg, 200 mg</i> | 2 | MO |
| <i>pacerone oral tablet 400 mg</i> | 4 | MO |
| <i>procainamide injection solution 100 mg/ml</i> | 2 | MO |
| <i>procainamide injection solution 500 mg/ml</i> | 2 | |
| <i>propafenone oral capsule, extended release 12 hr</i> | 4 | MO |
| <i>propafenone oral tablet</i> | 2 | MO |
| <i>quinidine gluconate injection solution</i> | 2 | MO |
| <i>quinidine sulfate oral tablet</i> | 2 | MO |
| <i>sorine oral tablet 120 mg, 160 mg, 80 mg</i> | 2 | MO |
| <i>sorine oral tablet 240 mg</i> | 2 | |
| <i>sotalol af oral tablet</i> | 2 | MO |
| <i>sotalol oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| ANTIHYPERTENSIVE THERAPY | | |
| <i>acebutolol oral capsule</i> | 2 | MO |
| <i>afeditab cr oral tablet extended release</i> | 2 | MO |
| <i>amiloride oral tablet</i> | 2 | MO |
| <i>amiloride-hydrochlorothiazide oral tablet</i> | 2 | MO |
| <i>amlodipine oral tablet</i> | 2 | MO |
| <i>amlodipine-benazepril oral capsule</i> | 2 | MO |
| <i>amlodipine-valsartan oral tablet</i> | 2 | MO |
| <i>atenolol oral tablet</i> | 1 | MO |
| <i>atenolol-chlorthalidone oral tablet</i> | 2 | MO |
| <i>benazepril oral tablet</i> | 1 | MO |
| <i>benazepril-hydrochlorothiazide oral tablet</i> | 2 | MO |
| <i>betaxolol oral tablet</i> | 2 | MO |
| <i>bisoprolol fumarate oral tablet</i> | 2 | MO |
| <i>bisoprolol-hydrochlorothiazide oral tablet</i> | 1 | MO |
| <i>bumetanide injection solution</i> | 2 | MO |
| <i>bumetanide oral tablet</i> | 2 | MO |
| <i>candesartan oral tablet</i> | 4 | MO |
| <i>candesartan-hydrochlorothiazid oral tablet</i> | 4 | MO |
| <i>captopril oral tablet</i> | 2 | MO |
| <i>captopril-hydrochlorothiazide oral tablet</i> | 2 | MO |
| CARDENE IV IN DEXTROSE INTRAVENOUS PIGGYBACK | 4 | |
| CARDENE IV IN SODIUM CHLORIDE INTRAVENOUS PIGGYBACK | 4 | |
| <i>cartia xt oral capsule,extended release 24hr</i> | 2 | MO |
| <i>carvedilol oral tablet</i> | 1 | MO |
| <i>chlorothiazide oral tablet</i> | 2 | MO |
| <i>chlorothiazide sodium intravenous recon soln</i> | 2 | MO |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 2 | MO |
| <i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i> | 2 | B/D |
| <i>clonidine hcl oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>clonidine transdermal patch weekly</i> | 2 | MO |
| DEMSER ORAL CAPSULE | 5 | PA; MO |
| <i>diltiazem hcl intravenous recon soln</i> | 2 | |
| <i>diltiazem hcl intravenous solution</i> | 2 | |
| <i>diltiazem hcl oral capsule, extended release 120 mg, 180 mg, 240 mg, 300 mg, 420 mg</i> | 2 | MO |
| <i>diltiazem hcl oral capsule, extended release 360 mg</i> | 4 | MO |
| <i>diltiazem hcl oral capsule,ext release degradable</i> | 2 | MO |
| <i>diltiazem hcl oral capsule,extended release 12 hr</i> | 2 | MO |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 2 | MO |
| <i>diltiazem hcl oral capsule,extended release 24hr 360 mg</i> | 4 | MO |
| <i>diltiazem hcl oral tablet</i> | 1 | MO |
| <i>diltiazem hcl oral tablet extended release 24 hr</i> | 4 | MO |
| <i>dilt-xr oral capsule,ext release degradable</i> | 2 | MO |
| DIURIL ORAL SUSPENSION | 4 | MO |
| <i>doxazosin oral tablet</i> | 2 | MO |
| <i>enalapril maleate oral tablet</i> | 1 | MO |
| <i>enalapril-hydrochlorothiazide oral tablet</i> | 1 | MO |
| <i>eplerenone oral tablet</i> | 4 | MO |
| <i>epoprostenol (glycine) intravenous recon soln</i> | 5 | PA; MO |
| <i>eprosartan oral tablet</i> | 4 | MO |
| <i>esmolol intravenous solution</i> | 2 | |
| <i>felodipine oral tablet extended release 24 hr</i> | 2 | MO |
| <i>fosinopril oral tablet</i> | 1 | MO |
| <i>fosinopril-hydrochlorothiazide oral tablet</i> | 2 | MO |
| <i>furosemide injection solution</i> | 2 | MO |
| <i>furosemide injection syringe</i> | 2 | MO |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 2 | MO |
| <i>furosemide oral tablet</i> | 1 | MO |
| <i>hydralazine injection solution</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>hydralazine oral tablet</i> | 2 | MO |
| <i>hydrochlorothiazide oral capsule</i> | 1 | MO |
| <i>hydrochlorothiazide oral tablet</i> | 1 | MO |
| <i>indapamide oral tablet</i> | 1 | MO |
| <i>irbesartan oral tablet</i> | 1 | MO |
| <i>irbesartan-hydrochlorothiazide oral tablet</i> | 1 | MO |
| <i>isradipine oral capsule</i> | 2 | MO |
| <i>labetalol intravenous solution</i> | 2 | MO |
| <i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i> | 2 | |
| <i>labetalol oral tablet</i> | 2 | MO |
| <i>lisinopril oral tablet</i> | 1 | MO |
| <i>lisinopril-hydrochlorothiazide oral tablet</i> | 1 | MO |
| <i>losartan oral tablet</i> | 1 | MO |
| <i>losartan-hydrochlorothiazide oral tablet</i> | 1 | MO |
| <i>matzim la oral tablet extended release 24 hr</i> | 4 | MO |
| <i>methyclothiazide oral tablet</i> | 2 | MO |
| <i>metolazone oral tablet</i> | 2 | MO |
| <i>metoprolol succinate oral tablet extended release 24 hr</i> | 2 | MO |
| <i>metoprolol ta-hydrochlorothiaz oral tablet</i> | 3 | MO |
| <i>metoprolol tartrate intravenous solution</i> | 2 | MO |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | MO |
| <i>minoxidil oral tablet</i> | 2 | MO |
| <i>moexipril oral tablet</i> | 2 | MO |
| <i>moexipril-hydrochlorothiazide oral tablet</i> | 2 | MO |
| <i>nadolol oral tablet</i> | 3 | MO |
| <i>nadolol-bendroflumethiazide oral tablet</i> | 2 | MO |
| <i>nicardipine intravenous solution</i> | 2 | MO |
| <i>nicardipine oral capsule</i> | 2 | MO |
| <i>nifedipine oral tablet extended release</i> | 2 | MO |
| <i>nifedipine oral tablet extended release 24hr</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>nimodipine oral capsule</i> | 2 | MO |
| <i>perindopril erbumine oral tablet</i> | 2 | MO |
| <i>phenoxybenzamine oral capsule</i> | 5 | MO |
| <i>pindolol oral tablet</i> | 2 | MO |
| <i>prazosin oral capsule</i> | 2 | MO |
| <i>propranolol intravenous solution</i> | 2 | |
| <i>propranolol oral capsule, extended release 24 hr</i> | 3 | MO |
| <i>propranolol oral solution</i> | 2 | MO |
| <i>propranolol oral tablet</i> | 1 | MO |
| <i>propranolol-hydrochlorothiazid oral tablet</i> | 2 | MO |
| <i>quinapril oral tablet</i> | 1 | MO |
| <i>quinapril-hydrochlorothiazide oral tablet</i> | 1 | MO |
| <i>ramipril oral capsule</i> | 1 | MO |
| REMODULIN INJECTION SOLUTION | 5 | PA; MO; LA |
| <i>reserpine oral tablet</i> | 2 | MO |
| <i>spironolactone oral tablet</i> | 1 | MO |
| <i>spironolacton-hydrochlorothiaz oral tablet</i> | 2 | MO |
| <i>taztia xt oral capsule, extended release 120 mg, 180 mg, 240 mg, 300 mg</i> | 2 | MO |
| <i>taztia xt oral capsule, extended release 360 mg</i> | 4 | MO |
| TEKTURNA HCT ORAL TABLET | 3 | ST; MO |
| TEKTURNA ORAL TABLET | 3 | ST; MO |
| <i>telmisartan oral tablet</i> | 2 | MO |
| <i>telmisartan-amlodipine oral tablet</i> | 4 | MO |
| <i>telmisartan-hydrochlorothiazid oral tablet</i> | 4 | MO |
| <i>terazosin oral capsule</i> | 1 | MO |
| <i>timolol maleate oral tablet</i> | 2 | MO |
| <i>torseamide oral tablet</i> | 1 | MO |
| <i>trandolapril oral tablet</i> | 1 | MO |
| <i>triamterene-hydrochlorothiazid oral capsule</i> | 1 | MO |
| <i>triamterene-hydrochlorothiazid oral tablet</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| UPTRAVI ORAL TABLET | 5 | PA; MO; LA; QL (60 per 30 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK | 5 | PA; MO; LA; QL (400 per 365 days) |
| <i>valsartan oral tablet</i> | 2 | MO |
| <i>valsartan-hydrochlorothiazide oral tablet</i> | 2 | MO |
| <i>veletri intravenous recon soln</i> | 5 | PA; MO |
| <i>verapamil intravenous solution</i> | 2 | MO |
| <i>verapamil intravenous syringe</i> | 2 | |
| <i>verapamil oral capsule, 24 hr er pellet ct</i> | 2 | MO |
| <i>verapamil oral capsule,ext rel. pellets 24 hr</i> | 2 | MO |
| <i>verapamil oral tablet</i> | 1 | MO |
| <i>verapamil oral tablet extended release</i> | 2 | MO |
| CARDIAC GLYCOSIDES | | |
| <i>digitek oral tablet 125 mcg</i> | 1 | MO |
| <i>digitek oral tablet 250 mcg</i> | 2 | MO |
| <i>digox oral tablet</i> | 2 | MO |
| <i>digoxin injection solution</i> | 2 | MO |
| <i>digoxin oral solution 50 mcg/ml</i> | 2 | MO |
| <i>digoxin oral tablet 125 mcg</i> | 1 | MO |
| <i>digoxin oral tablet 250 mcg</i> | 2 | MO |
| COAGULATION THERAPY | | |
| <i>aminocaproic acid intravenous solution</i> | 2 | MO |
| ARGATROBAN IN 0.9 % SOD CHLOR INTRAVENOUS PARENTERAL SOLUTION | 5 | |
| ARGATROBAN IN 0.9 % SOD CHLOR INTRAVENOUS SOLUTION | 5 | |
| ARGATROBAN IN NACL (ISO-OS) INTRAVENOUS SOLUTION | 5 | |
| ARGATROBAN INTRAVENOUS SOLUTION | 5 | MO |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr</i> | 2 | MO |
| BRILINTA ORAL TABLET | 3 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| <i>cilostazol oral tablet</i> | 2 | MO |
| <i>clopidogrel oral tablet</i> | 2 | MO |
| <i>dipyridamole oral tablet</i> | 2 | MO |
| EFFIENT ORAL TABLET | 3 | MO; QL (30 per 30 days) |
| ELIQUIS ORAL TABLET 2.5 MG | 3 | MO; QL (60 per 30 days) |
| ELIQUIS ORAL TABLET 5 MG | 3 | MO; QL (74 per 30 days) |
| <i>enoxaparin subcutaneous solution</i> | 4 | MO; QL (360 per 365 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml</i> | 4 | MO; QL (120 per 365 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> | 4 | MO; QL (96 per 365 days) |
| <i>enoxaparin subcutaneous syringe 150 mg/ml</i> | 5 | MO; QL (120 per 365 days) |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> | 4 | MO; QL (36 per 365 days) |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> | 4 | MO; QL (48 per 365 days) |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> | 4 | MO; QL (72 per 365 days) |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> | 5 | MO; QL (48 per 365 days) |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> | 4 | MO; QL (30 per 365 days) |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> | 5 | MO; QL (24 per 365 days) |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> | 5 | MO; QL (36 per 365 days) |
| FRAGMIN SUBCUTANEOUS SOLUTION | 5 | MO; QL (60 per 365 days) |
| FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML | 5 | MO; QL (60 per 365 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------|
| FRAGMIN SUBCUTANEOUS SYRINGE 12,500 ANTI-XA UNIT/0.5 ML | 5 | MO; QL (30 per 365 days) |
| FRAGMIN SUBCUTANEOUS SYRINGE 15,000 ANTI-XA UNIT/0.6 ML | 5 | MO; QL (36 per 365 days) |
| FRAGMIN SUBCUTANEOUS SYRINGE 18,000 ANTI-XA UNIT/0.72 ML | 5 | MO; QL (43.2 per 365 days) |
| FRAGMIN SUBCUTANEOUS SYRINGE 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML | 4 | MO; QL (12 per 365 days) |
| FRAGMIN SUBCUTANEOUS SYRINGE 7,500 ANTI-XA UNIT/0.3 ML | 5 | MO; QL (18 per 365 days) |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 12,500 unit/250 ml, 20,000 unit/500 ml (40 unit/ml)</i> | 2 | |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i> | 2 | MO |
| <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml, 2,000 unit/1,000 ml</i> | 2 | |
| <i>heparin (porcine) injection cartridge</i> | 2 | MO |
| <i>heparin (porcine) injection solution</i> | 2 | MO |
| <i>heparin (porcine) injection syringe 5,000 unit/ml</i> | 2 | |
| HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML | 2 | |
| <i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i> | 2 | MO |
| <i>heparin, porcine (pf) injection solution</i> | 2 | MO |
| <i>heparin, porcine (pf) injection syringe</i> | 2 | MO |
| <i>jantoven oral tablet</i> | 2 | MO |
| <i>pentoxifylline oral tablet extended release</i> | 2 | MO |
| PRADAXA ORAL CAPSULE 110 MG | 4 | MO; QL (180 per 365 days) |
| PRADAXA ORAL CAPSULE 150 MG, 75 MG | 4 | MO; QL (60 per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG | 5 | PA; MO; LA; QL (30 per 30 days) |
| PROMACTA ORAL TABLET 50 MG, 75 MG | 5 | PA; MO; LA; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>ticlopidine oral tablet</i> | 2 | MO |
| <i>tranexamic acid intravenous solution</i> | 2 | MO |
| <i>warfarin oral tablet</i> | 1 | MO |
| XARELTO ORAL TABLET 10 MG | 3 | MO; QL (70 per 365 days) |
| XARELTO ORAL TABLET 15 MG | 3 | MO; QL (42 per 30 days) |
| XARELTO ORAL TABLET 20 MG | 3 | MO; QL (30 per 30 days) |
| XARELTO ORAL TABLETS,DOSE PACK | 3 | MO; QL (51 per 30 days) |
| ZONTIVITY ORAL TABLET | 4 | PA; MO; QL (30 per 30 days) |
| LIPID/CHOLESTEROL LOWERING AGENTS | | |
| <i>atorvastatin oral tablet</i> | 1 | MO |
| <i>cholestyramine (with sugar) oral powder</i> | 3 | MO |
| <i>cholestyramine (with sugar) oral powder in packet</i> | 3 | MO |
| <i>cholestyramine light oral powder</i> | 3 | MO |
| <i>cholestyramine light oral powder in packet</i> | 3 | MO |
| <i>colestipol oral granules</i> | 3 | MO |
| <i>colestipol oral packet</i> | 3 | MO |
| <i>colestipol oral tablet</i> | 3 | MO |
| <i>fenofibrate micronized oral capsule 130 mg, 200 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>fenofibrate micronized oral capsule 134 mg, 43 mg</i> | 3 | MO; QL (30 per 30 days) |
| <i>fenofibrate micronized oral capsule 67 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>fenofibrate nanocrystallized oral tablet 145 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>fenofibrate nanocrystallized oral tablet 48 mg</i> | 2 | MO; QL (30 per 30 days) |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | 2 | MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg</i> | 4 | MO; QL (30 per 30 days) |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 45 mg</i> | 3 | MO; QL (30 per 30 days) |
| <i>fenofibric acid oral tablet</i> | 2 | MO |
| <i>fluvastatin oral capsule</i> | 4 | MO |
| <i>gemfibrozil oral tablet</i> | 2 | MO |
| JUXTAPID ORAL CAPSULE | 5 | PA; MO; LA; QL (30 per 30 days) |
| KYNAMRO SUBCUTANEOUS SYRINGE | 5 | PA; MO; LA; QL (4 per 28 days) |
| <i>lovastatin oral tablet</i> | 1 | MO |
| <i>niacin oral tablet extended release 24 hr</i> | 4 | MO |
| <i>omega-3 acid ethyl esters oral capsule</i> | 3 | MO |
| PRALUENT PEN SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (2 per 28 days) |
| <i>pravastatin oral tablet</i> | 1 | MO |
| <i>prevalite oral powder</i> | 3 | MO |
| <i>prevalite oral powder in packet</i> | 3 | MO |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR | 5 | PA; MO; QL (1 per 28 days) |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (3 per 28 days) |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (3 per 28 days) |
| <i>rosuvastatin oral tablet</i> | 4 | MO |
| <i>simvastatin oral tablet</i> | 1 | MO |
| VASCEPA ORAL CAPSULE | 3 | MO |
| WELCHOL ORAL POWDER IN PACKET | 3 | MO |
| WELCHOL ORAL TABLET | 3 | MO |
| ZETIA ORAL TABLET | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| MISCELLANEOUS CARDIOVASCULAR AGENTS | | |
| CORLANOR ORAL TABLET | 4 | PA; MO; QL (60 per 30 days) |
| ENTRESTO ORAL TABLET | 3 | MO; QL (60 per 30 days) |
| ISUPREL INJECTION SOLUTION | 4 | |
| RANEXA ORAL TABLET EXTENDED RELEASE 12 HR | 3 | MO; QL (60 per 30 days) |
| VECAMYL ORAL TABLET | 5 | PA |
| NITRATES | | |
| <i>isosorbide dinitrate oral tablet</i> | 3 | MO |
| <i>isosorbide dinitrate oral tablet extended release</i> | 3 | MO |
| <i>isosorbide mononitrate oral tablet</i> | 1 | MO |
| <i>isosorbide mononitrate oral tablet extended release 24 hr</i> | 1 | MO |
| <i>nitro-bid transdermal ointment</i> | 2 | MO |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR | 4 | MO |
| <i>nitroglycerin intravenous solution</i> | 2 | B/D |
| <i>nitroglycerin sublingual tablet</i> | 2 | MO |
| <i>nitroglycerin transdermal patch 24 hour</i> | 2 | MO |
| <i>nitroglycerin translingual aerosol,spray</i> | 2 | MO |
| <i>nitroglycerin translingual spray,non-aerosol</i> | 2 | MO |
| DERMATOLOGICALS/TOPICAL THERAPY | | |
| ANTIPSORIATIC / ANTISEBORRHEIC | | |
| <i>acitretin oral capsule</i> | 5 | PA; MO |
| <i>calcipotriene scalp solution</i> | 4 | MO |
| <i>calcipotriene topical cream</i> | 4 | MO |
| <i>calcipotriene topical ointment</i> | 4 | MO |
| <i>calcitriol topical ointment</i> | 4 | MO; QL (800 per 28 days) |
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (2 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (2 per 28 days) |
| COSENTYX PEN SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (2 per 28 days) |
| COSENTYX SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (2 per 28 days) |
| <i>selenium sulfide topical lotion</i> | 2 | MO |
| STELARA INTRAVENOUS SOLUTION | 5 | PA; MO; QL (208 per 365 days) |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | 5 | PA; MO; QL (0.5 per 28 days) |
| STELARA SUBCUTANEOUS SYRINGE 90 MG/ML | 5 | PA; MO; QL (1 per 28 days) |
| TALTZ AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (3 per 28 days) |
| TALTZ AUTOINJECTOR (3 PACK) SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (3 per 28 days) |
| TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (3 per 28 days) |
| TALTZ SYRINGE (2 PACK) SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (3 per 28 days) |
| TALTZ SYRINGE (3 PACK) SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (3 per 28 days) |
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (3 per 28 days) |
| BURN THERAPY | | |
| <i>silver sulfadiazine topical cream</i> | 1 | MO |
| <i>ssd topical cream</i> | 1 | MO |
| <i>thermazene topical cream</i> | 2 | |
| MISCELLANEOUS DERMATOLOGICALS | | |
| <i>ammonium lactate topical cream</i> | 2 | MO |
| <i>ammonium lactate topical lotion</i> | 2 | MO |
| CONDYLOX TOPICAL GEL | 4 | MO |
| ELIDEL TOPICAL CREAM | 4 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| EUCRISA TOPICAL OINTMENT | 4 | PA; MO |
| <i>fluorouracil topical cream 5 %</i> | 3 | MO |
| <i>fluorouracil topical solution</i> | 3 | MO |
| <i>imiquimod topical cream in packet</i> | 3 | MO |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel</i> | 5 | PA; MO |
| PANRETIN TOPICAL GEL | 5 | PA; MO |
| PICATO TOPICAL GEL | 5 | PA; MO |
| <i>podofilox topical solution</i> | 2 | MO |
| REGRANEX TOPICAL GEL | 5 | PA; MO |
| <i>tacrolimus topical ointment</i> | 4 | PA; MO |
| UVADEX INJECTION SOLUTION | 4 | |
| VALCHLOR TOPICAL GEL | 5 | PA; MO |
| THERAPY FOR ACNE | | |
| <i>adapalene topical cream</i> | 4 | PA; MO |
| <i>adapalene topical gel 0.1 %</i> | 4 | PA; MO |
| <i>avita topical cream</i> | 3 | PA; MO |
| <i>claravis oral capsule</i> | 4 | MO |
| <i>clindacin etz topical swab</i> | 2 | MO |
| <i>clindacin p topical swab</i> | 2 | MO |
| <i>clindamycin phosphate topical gel</i> | 2 | MO |
| <i>clindamycin phosphate topical lotion</i> | 2 | MO |
| <i>clindamycin phosphate topical solution</i> | 2 | MO |
| <i>clindamycin phosphate topical swab</i> | 2 | MO |
| <i>ery pads topical swab</i> | 2 | MO |
| <i>erygel topical gel</i> | 4 | MO |
| <i>erythromycin with ethanol topical gel</i> | 4 | MO |
| <i>erythromycin with ethanol topical solution</i> | 2 | MO |
| <i>erythromycin with ethanol topical swab</i> | 2 | MO |
| <i>erythromycin-benzoyl peroxide topical gel</i> | 3 | MO |
| <i>metronidazole topical cream</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>metronidazole topical gel 0.75 %</i> | 3 | MO |
| <i>metronidazole topical lotion</i> | 3 | MO |
| <i>myorisan oral capsule 10 mg, 20 mg, 40 mg</i> | 4 | MO |
| <i>myorisan oral capsule 30 mg</i> | 4 | |
| <i>rosadan topical cream</i> | 3 | MO |
| <i>rosadan topical gel</i> | 3 | MO |
| <i>tazarotene topical cream</i> | 4 | PA; MO |
| TAZORAC TOPICAL CREAM | 4 | PA; MO |
| TAZORAC TOPICAL GEL | 4 | PA; MO |
| <i>tretinoin topical cream</i> | 3 | PA; MO |
| <i>tretinoin topical gel 0.01 %, 0.025 %</i> | 3 | PA; MO |
| <i>zenatane oral capsule</i> | 4 | MO |
| TOPICAL ANESTHETICS | | |
| <i>lidocaine (pf) injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i> | 2 | MO |
| <i>lidocaine (pf) injection solution 15 mg/ml (1.5 %)</i> | 2 | |
| <i>lidocaine hcl injection solution</i> | 2 | MO |
| <i>lidocaine hcl laryngotracheal solution</i> | 2 | MO |
| <i>lidocaine hcl mucous membrane jelly</i> | 2 | MO |
| <i>lidocaine hcl mucous membrane jelly in applicator</i> | 2 | MO |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 2 | MO |
| <i>lidocaine hcl urethral gel</i> | 2 | MO |
| <i>lidocaine topical adhesive patch,medicated</i> | 4 | PA; MO; QL (90 per 30 days) |
| <i>lidocaine topical ointment</i> | 4 | MO |
| <i>lidocaine viscous mucous membrane solution</i> | 1 | MO |
| <i>lidocaine-prilocaine topical cream</i> | 4 | MO |
| <i>ropivacaine (pf) injection solution</i> | 2 | |
| TOPICAL ANTIBACTERIALS | | |
| <i>gentamicin topical cream</i> | 1 | MO |
| <i>gentamicin topical ointment</i> | 1 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>mupirocin topical ointment</i> | 2 | MO |
| <i>sulfacetamide sodium (acne) topical suspension</i> | 2 | MO |
| SULFAMYLON TOPICAL CREAM | 4 | MO |
| TOPICAL ANTIFUNGALS | | |
| <i>ciclodan topical cream</i> | 2 | MO |
| <i>ciclopirox topical cream</i> | 3 | MO |
| <i>ciclopirox topical gel</i> | 4 | MO |
| <i>ciclopirox topical solution</i> | 2 | MO |
| <i>ciclopirox topical suspension</i> | 2 | MO |
| <i>clotrimazole topical cream</i> | 2 | MO |
| <i>clotrimazole topical solution</i> | 2 | MO |
| <i>clotrimazole-betamethasone topical cream</i> | 2 | MO |
| <i>clotrimazole-betamethasone topical lotion</i> | 4 | MO |
| <i>econazole topical cream</i> | 4 | MO |
| <i>ketoconazole topical cream</i> | 2 | MO |
| <i>ketoconazole topical shampoo</i> | 2 | MO |
| <i>nyamyc topical powder</i> | 2 | MO |
| <i>nyata topical powder</i> | 2 | |
| <i>nystatin topical cream</i> | 1 | MO |
| <i>nystatin topical ointment</i> | 1 | MO |
| <i>nystatin topical powder</i> | 2 | MO |
| <i>nystatin-triamcinolone topical cream</i> | 4 | MO |
| <i>nystatin-triamcinolone topical ointment</i> | 4 | MO |
| <i>nystop topical powder</i> | 2 | MO |
| TOPICAL ANTIVIRALS | | |
| <i>acyclovir topical ointment</i> | 2 | MO |
| DENAVIR TOPICAL CREAM | 4 | MO |
| TOPICAL CORTICOSTEROIDS | | |
| <i>ala-cort topical cream</i> | 1 | MO |
| <i>alclometasone topical cream</i> | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>alclometasone topical ointment</i> | 4 | MO |
| <i>amcinonide topical cream</i> | 4 | MO |
| <i>amcinonide topical lotion</i> | 2 | MO |
| <i>amcinonide topical ointment</i> | 2 | MO |
| <i>betamethasone dipropionate topical cream</i> | 4 | MO |
| <i>betamethasone dipropionate topical lotion</i> | 2 | MO |
| <i>betamethasone dipropionate topical ointment</i> | 4 | MO |
| <i>betamethasone valerate topical cream</i> | 2 | MO |
| <i>betamethasone valerate topical lotion</i> | 3 | MO |
| <i>betamethasone valerate topical ointment</i> | 2 | MO |
| <i>betamethasone, augmented topical cream</i> | 2 | MO |
| <i>betamethasone, augmented topical gel</i> | 4 | MO |
| <i>betamethasone, augmented topical lotion</i> | 4 | MO |
| <i>betamethasone, augmented topical ointment</i> | 4 | MO |
| <i>clobetasol scalp solution</i> | 2 | MO |
| <i>clobetasol topical cream</i> | 4 | MO |
| <i>clobetasol topical gel</i> | 4 | MO |
| <i>clobetasol topical ointment</i> | 4 | MO |
| <i>clobetasol-emollient topical cream</i> | 4 | MO |
| <i>cormax scalp solution</i> | 2 | |
| <i>desonide topical cream</i> | 4 | MO |
| <i>desonide topical lotion</i> | 4 | MO |
| <i>desonide topical ointment</i> | 4 | MO |
| <i>desoximetasone topical cream</i> | 4 | MO |
| <i>desoximetasone topical gel</i> | 4 | MO |
| <i>desoximetasone topical ointment 0.25 %</i> | 4 | MO |
| <i>diflorasone topical cream</i> | 4 | MO |
| <i>diflorasone topical ointment</i> | 4 | MO |
| <i>fluocinolone and shower cap scalp oil</i> | 4 | MO |
| <i>fluocinolone topical cream</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>fluocinolone topical oil</i> | 4 | MO |
| <i>fluocinolone topical ointment</i> | 4 | MO |
| <i>fluocinolone topical solution</i> | 4 | MO |
| <i>fluocinonide topical cream 0.05 %</i> | 3 | MO |
| <i>fluocinonide topical gel</i> | 4 | MO |
| <i>fluocinonide topical ointment</i> | 4 | MO |
| <i>fluocinonide topical solution</i> | 4 | MO |
| <i>fluocinonide-e topical cream</i> | 3 | MO |
| <i>fluticasone topical cream</i> | 2 | MO |
| <i>fluticasone topical ointment</i> | 2 | MO |
| <i>halobetasol propionate topical cream</i> | 2 | MO |
| <i>halobetasol propionate topical ointment</i> | 4 | MO |
| <i>hydrocortisone butyrate topical ointment</i> | 4 | MO |
| <i>hydrocortisone butyrate topical solution</i> | 3 | MO |
| <i>hydrocortisone topical cream 1 %, 2.5 %</i> | 1 | MO |
| <i>hydrocortisone topical lotion 2.5 %</i> | 1 | MO |
| <i>hydrocortisone topical ointment 1 %, 2.5 %</i> | 1 | MO |
| <i>hydrocortisone valerate topical cream</i> | 4 | MO |
| <i>hydrocortisone valerate topical ointment</i> | 4 | MO |
| <i>hydrocortisone-min oil-wht pet topical ointment</i> | 1 | MO |
| <i>mometasone topical cream</i> | 2 | MO |
| <i>mometasone topical ointment</i> | 2 | MO |
| <i>mometasone topical solution</i> | 2 | MO |
| <i>prednicarbate topical cream</i> | 2 | MO |
| <i>prednicarbate topical ointment</i> | 2 | MO |
| <i>triamcinolone acetonide topical cream</i> | 1 | MO |
| <i>triamcinolone acetonide topical lotion</i> | 2 | MO |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 1 | MO |
| <i>triderm topical cream</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| TOPICAL ENZYMES | | |
| SANTYL TOPICAL OINTMENT | 4 | MO |
| TOPICAL SCABICIDES / PEDICULICIDES | | |
| <i>lindane topical shampoo</i> | 4 | MO |
| <i>malathion topical lotion</i> | 4 | MO |
| <i>permethrin topical cream</i> | 3 | MO |
| DIAGNOSTICS / MISCELLANEOUS AGENTS | | |
| ANTIDOTES | | |
| <i>acetylcysteine intravenous solution</i> | 2 | MO |
| IRRIGATING SOLUTIONS | | |
| <i>lactated ringers irrigation solution</i> | 2 | MO |
| <i>neomycin-polymyxin b gu irrigation solution</i> | 2 | MO |
| PHYSIOLYTE IRRIGATION SOLUTION | 3 | |
| PHYSIOSOL IRRIGATION SOLUTION | 3 | |
| <i>ringer's irrigation solution</i> | 2 | MO |
| <i>tis-u-sol pentalyte irrigation solution</i> | 2 | MO |
| MISCELLANEOUS AGENTS | | |
| <i>acamprosate oral tablet, delayed release (dr/ec)</i> | 2 | MO |
| <i>acetic acid irrigation solution</i> | 2 | MO |
| ADAGEN INTRAMUSCULAR SOLUTION | 5 | PA; MO; LA |
| <i>alendronate oral tablet 40 mg</i> | 1 | MO |
| <i>anagrelide oral capsule</i> | 2 | MO |
| ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG | 5 | PA; MO |
| ARALAST NP INTRAVENOUS RECON SOLN 500 MG | 5 | PA; MO; LA |
| AURYXIA ORAL TABLET | 3 | MO |
| BUPHENYL ORAL TABLET | 5 | PA; MO |
| CARBAGLU ORAL TABLET, DISPERSIBLE | 5 | PA; MO; LA |
| <i>cevimeline oral capsule</i> | 4 | MO |
| CHEMET ORAL CAPSULE | 4 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| <i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i> | 2 | |
| <i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 2 | |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> | 2 | MO |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 2 | MO |
| <i>deferoxamine injection recon soln</i> | 2 | MO |
| <i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i> | 2 | |
| <i>dextrose 10 % in water (d10w) intravenous parenteral solution</i> | 2 | MO |
| <i>dextrose 20 % in water (d20w) intravenous parenteral solution</i> | 2 | |
| <i>dextrose 25 % in water (d25w) intravenous syringe</i> | 2 | |
| <i>dextrose 30 % in water (d30w) intravenous parenteral solution</i> | 2 | |
| <i>dextrose 40 % in water (d40w) intravenous parenteral solution</i> | 2 | |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i> | 2 | MO |
| <i>dextrose 5 % in water (d5w) intravenous piggyback</i> | 2 | MO |
| <i>dextrose 5 %-lactated ringers intravenous parenteral solution</i> | 2 | MO |
| <i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i> | 2 | |
| <i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i> | 2 | |
| <i>dextrose 50 % in water (d50w) intravenous parenteral solution</i> | 2 | MO |
| <i>dextrose 50 % in water (d50w) intravenous syringe</i> | 2 | |
| <i>dextrose 70 % in water (d70w) intravenous parenteral solution</i> | 2 | MO |
| <i>dextrose with sodium chloride intravenous parenteral solution</i> | 2 | |
| <i>disulfiram oral tablet</i> | 2 | MO |
| <i>etidronate disodium oral tablet</i> | 2 | MO |
| EXJADE ORAL TABLET, DISPERSIBLE | 5 | PA; MO; LA |
| FERRIPROX ORAL SOLUTION | 5 | PA |
| FERRIPROX ORAL TABLET | 5 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| FOSRENOL ORAL POWDER IN PACKET | 5 | MO |
| FOSRENOL ORAL TABLET,CHEWABLE | 5 | MO |
| GLASSIA INTRAVENOUS SOLUTION | 5 | PA; MO; LA |
| INCRELEX SUBCUTANEOUS SOLUTION | 5 | PA; MO; LA |
| JADENU ORAL TABLET | 5 | PA; MO |
| <i>kionex (with sorbitol) oral suspension</i> | 2 | MO |
| <i>kionex oral powder</i> | 2 | MO |
| <i>levocarnitine (with sugar) oral solution</i> | 2 | MO |
| <i>levocarnitine oral tablet</i> | 2 | MO |
| LITHOSTAT ORAL TABLET | 3 | MO |
| <i>midodrine oral tablet</i> | 3 | MO |
| NORTHERA ORAL CAPSULE 100 MG | 5 | PA; MO; QL (540 per 30 days) |
| NORTHERA ORAL CAPSULE 200 MG | 5 | PA; MO; QL (360 per 30 days) |
| NORTHERA ORAL CAPSULE 300 MG | 5 | PA; MO; QL (180 per 30 days) |
| ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG | 5 | PA; LA |
| ORFADIN ORAL CAPSULE 20 MG | 5 | PA; MO |
| ORFADIN ORAL SUSPENSION | 5 | PA; MO; LA |
| <i>pilocarpine hcl oral tablet</i> | 2 | MO |
| PROLASTIN-C INTRAVENOUS RECON SOLN | 5 | PA; LA |
| RAVICTI ORAL LIQUID | 5 | PA; MO; QL (525 per 30 days) |
| REVELA ORAL POWDER IN PACKET | 3 | MO |
| REVELA ORAL TABLET | 3 | MO |
| <i>riluzole oral tablet</i> | 3 | MO |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i> | 2 | MO |
| <i>sodium chloride 0.9 % intravenous piggyback</i> | 2 | MO |
| <i>sodium chloride irrigation solution</i> | 2 | MO |
| <i>sodium phenylbutyrate oral powder</i> | 5 | PA; MO |
| <i>sodium polystyrene (sorb free) oral suspension</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>sodium polystyrene sulfonate oral powder</i> | 2 | MO |
| <i>sodium polystyrene sulfonate oral suspension</i> | 2 | |
| <i>sodium polystyrene sulfonate rectal enema 30 gram/120 ml</i> | 2 | |
| SODIUM POLYSTYRENE SULFONATE RECTAL ENEMA 50 GRAM/200 ML | 2 | |
| SOLIRIS INTRAVENOUS SOLUTION | 5 | PA; MO |
| <i>sps (with sorbitol) oral suspension</i> | 2 | MO |
| <i>sps (with sorbitol) rectal enema</i> | 2 | |
| SYPRINE ORAL CAPSULE | 5 | PA; MO |
| THIOLA ORAL TABLET | 4 | PA; MO |
| VELTASSA ORAL POWDER IN PACKET | 4 | PA; MO; QL (30 per 30 days) |
| <i>water for irrigation, sterile irrigation solution</i> | 2 | MO |
| ZEMAIRA INTRAVENOUS RECON SOLN | 5 | PA; MO; LA |
| <i>zoledronic acid-mannitol-water intravenous piggyback</i> | 2 | MO; QL (100 per 365 days) |
| SMOKING DETERRENTS | | |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr</i> | 2 | MO |
| CHANTIX CONTINUING MONTH BOX ORAL TABLET | 4 | MO; QL (336 per 365 days) |
| CHANTIX ORAL TABLET | 4 | MO; QL (336 per 365 days) |
| CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK | 4 | MO; QL (106 per 365 days) |
| NICOTROL INHALATION CARTRIDGE | 4 | MO |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL | 4 | MO |
| EAR, NOSE / THROAT MEDICATIONS | | |
| MISCELLANEOUS AGENTS | | |
| <i>azelastine nasal aerosol,spray 137 mcg</i> | 2 | MO |
| BACTROBAN NASAL OINTMENT | 4 | MO |
| <i>chlorhexidine gluconate mucous membrane mouthwash</i> | 1 | MO |
| <i>denta 5000 plus dental cream</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>dentagel dental gel</i> | 2 | MO |
| <i>ipratropium bromide nasal spray,non-aerosol</i> | 1 | MO |
| <i>oralone dental paste</i> | 2 | MO |
| <i>paroex oral rinse mucous membrane mouthwash</i> | 1 | MO |
| <i>periogard mucous membrane mouthwash</i> | 2 | MO |
| <i>sf 5000 plus dental cream</i> | 2 | MO |
| <i>sf dental gel</i> | 2 | MO |
| <i>triamcinolone acetonide dental paste</i> | 2 | MO |
| MISCELLANEOUS OTIC PREPARATIONS | | |
| <i>acetasol hc otic drops</i> | 2 | MO |
| <i>acetic acid otic solution</i> | 2 | MO |
| <i>acetic acid-aluminum acetate otic drops</i> | 2 | MO |
| <i>floxin otic drops</i> | 2 | |
| <i>fluocinolone acetonide oil otic drops</i> | 2 | MO |
| <i>hydrocortisone-acetic acid otic drops</i> | 2 | MO |
| <i>ofloxacin otic drops</i> | 2 | MO |
| OTIC STEROID / ANTIBIOTIC | | |
| CIPRO HC OTIC DROPS,SUSPENSION | 4 | MO |
| CIPRODEX OTIC DROPS,SUSPENSION | 4 | MO |
| COLY-MYCIN S OTIC DROPS,SUSPENSION | 4 | MO |
| <i>neomycin-polymyxin-hc otic drops,suspension</i> | 1 | MO |
| <i>neomycin-polymyxin-hc otic solution</i> | 1 | MO |
| ENDOCRINE/DIABETES | | |
| ADRENAL HORMONES | | |
| ACTHAR H.P. INJECTION GEL | 5 | PA; MO; QL (35 per 28 days) |
| <i>a-hydrocort injection recon soln</i> | 2 | MO |
| ARISTOSPAN INTRA-ARTICULAR INJECTION SUSPENSION | 4 | |
| ARISTOSPAN INTRALESIONAL INJECTION SUSPENSION | 4 | |
| <i>betamethasone acet,sod phos injection suspension</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>cortisone oral tablet</i> | 2 | MO |
| <i>deltasone oral tablet 20 mg</i> | 2 | MO |
| DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML | 4 | MO |
| <i>dexamethasone intensol oral drops</i> | 2 | MO |
| <i>dexamethasone oral elixir</i> | 2 | MO |
| <i>dexamethasone oral solution</i> | 2 | MO |
| <i>dexamethasone oral tablet</i> | 1 | MO |
| <i>dexamethasone sodium phos (pf) injection solution</i> | 2 | MO |
| <i>dexamethasone sodium phosphate injection solution</i> | 2 | MO |
| <i>dexamethasone sodium phosphate injection syringe</i> | 2 | MO |
| EMFLAZA ORAL SUSPENSION | 5 | PA; MO; LA |
| EMFLAZA ORAL TABLET | 5 | PA; MO; LA |
| <i>fludrocortisone oral tablet</i> | 2 | MO |
| <i>hydrocortisone oral tablet</i> | 2 | MO |
| <i>methylprednisolone acetate injection suspension</i> | 2 | MO |
| <i>methylprednisolone oral tablet</i> | 2 | MO |
| <i>methylprednisolone oral tablets,dose pack</i> | 2 | MO |
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i> | 2 | MO |
| <i>methylprednisolone sodium succ intravenous recon soln</i> | 2 | MO |
| <i>prednisolone oral solution 15 mg/5 ml</i> | 2 | MO |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2 | MO |
| <i>prednisone intensol oral concentrate</i> | 2 | MO |
| <i>prednisone oral solution</i> | 1 | MO |
| <i>prednisone oral tablet</i> | 1 | MO |
| <i>prednisone oral tablets,dose pack</i> | 1 | MO |
| SOLU-CORTEF (PF) INJECTION RECON SOLN | 4 | MO |
| SOLU-CORTEF INJECTION RECON SOLN | 4 | MO |
| SOLU-MEDROL (PF) INJECTION RECON SOLN | 4 | MO |
| SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN | 4 | MO |
| SOLU-MEDROL INTRAVENOUS RECON SOLN | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>triamcinolone acetonide injection suspension 10 mg/ml</i> | 2 | MO |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> | 2 | |
| ANTITHYROID AGENTS | | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 2 | MO |
| <i>propylthiouracil oral tablet</i> | 2 | MO |
| DIABETES THERAPY | | |
| <i>acarbose oral tablet</i> | 6 | MO |
| AFREZZA INHALATION CARTRIDGE WITH INHALER | 4 | PA; MO |
| <i>alcohol pads topical pads, medicated</i> | 6 | MO |
| BASAGLAR KWIKPEN SUBCUTANEOUS INSULIN PEN | 4 | MO; QL (45 per 30 days) |
| BYDUREON SUBCUTANEOUS PEN INJECTOR | 4 | ST; MO; QL (4 per 28 days) |
| BYDUREON SUBCUTANEOUS SUSPENSION,EXTENDED REL RECON | 4 | ST; MO; QL (4 per 28 days) |
| BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML | 4 | ST; MO; QL (2.4 per 28 days) |
| BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML | 4 | ST; MO; QL (1.2 per 28 days) |
| FARXIGA ORAL TABLET | 4 | ST; MO; QL (30 per 30 days) |
| GAUZE PADS 2 X 2 | 6 | MO |
| <i>glimepiride oral tablet 1 mg</i> | 1 | MO; QL (240 per 30 days) |
| <i>glimepiride oral tablet 2 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>glimepiride oral tablet 4 mg</i> | 1 | MO; QL (60 per 30 days) |
| <i>glipizide oral tablet 10 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | 1 | MO; QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i> | 1 | MO; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>glipizide oral tablet extended release 24hr 2.5 mg</i> | 1 | MO; QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 5 mg</i> | 1 | MO; QL (120 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i> | 6 | MO; QL (240 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 6 | MO; QL (120 per 30 days) |
| GLUCAGEN HYPOKIT INJECTION RECON SOLN | 3 | MO |
| GLUCAGON EMERGENCY KIT (HUMAN) INJECTION KIT | 4 | MO |
| GLYXAMBI ORAL TABLET | 6 | MO; QL (30 per 30 days) |
| HUMALOG KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML | 6 | MO; QL (45 per 30 days) |
| HUMALOG KWIKPEN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) | 6 | MO; QL (30 per 30 days) |
| HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (45 per 30 days) |
| HUMALOG MIX 50-50 SUBCUTANEOUS SUSPENSION | 6 | MO; QL (50 per 30 days) |
| HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (45 per 30 days) |
| HUMALOG MIX 75-25 SUBCUTANEOUS SUSPENSION | 6 | MO; QL (50 per 30 days) |
| HUMALOG SUBCUTANEOUS CARTRIDGE | 6 | MO; QL (45 per 30 days) |
| HUMALOG SUBCUTANEOUS SOLUTION | 6 | MO; QL (50 per 30 days) |
| HUMULIN 70/30 KWIKPEN SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (45 per 30 days) |
| HUMULIN 70/30 SUBCUTANEOUS SUSPENSION | 6 | MO; QL (50 per 30 days) |
| HUMULIN N KWIKPEN SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (45 per 30 days) |
| HUMULIN N SUBCUTANEOUS SUSPENSION | 6 | MO; QL (50 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| HUMULIN R U-100 INJECTION SOLUTION | 6 | MO; QL (50 per 30 days) |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (36 per 30 days) |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION | 6 | MO; QL (40 per 30 days) |
| INSULIN PEN NEEDLE | 6 | MO |
| INSULIN SYRINGE (DISP) U-100 0.3 ML, 1 ML, 1/2 ML | 6 | MO |
| INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG | 6 | MO; QL (60 per 30 days) |
| INVOKAMET ORAL TABLET 50-500 MG | 6 | MO; QL (120 per 30 days) |
| INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG | 6 | MO; QL (60 per 30 days) |
| INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 50-500 MG | 6 | MO; QL (120 per 30 days) |
| INVOKANA ORAL TABLET | 6 | MO; QL (30 per 30 days) |
| JANUMET ORAL TABLET | 6 | MO |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR | 6 | MO |
| JANUVIA ORAL TABLET | 6 | MO |
| JARDIANCE ORAL TABLET 10 MG | 6 | MO; QL (60 per 30 days) |
| JARDIANCE ORAL TABLET 25 MG | 6 | MO; QL (30 per 30 days) |
| JENTADUETO ORAL TABLET | 6 | MO |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR | 6 | MO |
| LANTUS SOLOSTAR SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (45 per 30 days) |
| LANTUS SUBCUTANEOUS SOLUTION | 6 | MO; QL (50 per 30 days) |
| LEVEMIR FLEXTOUCH SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (45 per 30 days) |
| LEVEMIR SUBCUTANEOUS SOLUTION | 6 | MO; QL (50 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>metformin oral tablet 1,000 mg</i> | 1 | MO; QL (75 per 30 days) |
| <i>metformin oral tablet 500 mg</i> | 1 | MO; QL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i> | 1 | MO; QL (90 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 500 mg (generic for Glucophage XR)</i> | 1 | MO |
| <i>metformin oral tablet extended release 24 hr 750 mg (generic for Glucophage XR)</i> | 1 | MO; QL (60 per 30 days) |
| <i>nateglinide oral tablet</i> | 6 | MO |
| NEEDLES, INSULIN DISP.,SAFETY | 6 | MO |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION | 6 | MO; QL (50 per 30 days) |
| NOVOLIN N SUBCUTANEOUS SUSPENSION | 6 | MO; QL (50 per 30 days) |
| NOVOLIN R INJECTION SOLUTION | 6 | MO; QL (50 per 30 days) |
| NOVOLOG FLEXPEN SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (45 per 30 days) |
| NOVOLOG MIX 70-30 FLEXPEN SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (45 per 30 days) |
| NOVOLOG MIX 70-30 SUBCUTANEOUS SOLUTION | 6 | MO; QL (50 per 30 days) |
| NOVOLOG PENFILL SUBCUTANEOUS CARTRIDGE | 6 | MO; QL (45 per 30 days) |
| NOVOLOG SUBCUTANEOUS SOLUTION | 6 | MO; QL (50 per 30 days) |
| <i>pioglitazone oral tablet</i> | 6 | MO; QL (30 per 30 days) |
| <i>pioglitazone-metformin oral tablet</i> | 4 | MO; QL (90 per 30 days) |
| PROGLYCEM ORAL SUSPENSION | 4 | MO |
| <i>repaglinide oral tablet</i> | 6 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| RIOMET ORAL SOLUTION | 4 | MO; QL (765 per 30 days) |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR | 3 | ST; MO; QL (10.8 per 28 days) |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR | 3 | ST; MO; QL (12 per 28 days) |
| SYNJARDY ORAL TABLET | 6 | MO; QL (60 per 30 days) |
| <i>tolazamide oral tablet 250 mg</i> | 6 | MO; QL (120 per 30 days) |
| <i>tolazamide oral tablet 500 mg</i> | 6 | MO; QL (60 per 30 days) |
| <i>tolbutamide oral tablet</i> | 6 | MO; QL (180 per 30 days) |
| TOUJEO SOLOSTAR SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (9 per 30 days) |
| TRADJENTA ORAL TABLET | 6 | MO |
| TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (45 per 30 days) |
| TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN | 6 | MO; QL (27 per 30 days) |
| TRULICITY SUBCUTANEOUS PEN INJECTOR | 3 | MO; QL (2 per 28 days) |
| VICTOZA 2-PAK SUBCUTANEOUS PEN INJECTOR | 3 | MO; QL (9 per 30 days) |
| VICTOZA 3-PAK SUBCUTANEOUS PEN INJECTOR | 3 | MO; QL (9 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG | 4 | ST; MO; QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG, 5-500 MG | 4 | ST; MO; QL (60 per 30 days) |
| MISCELLANEOUS HORMONES | | |
| ALDURAZYME INTRAVENOUS SOLUTION | 5 | PA; MO; LA |
| ANADROL-50 ORAL TABLET | 5 | PA; MO |
| ANDRODERM TRANSDERMAL PATCH 24 HOUR | 4 | PA; MO |
| ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %) | 3 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM) | 3 | PA; MO |
| <i>androxy oral tablet</i> | 2 | MO |
| <i>cabergoline oral tablet</i> | 2 | MO |
| <i>calcitonin (salmon) nasal spray,non-aerosol</i> | 2 | MO |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | 2 | MO |
| <i>calcitriol oral capsule</i> | 2 | MO |
| <i>calcitriol oral solution</i> | 2 | MO |
| CERDELGA ORAL CAPSULE | 5 | PA; MO; QL (60 per 30 days) |
| CEREZYME INTRAVENOUS RECON SOLN 400 UNIT | 5 | PA; MO; LA |
| <i>chorionic gonadotropin, human intramuscular recon soln</i> | 3 | PA; MO |
| <i>danazol oral capsule</i> | 2 | MO |
| <i>desmopressin injection solution</i> | 2 | MO |
| <i>desmopressin nasal aerosol,spray</i> | 2 | MO |
| <i>desmopressin nasal solution</i> | 2 | |
| <i>desmopressin nasal spray,non-aerosol</i> | 2 | MO |
| <i>desmopressin oral tablet</i> | 2 | MO |
| <i>doxercalciferol intravenous solution</i> | 4 | |
| <i>doxercalciferol oral capsule 0.5 mcg, 2.5 mcg</i> | 4 | MO |
| <i>doxercalciferol oral capsule 1 mcg</i> | 5 | MO |
| ELAPRASE INTRAVENOUS SOLUTION | 5 | PA; MO; LA |
| ELELYSO INTRAVENOUS RECON SOLN | 5 | PA; MO |
| FABRAZYME INTRAVENOUS RECON SOLN 35 MG | 5 | PA; MO; LA |
| FABRAZYME INTRAVENOUS RECON SOLN 5 MG | 5 | PA; MO |
| KANUMA INTRAVENOUS SOLUTION | 5 | PA; MO |
| KORLYM ORAL TABLET | 5 | PA; MO; QL (120 per 30 days) |
| KUVAN ORAL POWDER IN PACKET | 5 | PA; MO |
| KUVAN ORAL TABLET,SOLUBLE | 5 | PA; MO; LA |
| LUMIZYME INTRAVENOUS RECON SOLN | 5 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------|
| <i>methyltestosterone oral capsule</i> | 4 | PA; MO |
| MIACALCIN INJECTION SOLUTION | 4 | MO |
| MYALEPT SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; QL (60 per 30 days) |
| NAGLAZYME INTRAVENOUS SOLUTION | 5 | PA; MO; LA |
| NATPARA SUBCUTANEOUS CARTRIDGE | 5 | PA; MO; LA; QL (2 per 28 days) |
| <i>oxandrolone oral tablet</i> | 3 | PA; MO |
| <i>pamidronate intravenous recon soln</i> | 2 | MO |
| <i>pamidronate intravenous solution</i> | 2 | MO |
| PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION | 4 | |
| <i>paricalcitol intravenous solution</i> | 4 | |
| <i>paricalcitol oral capsule</i> | 2 | MO |
| SAMSCA ORAL TABLET 15 MG | 5 | PA; MO; QL (30 per 30 days) |
| SAMSCA ORAL TABLET 30 MG | 5 | PA; MO; QL (60 per 30 days) |
| SENSIPAR ORAL TABLET 30 MG | 3 | MO |
| SENSIPAR ORAL TABLET 60 MG, 90 MG | 5 | MO |
| SOMAVERT SUBCUTANEOUS RECON SOLN | 5 | PA; MO; QL (30 per 30 days) |
| STIMATE NASAL SPRAY, NON-AEROSOL | 4 | MO |
| STRENSIQ SUBCUTANEOUS SOLUTION | 5 | PA; MO; LA |
| STRIANT BUCCAL MUCOADHESIVE SYSTEM ER 12 HR | 4 | PA; MO |
| SYNAREL NASAL SPRAY, NON-AEROSOL | 5 | PA; MO |
| TESTIM TRANSDERMAL GEL | 4 | PA; MO |
| <i>testosterone cypionate intramuscular oil</i> | 2 | PA; MO |
| <i>testosterone enanthate intramuscular oil</i> | 2 | PA; MO |
| TESTOSTERONE TRANSDERMAL GEL | 4 | PA; MO |
| TESTOSTERONE TRANSDERMAL GEL IN METERED-DOSE PUMP 12.5 MG/ 1.25 GRAM (1 %) | 4 | PA; MO |
| TESTOSTERONE TRANSDERMAL GEL IN PACKET | 4 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| VPRIV INTRAVENOUS RECON SOLN | 5 | PA; MO |
| ZAVESCA ORAL CAPSULE | 5 | PA; MO; LA |
| ZEMPLAR INTRAVENOUS SOLUTION | 4 | MO |
| <i>zoledronic acid intravenous recon soln</i> | 4 | |
| <i>zoledronic acid intravenous solution</i> | 4 | MO |
| ZOMETA INTRAVENOUS PIGGYBACK | 5 | MO |
| THYROID HORMONES | | |
| <i>levothyroxine intravenous recon soln 200 mcg, 500 mcg</i> | 2 | MO |
| <i>levothyroxine oral tablet</i> | 1 | MO |
| <i>liothyronine intravenous solution</i> | 2 | MO |
| <i>liothyronine oral tablet</i> | 2 | MO |
| SYNTHROID ORAL TABLET | 4 | MO |
| <i>unithroid oral tablet</i> | 2 | MO |
| GASTROENTEROLOGY | | |
| ANTIDIARRHEALS / ANTISPASMODICS | | |
| <i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i> | 2 | |
| BENTYL INTRAMUSCULAR SOLUTION | 4 | MO |
| <i>dicyclomine oral capsule</i> | 2 | MO |
| <i>dicyclomine oral solution</i> | 2 | MO |
| <i>dicyclomine oral tablet</i> | 2 | MO |
| <i>diphenoxylate-atropine oral liquid</i> | 2 | MO |
| <i>diphenoxylate-atropine oral tablet</i> | 2 | MO |
| <i>glycopyrrolate injection solution</i> | 2 | MO |
| <i>glycopyrrolate oral tablet</i> | 2 | MO |
| <i>loperamide oral capsule</i> | 2 | MO |
| <i>methscopolamine oral tablet</i> | 2 | MO |
| MOTOFEN ORAL TABLET | 4 | MO |
| MYTESI ORAL TABLET, DELAYED RELEASE (DR/EC) | 4 | PA; MO |
| <i>propantheline oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| MISCELLANEOUS GASTROINTESTINAL AGENTS | | |
| AKYNZEO ORAL CAPSULE | 4 | B/D; MO; QL (2 per 30 days) |
| <i>alosetron oral tablet</i> | 5 | PA; MO |
| ALOXI INTRAVENOUS SOLUTION | 4 | MO |
| AMITIZA ORAL CAPSULE | 4 | PA; MO |
| <i>aprepitant oral capsule 125 mg</i> | 4 | B/D; QL (2 per 30 days) |
| <i>aprepitant oral capsule 40 mg</i> | 4 | B/D; QL (1 per 30 days) |
| <i>aprepitant oral capsule 80 mg</i> | 4 | B/D; MO; QL (4 per 30 days) |
| <i>aprepitant oral capsule,dose pack</i> | 4 | B/D; MO; QL (6 per 30 days) |
| APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR | 3 | MO |
| ASACOL HD ORAL TABLET,DELAYED RELEASE (DR/EC) | 3 | MO |
| <i>balsalazide oral capsule</i> | 2 | MO |
| <i>budesonide oral capsule,delayed,extend.release</i> | 5 | MO |
| CANASA RECTAL SUPPOSITORY | 5 | MO |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT | 5 | PA; MO; QL (3 per 28 days) |
| CIMZIA STARTER KIT SUBCUTANEOUS SYRINGE KIT | 5 | PA; MO; QL (3 per 28 days) |
| CIMZIA SUBCUTANEOUS SYRINGE KIT | 5 | PA; MO; QL (3 per 28 days) |
| <i>compro rectal suppository</i> | 2 | MO |
| <i>constulose oral solution</i> | 2 | MO |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) | 3 | MO |
| <i>cromolyn oral concentrate</i> | 2 | MO |
| CYSTADANE ORAL POWDER | 5 | MO |
| DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) | 3 | MO |
| DIPENTUM ORAL CAPSULE | 5 | ST; MO |
| <i>dronabinol oral capsule 10 mg</i> | 5 | PA; MO |
| <i>dronabinol oral capsule 2.5 mg, 5 mg</i> | 4 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| EMEND INTRAVENOUS RECON SOLN | 4 | MO |
| EMEND ORAL SUSPENSION FOR RECONSTITUTION | 4 | B/D; QL (2 per 30 days) |
| <i>enulose oral solution</i> | 2 | MO |
| GATTEX 30-VIAL SUBCUTANEOUS KIT | 5 | PA; MO; QL (30 per 30 days) |
| GATTEX ONE-VIAL SUBCUTANEOUS KIT | 5 | PA; MO; QL (30 per 30 days) |
| <i>gavilyte-c oral recon soln</i> | 2 | MO |
| <i>gavilyte-g oral recon soln</i> | 2 | MO |
| <i>gavilyte-h and bisacodyl oral kit</i> | 2 | MO |
| <i>gavilyte-n oral recon soln</i> | 2 | MO |
| <i>generlac oral solution</i> | 2 | MO |
| <i>granisetron (pf) intravenous solution</i> | 2 | MO |
| <i>granisetron hcl intravenous solution</i> | 2 | MO |
| <i>granisetron hcl oral tablet</i> | 4 | B/D; ST; MO; QL (30 per 30 days) |
| <i>hydrocortisone rectal enema</i> | 2 | MO |
| <i>hydrocortisone topical cream with perineal applicator 1 %</i> | 1 | |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> | 1 | MO |
| <i>lactulose oral solution</i> | 2 | MO |
| LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) | 4 | ST; MO |
| LINZESS ORAL CAPSULE | 3 | MO; QL (30 per 30 days) |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i> | 2 | MO |
| <i>mesalamine rectal enema</i> | 4 | MO |
| <i>mesalamine with cleansing wipe rectal enema kit</i> | 4 | MO |
| <i>metoclopramide hcl injection solution</i> | 2 | MO |
| <i>metoclopramide hcl injection syringe</i> | 2 | |
| <i>metoclopramide hcl oral solution</i> | 1 | MO |
| <i>metoclopramide hcl oral tablet</i> | 1 | MO |
| MOVANTIK ORAL TABLET | 3 | MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------|
| OCALIVA ORAL TABLET | 5 | PA; MO; LA; QL (30 per 30 days) |
| <i>ondansetron hcl (pf) injection solution</i> | 2 | MO |
| <i>ondansetron hcl (pf) injection syringe</i> | 2 | MO |
| <i>ondansetron hcl intravenous solution</i> | 2 | MO |
| <i>ondansetron hcl oral solution</i> | 2 | B/D; MO; QL (900 per 30 days) |
| <i>ondansetron hcl oral tablet 24 mg</i> | 4 | B/D; QL (30 per 30 days) |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 2 | B/D; MO; QL (90 per 30 days) |
| <i>ondansetron oral tablet, disintegrating</i> | 2 | B/D; MO; QL (90 per 30 days) |
| PANCREAZE ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,500-35,500- 61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600-6,200- 10,850 UNIT, 21,000-54,700- 83,900 UNIT, 4,200-14,200- 24,600 UNIT | 4 | ST; MO |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> | 2 | MO |
| <i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i> | 2 | |
| <i>peg-electrolyte soln oral recon soln</i> | 2 | |
| PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG | 4 | MO |
| PENTASA ORAL CAPSULE, EXTENDED RELEASE 500 MG | 5 | MO |
| PERTZYE ORAL CAPSULE, DELAYED RELEASE (DR/EC) 16,000-57,500- 60,500 UNIT, 8,000-28,750- 30,250 UNIT | 4 | ST; MO |
| PERTZYE ORAL CAPSULE, DELAYED RELEASE (DR/EC) 4,000-14,375- 15,125 UNIT | 4 | ST |
| <i>polyethylene glycol 3350 oral powder</i> | 2 | MO |
| <i>polyethylene glycol 3350 oral powder in packet</i> | 2 | MO |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 2 | MO |
| <i>prochlorperazine maleate oral tablet</i> | 1 | MO |
| <i>prochlorperazine rectal suppository</i> | 2 | MO |
| <i>procto-med hc topical cream with perineal applicator</i> | 2 | MO |
| <i>procto-pak topical cream with perineal applicator</i> | 2 | MO |
| <i>proctosol hc topical cream with perineal applicator</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>proctozone-hc topical cream with perineal applicator</i> | 2 | MO |
| RELISTOR ORAL TABLET | 5 | PA; MO; QL (90 per 30 days) |
| RELISTOR SUBCUTANEOUS SOLUTION | 5 | PA; MO |
| RELISTOR SUBCUTANEOUS SYRINGE | 5 | PA; MO |
| REMICADE INTRAVENOUS RECON SOLN | 5 | PA; MO |
| SANCUSO TRANSDERMAL PATCH WEEKLY | 5 | ST; MO; QL (4 per 28 days) |
| SUCRAID ORAL SOLUTION | 5 | PA; MO |
| <i>sulfasalazine oral tablet</i> | 2 | MO |
| <i>sulfasalazine oral tablet, delayed release (dr/ec)</i> | 2 | MO |
| SUPREP BOWEL PREP KIT ORAL RECON SOLN | 3 | MO |
| TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY | 4 | MO |
| <i>trilyte with flavor packets oral recon soln</i> | 2 | MO |
| UCERIS ORAL TABLET, DELAYED AND EXT. RELEASE | 5 | PA; MO |
| UCERIS RECTAL FOAM | 4 | PA; MO |
| <i>ursodiol oral capsule</i> | 2 | MO |
| <i>ursodiol oral tablet</i> | 2 | MO |
| VIBERZI ORAL TABLET | 5 | PA; MO; QL (60 per 30 days) |
| VIOKACE ORAL TABLET | 4 | ST; MO |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-34,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000-68,000 -109,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000- 16,000 UNIT | 4 | ST; MO |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 40,000-136,000- 218,000 UNIT | 5 | ST; MO |
| ULCER THERAPY | | |
| <i>carafate oral suspension</i> | 4 | MO |
| <i>cimetidine hcl oral solution</i> | 2 | MO |
| <i>cimetidine oral tablet</i> | 2 | MO |
| DEXILANT ORAL CAPSULE, BIPHASE DELAYED RELEAS | 4 | ST; MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>famotidine (pf) intravenous solution</i> | 2 | MO |
| <i>famotidine (pf)-nacl (iso-os) intravenous piggyback</i> | 4 | MO |
| <i>famotidine intravenous solution</i> | 2 | MO |
| <i>famotidine oral suspension</i> | 4 | MO |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 1 | MO |
| <i>lansoprazole oral capsule, delayed release(dr/ec)</i> | 3 | MO; QL (30 per 30 days) |
| <i>misoprostol oral tablet 100 mcg</i> | 2 | MO |
| <i>misoprostol oral tablet 200 mcg</i> | 3 | MO |
| <i>nizatidine oral capsule 150 mg</i> | 2 | MO |
| <i>nizatidine oral capsule 300 mg</i> | 4 | MO |
| <i>nizatidine oral solution</i> | 2 | MO |
| <i>omeprazole oral capsule, delayed release(dr/ec)</i> | 2 | MO; QL (60 per 30 days) |
| <i>pantoprazole intravenous recon soln</i> | 4 | MO |
| <i>pantoprazole oral tablet, delayed release (dr/ec)</i> | 2 | MO; QL (60 per 30 days) |
| <i>ranitidine hcl injection solution</i> | 2 | MO |
| <i>ranitidine hcl oral capsule</i> | 3 | MO |
| <i>ranitidine hcl oral syrup</i> | 4 | MO |
| <i>ranitidine hcl oral tablet 150 mg, 300 mg</i> | 1 | MO |
| <i>sucralfate oral tablet</i> | 2 | MO |

IMMUNOLOGY, VACCINES / BIOTECHNOLOGY

BIOTECHNOLOGY DRUGS

| | | |
|---|---|------------|
| ACTIMMUNE SUBCUTANEOUS SOLUTION | 5 | PA; MO; LA |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 300 MCG/ML, 60 MCG/ML | 5 | PA; MO |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 150 MCG/0.75 ML | 5 | PA |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 25 MCG/ML, 40 MCG/ML | 4 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 25 MCG/0.42 ML, 40 MCG/0.4 ML | 4 | PA; MO |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 300 MCG/0.6 ML, 500 MCG/ML, 60 MCG/0.3 ML | 5 | PA; MO |
| ARCALYST SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA |
| AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT | 5 | MO; QL (4 per 28 days) |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT | 5 | MO; QL (4 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT | 5 | MO; QL (4 per 28 days) |
| BETASERON SUBCUTANEOUS KIT | 5 | ST; MO; QL (14 per 28 days) |
| EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG | 5 | PA; MO; QL (60 per 30 days) |
| EGRIFTA SUBCUTANEOUS RECON SOLN 2 MG | 5 | PA; QL (60 per 30 days) |
| EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 4 | PA; MO |
| EPOGEN INJECTION SOLUTION 20,000 UNIT/ML | 5 | PA; MO |
| GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML | 3 | PA; MO |
| GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML | 5 | PA; MO |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE | 5 | PA; MO |
| GRANIX SUBCUTANEOUS SYRINGE | 5 | PA; MO |
| HUMATROPE INJECTION CARTRIDGE | 5 | PA; MO |
| HUMATROPE INJECTION RECON SOLN | 5 | PA; MO |
| ILARIS (PF) SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; QL (2 per 28 days) |
| INTRON A INJECTION RECON SOLN | 5 | MO |
| INTRON A INJECTION SOLUTION | 5 | MO |
| LEUKINE INJECTION RECON SOLN | 5 | PA; MO |
| MOZOBIL SUBCUTANEOUS SOLUTION | 5 | PA; MO; QL (9.6 per 4 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| NEULASTA SUBCUTANEOUS SYRINGE | 5 | PA; MO |
| NEULASTA SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR | 5 | PA; MO |
| NEUPOGEN INJECTION SOLUTION | 5 | PA; MO |
| NEUPOGEN INJECTION SYRINGE | 5 | PA; MO |
| NORDITROPIN FLEXPPO SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO |
| NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO |
| OMNITROPE SUBCUTANEOUS CARTRIDGE | 5 | PA; MO |
| OMNITROPE SUBCUTANEOUS RECON SOLN | 5 | PA; MO |
| PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR | 5 | MO; QL (2 per 28 days) |
| PEGASYS SUBCUTANEOUS SOLUTION | 5 | MO; QL (4 per 28 days) |
| PEGASYS SUBCUTANEOUS SYRINGE | 5 | MO; QL (2 per 28 days) |
| PEGINTRON REDIPEN SUBCUTANEOUS PEN INJECTOR KIT | 5 | QL (4 per 28 days) |
| PEGINTRON SUBCUTANEOUS KIT 120 MCG/0.5 ML, 150 MCG/0.5 ML, 80 MCG/0.5 ML | 5 | QL (4 per 28 days) |
| PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML | 5 | MO; QL (4 per 28 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR | 5 | MO; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE | 5 | MO; QL (1 per 28 days) |
| PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; MO |
| PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML | 5 | PA; MO |
| PROLEUKIN INTRAVENOUS RECON SOLN | 5 | MO |
| REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE | 5 | ST; MO; QL (6 per 28 days) |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML | 5 | ST; MO; QL (6 per 28 days) |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6) | 5 | ST; MO; QL (8.4 per 365 days) |
| REBIF TITRATION PACK SUBCUTANEOUS SYRINGE | 5 | ST; MO; QL (8.4 per 365 days) |
| SAIZEN CLICK.EASY SUBCUTANEOUS CARTRIDGE | 5 | PA; MO |
| SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE | 5 | PA; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SAIZEN SUBCUTANEOUS RECON SOLN | 5 | PA; MO |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 5 | PA; MO; LA |
| SYLATRON SUBCUTANEOUS KIT | 5 | MO |
| ZARXIO INJECTION SYRINGE | 5 | PA; MO |
| ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG | 5 | PA; MO |
| ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG | 4 | PA; MO |
| ZORBTIVE SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA |
| VACCINES / MISCELLANEOUS IMMUNOLOGICALS | | |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN | 3 | MO |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION | 3 | MO |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE | 3 | MO |
| ATGAM INTRAVENOUS SOLUTION | 5 | B/D |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION | 4 | MO |
| BEXSERO INTRAMUSCULAR SYRINGE | 3 | MO |
| BIVIGAM INTRAVENOUS SOLUTION | 5 | PA; MO |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION | 3 | MO |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE | 3 | MO |
| BOTOX INJECTION RECON SOLN 100 UNIT | 4 | PA; MO; QL (4 per 84 days) |
| BOTOX INJECTION RECON SOLN 200 UNIT | 4 | PA; MO; QL (2 per 84 days) |
| CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM | 5 | PA; MO |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION | 3 | MO |
| DYSPORT INTRAMUSCULAR RECON SOLN | 4 | PA; MO; QL (3 per 84 days) |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION | 3 | B/D; MO |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE | 3 | B/D; MO |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SUSPENSION | 3 | B/D; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE | 3 | B/D; MO |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION | 5 | PA; MO |
| <i>fomepizole intravenous solution</i> | 2 | MO |
| GAMASTAN S/D INTRAMUSCULAR SOLUTION | 3 | PA; MO |
| GAMMAGARD LIQUID INJECTION SOLUTION | 5 | PA; MO |
| GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN | 5 | PA; MO |
| GAMMAKED INJECTION SOLUTION | 5 | PA; MO |
| GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION | 5 | PA; MO |
| GAMMAPLEX INTRAVENOUS SOLUTION | 5 | PA; MO |
| GAMUNEX-C INJECTION SOLUTION | 5 | PA; MO |
| GARDASIL (PF) INTRAMUSCULAR SUSPENSION | 3 | PA; MO |
| GARDASIL (PF) INTRAMUSCULAR SYRINGE | 3 | PA; MO |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION | 3 | PA; MO |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE | 3 | PA; MO |
| GRASTEK SUBLINGUAL TABLET | 4 | PA; MO; QL (30 per 30 days) |
| HAVRIX (PF) INTRAMUSCULAR SUSPENSION | 3 | MO |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML | 3 | MO |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML | 3 | |
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN | 3 | MO |
| HIZENTRA SUBCUTANEOUS SOLUTION | 5 | PA; MO |
| IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION | 3 | MO |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN | 3 | MO |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION | 3 | MO |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE | 3 | MO |
| IPOL INJECTION SUSPENSION | 3 | MO |
| IXIARO (PF) INTRAMUSCULAR SYRINGE | 3 | MO |
| KINRIX (PF) INTRAMUSCULAR SUSPENSION | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| KINRIX (PF) INTRAMUSCULAR SYRINGE | 3 | MO |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION | 3 | MO |
| MENHIBRIX (PF) INTRAMUSCULAR RECON SOLN | 3 | |
| MENOMUNE - A/C/Y/W-135 (PF) SUBCUTANEOUS RECON SOLN | 3 | MO |
| MENOMUNE - A/C/Y/W-135 SUBCUTANEOUS RECON SOLN | 3 | |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT | 3 | MO |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN | 3 | MO |
| OCTAGAM INTRAVENOUS SOLUTION | 5 | PA; MO |
| ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY | 4 | PA; MO; QL (30 per 30 days) |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE | 3 | MO |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION | 3 | MO |
| PENTACEL ACTHIB COMPONENT (PF) INTRAMUSCULAR RECON SOLN | 3 | |
| PRIVIGEN INTRAVENOUS SOLUTION | 5 | PA; MO |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | MO |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION | 3 | |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION | 3 | MO |
| RAGWITEK SUBLINGUAL TABLET | 4 | PA; MO; QL (30 per 30 days) |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION | 3 | B/D; MO |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML | 3 | B/D; MO |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML | 3 | B/D |
| ROTARIX ORAL SUSPENSION FOR RECONSTITUTION | 3 | |
| ROTATEQ VACCINE ORAL SOLUTION | 3 | MO |
| STAMARIL (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | |
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| TENIVAC (PF) INTRAMUSCULAR SYRINGE | 3 | MO |
| TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION | 3 | MO |
| TETANUS-DIPHThERIA TOXOIDS-TD INTRAMUSCULAR SUSPENSION | 3 | MO |
| THYMOGLOBULIN INTRAVENOUS RECON SOLN | 5 | B/D |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION | 4 | MO |
| TRUMENBA INTRAMUSCULAR SYRINGE | 3 | MO |
| TWINRIX (PF) INTRAMUSCULAR SUSPENSION | 3 | MO |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE | 3 | MO |
| TYPHIM VI INTRAMUSCULAR SOLUTION | 3 | |
| TYPHIM VI INTRAMUSCULAR SYRINGE | 3 | MO |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION | 3 | MO |
| VAQTA (PF) INTRAMUSCULAR SYRINGE | 3 | MO |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | MO |
| XEOMIN INTRAMUSCULAR RECON SOLN 100 UNIT | 4 | PA; MO |
| XEOMIN INTRAMUSCULAR RECON SOLN 50 UNIT | 4 | PA; MO; QL (8 per 84 days) |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | MO |
| ZINPLAVA INTRAVENOUS SOLUTION | 5 | PA; MO |
| ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION | 3 | PA; MO; QL (1 per 365 days) |
| MUSCULOSKELETAL / RHEUMATOLOGY | | |
| GOUT THERAPY | | |
| <i>allopurinol oral tablet</i> | 2 | MO |
| <i>allopurinol sodium intravenous recon soln</i> | 2 | |
| COLCRYS ORAL TABLET | 3 | MO |
| <i>probenecid oral tablet</i> | 2 | MO |
| <i>probenecid-colchicine oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| ULORIC ORAL TABLET | 3 | ST; MO; QL (30 per 30 days) |
| ZURAMPIC ORAL TABLET | 4 | PA; MO |
| OSTEOPOROSIS THERAPY | | |
| <i>alendronate oral solution</i> | 4 | MO |
| <i>alendronate oral tablet 10 mg, 35 mg, 5 mg, 70 mg</i> | 1 | MO |
| FORTEO SUBCUTANEOUS PEN INJECTOR | 5 | ST; MO; QL (2.4 per 28 days) |
| <i>ibandronate intravenous solution</i> | 3 | MO; QL (3 per 90 days) |
| <i>ibandronate intravenous syringe</i> | 3 | MO; QL (3 per 90 days) |
| <i>ibandronate oral tablet</i> | 3 | MO; QL (1 per 28 days) |
| PROLIA SUBCUTANEOUS SYRINGE | 4 | PA; MO; QL (1 per 168 days) |
| <i>raloxifene oral tablet</i> | 2 | MO |
| <i>risedronate oral tablet 150 mg</i> | 4 | ST; MO; QL (1 per 28 days) |
| <i>risedronate oral tablet 35 mg (12 pack)</i> | 4 | ST; MO; QL (12 per 84 days) |
| <i>risedronate oral tablet 35 mg, 35 mg (4 pack)</i> | 4 | ST; MO; QL (4 per 28 days) |
| <i>risedronate oral tablet, delayed release (dr/ec)</i> | 4 | ST; MO; QL (4 per 28 days) |
| OTHER RHEUMATOLOGICALS | | |
| ACTEMRA INTRAVENOUS SOLUTION | 5 | PA; MO; QL (40 per 28 days) |
| ACTEMRA SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (3.6 per 28 days) |
| BENLYSTA INTRAVENOUS RECON SOLN | 5 | PA; MO |
| DEPEN TITRATABS ORAL TABLET | 5 | PA; MO |
| ENBREL SUBCUTANEOUS RECON SOLN | 5 | PA; MO; QL (16 per 28 days) |
| ENBREL SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (8 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------------|
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR | 5 | PA; MO; QL (8 per 28 days) |
| HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT | 5 | PA; MO |
| HUMIRA PEN CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (12 per 365 days) |
| HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (8 per 365 days) |
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT | 5 | PA; MO; QL (6 per 28 days) |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML | 5 | PA; MO; QL (2 per 28 days) |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 20 MG/0.4 ML | 5 | PA; MO; QL (1 per 28 days) |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; MO; QL (6 per 28 days) |
| KINERET SUBCUTANEOUS SYRINGE | 5 | PA; MO; QL (18.76 per 28 days) |
| <i>leflunomide oral tablet</i> | 2 | MO |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN | 5 | PA; MO |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR | 5 | PA; MO; QL (4 per 28 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML | 5 | PA; MO; QL (4 per 28 days) |
| OTEZLA ORAL TABLET | 5 | PA; MO; QL (60 per 30 days) |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47) | 5 | PA; MO; QL (110 per 365 days) |
| OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML | 4 | PA; MO; QL (1.6 per 28 days) |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML | 3 | PA; MO; QL (0.8 per 28 days) |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 12.5 MG/0.25 ML | 3 | PA; MO; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 15 MG/0.3 ML | 3 | PA; MO; QL (1.2 per 28 days) |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 17.5 MG/0.35 ML | 3 | PA; MO; QL (1.4 per 28 days) |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 20 MG/0.4 ML | 3 | PA; MO; QL (1.6 per 28 days) |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 22.5 MG/0.45 ML | 3 | PA; MO; QL (1.8 per 28 days) |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 25 MG/0.5 ML | 3 | PA; MO; QL (2 per 28 days) |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 27.5 MG/0.55 ML | 3 | PA; MO; QL (2.2 per 28 days) |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 30 MG/0.6 ML | 3 | PA; MO; QL (2.4 per 28 days) |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 7.5 MG/0.15 ML | 3 | PA; MO; QL (0.6 per 28 days) |
| RIDAURA ORAL CAPSULE | 5 | MO |
| SAVELLA ORAL TABLET | 4 | PA; MO; QL (60 per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK | 4 | PA; MO; QL (110 per 365 days) |
| SIMPONI ARIA INTRAVENOUS SOLUTION | 5 | PA; MO |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML | 5 | PA; MO; QL (1 per 28 days) |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML | 5 | PA; MO; QL (0.5 per 28 days) |
| SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; MO; QL (1 per 28 days) |
| SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML | 5 | PA; MO; QL (0.5 per 28 days) |
| XELJANZ ORAL TABLET | 5 | PA; MO; QL (60 per 30 days) |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR | 5 | PA; MO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| OBSTETRICS / GYNECOLOGY | | |
| ESTROGENS / PROGESTINS | | |
| <i>amabelz oral tablet</i> | 2 | MO |
| <i>camila oral tablet</i> | 2 | MO |
| <i>deblitane oral tablet</i> | 2 | MO |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL | 4 | MO |
| DEPO-PROVERA INTRAMUSCULAR SOLUTION | 4 | MO |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE | 4 | MO; QL (0.65 per 84 days) |
| DIVIGEL TRANSDERMAL GEL IN PACKET | 4 | MO |
| DUAVEE ORAL TABLET | 3 | PA; MO |
| <i>errin oral tablet</i> | 2 | MO |
| ESTRACE VAGINAL CREAM | 4 | MO |
| <i>estradiol oral tablet</i> | 2 | MO |
| <i>estradiol transdermal patch semiweekly</i> | 2 | MO; QL (8 per 28 days) |
| <i>estradiol transdermal patch weekly</i> | 2 | MO; QL (4 per 28 days) |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> | 2 | MO |
| <i>estradiol-norethindrone acet oral tablet</i> | 2 | MO |
| ESTRING VAGINAL RING | 4 | MO |
| <i>estropipate oral tablet</i> | 2 | MO |
| FEMRING VAGINAL RING | 4 | MO |
| <i>fyavolv oral tablet 1-5 mg-mcg</i> | 2 | MO |
| <i>heather oral tablet</i> | 2 | MO |
| <i>hydroxyprogesterone caproate intramuscular oil</i> | 5 | PA; MO |
| <i>jencycla oral tablet</i> | 2 | MO |
| <i>jinteli oral tablet</i> | 3 | MO |
| <i>jolivette oral tablet</i> | 2 | MO |
| <i>lyza oral tablet</i> | 2 | MO |
| MAKENA INTRAMUSCULAR OIL | 5 | PA; MO |
| <i>medroxyprogesterone intramuscular suspension</i> | 2 | MO; QL (1 per 84 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>medroxyprogesterone intramuscular syringe</i> | 2 | MO; QL (1 per 84 days) |
| <i>medroxyprogesterone oral tablet</i> | 2 | MO |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG | 4 | MO |
| MENOSTAR TRANSDERMAL PATCH WEEKLY | 4 | MO; QL (4 per 28 days) |
| <i>mimvey lo oral tablet</i> | 2 | MO |
| <i>mimvey oral tablet</i> | 2 | MO |
| <i>nora-be oral tablet</i> | 2 | MO |
| <i>norethindrone (contraceptive) oral tablet</i> | 2 | MO |
| <i>norethindrone acetate oral tablet</i> | 2 | MO |
| <i>norethindrone ac-eth estradiol oral tablet 1-5 mg-mcg</i> | 2 | MO |
| <i>norlyda oral tablet</i> | 2 | |
| <i>norlyroc oral tablet</i> | 2 | |
| PREMARIN INJECTION RECON SOLN | 4 | MO |
| PREMARIN ORAL TABLET | 3 | MO |
| PREMARIN VAGINAL CREAM | 3 | MO |
| PREMPHASE ORAL TABLET | 3 | MO |
| PREMPRO ORAL TABLET | 3 | MO |
| <i>progesterone micronized oral capsule</i> | 2 | MO |
| <i>sharobel oral tablet</i> | 2 | MO |
| <i>yuvafem vaginal tablet</i> | 4 | MO |
| MISCELLANEOUS OB/GYN | | |
| CLEOCIN VAGINAL SUPPOSITORY | 4 | MO |
| <i>clindamycin phosphate vaginal cream</i> | 2 | MO |
| LUPANETA PACK (1 MONTH) KIT. SYRINGE AND TABLET | 5 | PA; MO; QL (1 per 28 days) |
| LUPANETA PACK (3 MONTH) KIT. SYRINGE AND TABLET | 5 | PA; MO; QL (1 per 84 days) |
| <i>metronidazole vaginal gel</i> | 2 | MO |
| <i>miconazole-3 vaginal suppository</i> | 2 | MO |
| NUVARING VAGINAL RING | 4 | MO; QL (1 per 28 days) |
| <i>terconazole vaginal cream</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>terconazole vaginal suppository</i> | 4 | MO |
| <i>tranexamic acid oral tablet</i> | 3 | MO; QL (30 per 28 days) |
| <i>vandazole vaginal gel</i> | 2 | MO |
| <i>xulane transdermal patch weekly</i> | 4 | MO; QL (3 per 28 days) |
| ORAL CONTRACEPTIVES / RELATED AGENTS | | |
| <i>altavera (28) oral tablet</i> | 2 | MO |
| <i>alyacen 1/35 (28) oral tablet</i> | 2 | MO |
| <i>alyacen 7/7/7 (28) oral tablet</i> | 2 | MO |
| <i>amethia lo oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>amethia oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>amethyst oral tablet</i> | 2 | MO |
| <i>apri oral tablet</i> | 2 | MO |
| <i>aranelle (28) oral tablet</i> | 2 | MO |
| <i>ashlyna oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>aubra oral tablet</i> | 2 | MO |
| <i>aviane oral tablet</i> | 2 | MO |
| <i>azurette (28) oral tablet</i> | 2 | MO |
| <i>balziva (28) oral tablet</i> | 2 | MO |
| <i>bekyree (28) oral tablet</i> | 2 | MO |
| <i>blisovi 24 fe oral tablet</i> | 2 | MO |
| <i>blisovi fe 1.5/30 (28) oral tablet</i> | 2 | MO |
| <i>blisovi fe 1/20 (28) oral tablet</i> | 2 | MO |
| <i>briellyn oral tablet</i> | 2 | MO |
| <i>camrese lo oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>camrese oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>caziant (28) oral tablet</i> | 2 | MO |
| <i>chateal oral tablet</i> | 2 | MO |
| <i>cryselle (28) oral tablet</i> | 2 | MO |
| <i>cyclafem 1/35 (28) oral tablet</i> | 2 | MO |
| <i>cyclafem 7/7/7 (28) oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>cyred oral tablet</i> | 2 | MO |
| <i>dasetta 1/35 (28) oral tablet</i> | 2 | MO |
| <i>dasetta 7/7/7 (28) oral tablet</i> | 2 | MO |
| <i>daysee oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>delyla (28) oral tablet</i> | 2 | |
| <i>desog-e.estradiol/e.estradiol oral tablet</i> | 2 | MO |
| <i>drospirenone-ethinyl estradiol oral tablet</i> | 2 | MO |
| <i>elinest oral tablet</i> | 2 | MO |
| ELLA ORAL TABLET | 3 | |
| <i>emoquette oral tablet</i> | 2 | MO |
| <i>enpresse oral tablet</i> | 2 | MO |
| <i>enskyce oral tablet</i> | 2 | MO |
| <i>estarylla oral tablet</i> | 2 | MO |
| <i>ethynodiol diac-eth estradiol oral tablet</i> | 2 | |
| <i>falmina (28) oral tablet</i> | 2 | MO |
| <i>femynor oral tablet</i> | 2 | |
| <i>gianvi (28) oral tablet</i> | 2 | MO |
| <i>gildagia oral tablet</i> | 2 | MO |
| <i>introvale oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>jolessa oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>juleber oral tablet</i> | 2 | MO |
| <i>junel 1.5/30 (21) oral tablet</i> | 2 | MO |
| <i>junel 1/20 (21) oral tablet</i> | 2 | MO |
| <i>junel fe 1.5/30 (28) oral tablet</i> | 2 | MO |
| <i>junel fe 1/20 (28) oral tablet</i> | 2 | MO |
| <i>junel fe 24 oral tablet</i> | 2 | MO |
| <i>kaitlib fe oral tablet,chewable</i> | 2 | MO |
| <i>kariva (28) oral tablet</i> | 2 | MO |
| <i>kelnor 1/35 (28) oral tablet</i> | 2 | MO |
| <i>kimidess (28) oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>kurvelo oral tablet</i> | 2 | MO |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>larin 1.5/30 (21) oral tablet</i> | 2 | MO |
| <i>larin 1/20 (21) oral tablet</i> | 2 | MO |
| <i>larin 24 fe oral tablet</i> | 2 | MO |
| <i>larin fe 1.5/30 (28) oral tablet</i> | 2 | MO |
| <i>larin fe 1/20 (28) oral tablet</i> | 2 | MO |
| <i>larissia oral tablet</i> | 2 | MO |
| <i>layolis fe oral tablet,chewable</i> | 2 | MO |
| <i>leena 28 oral tablet</i> | 2 | MO |
| <i>lessina oral tablet</i> | 2 | MO |
| <i>levonest (28) oral tablet</i> | 2 | MO |
| <i>levonorgestrel-ethinyl estradiol oral tablet</i> | 2 | MO |
| <i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month</i> | 2 | MO |
| <i>levonorg-eth estradiol triphasic oral tablet</i> | 2 | MO |
| <i>levora-28 oral tablet</i> | 2 | MO |
| <i>lomedica 24 fe oral tablet</i> | 2 | MO |
| <i>loryna (28) oral tablet</i> | 2 | MO |
| <i>low-ogestrel (28) oral tablet</i> | 2 | MO |
| <i>lutra (28) oral tablet</i> | 2 | MO |
| <i>marlissa oral tablet</i> | 2 | MO |
| <i>microgestin 1.5/30 (21) oral tablet</i> | 2 | MO |
| <i>microgestin 1/20 (21) oral tablet</i> | 2 | MO |
| <i>microgestin fe 1.5/30 (28) oral tablet</i> | 2 | MO |
| <i>microgestin fe 1/20 (28) oral tablet</i> | 2 | MO |
| <i>mono-lynyah oral tablet</i> | 2 | MO |
| <i>mononessa (28) oral tablet</i> | 2 | MO |
| <i>myzilra oral tablet</i> | 2 | MO |
| <i>necon 0.5/35 (28) oral tablet</i> | 2 | MO |
| <i>necon 1/50 (28) oral tablet</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>necon 10/11 (28) oral tablet</i> | 2 | MO |
| <i>necon 7/7/7 (28) oral tablet</i> | 2 | MO |
| <i>nikki (28) oral tablet</i> | 2 | MO |
| <i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i> | 2 | |
| <i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i> | 2 | MO |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> | 2 | MO |
| <i>norethindrone-e.estradiol-iron oral tablet</i> | 2 | MO |
| <i>norgestimate-ethinyl estradiol oral tablet</i> | 2 | MO |
| <i>nortrel 0.5/35 (28) oral tablet</i> | 2 | MO |
| <i>nortrel 1/35 (21) oral tablet</i> | 2 | MO |
| <i>nortrel 1/35 (28) oral tablet</i> | 2 | MO |
| <i>nortrel 7/7/7 (28) oral tablet</i> | 2 | MO |
| <i>ocella oral tablet</i> | 2 | MO |
| <i>ogestrel (28) oral tablet</i> | 2 | MO |
| <i>orsythia oral tablet</i> | 2 | MO |
| <i>philith oral tablet</i> | 2 | MO |
| <i>pimtrea (28) oral tablet</i> | 2 | MO |
| <i>pirmella oral tablet</i> | 2 | MO |
| <i>portia oral tablet</i> | 2 | MO |
| <i>previfem oral tablet</i> | 2 | MO |
| <i>quasense oral tablets, dose pack, 3 month</i> | 2 | MO |
| <i>reclipsen (28) oral tablet</i> | 2 | MO |
| <i>setlakin oral tablets, dose pack, 3 month</i> | 2 | MO |
| <i>sprintec (28) oral tablet</i> | 2 | MO |
| <i>sronyx oral tablet</i> | 2 | MO |
| <i>syeda oral tablet</i> | 2 | MO |
| <i>tarina fe 1/20 (28) oral tablet</i> | 2 | MO |
| <i>tilia fe oral tablet</i> | 2 | MO |
| <i>tri femynor oral tablet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>tri-estarylla oral tablet</i> | 2 | MO |
| <i>tri-legest fe oral tablet</i> | 2 | MO |
| <i>tri-linyah oral tablet</i> | 2 | MO |
| <i>tri-lo-estarylla oral tablet</i> | 2 | MO |
| <i>tri-lo-marzia oral tablet</i> | 2 | MO |
| <i>tri-lo-sprintec oral tablet</i> | 2 | MO |
| <i>trinessa (28) oral tablet</i> | 2 | MO |
| <i>trinessa lo oral tablet</i> | 2 | MO |
| <i>tri-previfem (28) oral tablet</i> | 2 | MO |
| <i>tri-sprintec (28) oral tablet</i> | 2 | MO |
| <i>trivora (28) oral tablet</i> | 2 | MO |
| <i>velivet triphasic regimen (28) oral tablet</i> | 2 | MO |
| <i>vestura (28) oral tablet</i> | 2 | MO |
| <i>vienva oral tablet</i> | 2 | MO |
| <i>viorele (28) oral tablet</i> | 2 | MO |
| <i>vyfemla (28) oral tablet</i> | 2 | MO |
| <i>wera (28) oral tablet</i> | 2 | MO |
| <i>wymzya fe oral tablet, chewable</i> | 2 | MO |
| <i>zarah oral tablet</i> | 2 | MO |
| <i>zenchent (28) oral tablet</i> | 2 | MO |
| <i>zenchent fe oral tablet, chewable</i> | 2 | MO |
| <i>zovia 1/35e (28) oral tablet</i> | 2 | MO |
| <i>zovia 1/50e (28) oral tablet</i> | 2 | MO |
| OXYTOCICS | | |
| <i>methergine oral tablet</i> | 2 | |
| <i>methylergonovine injection solution</i> | 2 | MO |
| <i>oxytocin injection solution</i> | 2 | MO |
| OPHTHALMOLOGY | | |
| ANTIBIOTICS | | |
| AZASITE OPHTHALMIC DROPS | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>bacitracin ophthalmic ointment</i> | 2 | MO |
| <i>bacitracin-polymyxin b ophthalmic ointment</i> | 2 | MO |
| BESIVANCE OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| CILOXAN OPHTHALMIC OINTMENT | 4 | MO |
| <i>ciprofloxacin hcl ophthalmic drops</i> | 2 | MO |
| <i>erythromycin ophthalmic ointment</i> | 1 | MO |
| <i>gatifloxacin ophthalmic drops</i> | 4 | MO |
| <i>gentak ophthalmic ointment</i> | 1 | MO |
| <i>gentamicin ophthalmic drops</i> | 1 | MO |
| <i>gentamicin ophthalmic ointment</i> | 2 | MO |
| <i>levofloxacin ophthalmic drops</i> | 2 | MO |
| MOXEZA OPHTHALMIC DROPS, VISCOUS | 4 | MO |
| NATACYN OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| <i>neomycin-bacitracin-polymyxin ophthalmic ointment</i> | 1 | MO |
| <i>neomycin-polymyxin-gramicidin ophthalmic drops</i> | 1 | MO |
| <i>neo-polycin ophthalmic ointment</i> | 1 | MO |
| <i>ofloxacin ophthalmic drops</i> | 2 | MO |
| <i>polycin ophthalmic ointment</i> | 2 | MO |
| <i>polymyxin b sulf-trimethoprim ophthalmic drops</i> | 1 | MO |
| <i>tobramycin ophthalmic drops</i> | 1 | MO |
| TOBREX OPHTHALMIC OINTMENT | 4 | MO |
| VIGAMOX OPHTHALMIC DROPS | 4 | MO |
| ANTIVIRALS | | |
| <i>trifluridine ophthalmic drops</i> | 2 | MO |
| ZIRGAN OPHTHALMIC GEL | 4 | MO |
| BETA-BLOCKERS | | |
| <i>betaxolol ophthalmic drops</i> | 2 | MO |
| BETIMOL OPHTHALMIC DROPS | 4 | MO |
| BETOPTIC S OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| <i>carteolol ophthalmic drops</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>levobunolol ophthalmic drops 0.5 %</i> | 1 | MO |
| <i>metipranolol ophthalmic drops</i> | 2 | |
| <i>timolol maleate ophthalmic drops</i> | 1 | MO |
| <i>timolol maleate ophthalmic gel forming solution</i> | 3 | MO |
| CHOLINESTERASE INHIBITOR MIOTICS | | |
| PHOSPHOLINE IODIDE OPHTHALMIC DROPS | 4 | MO |
| CYCLOPLEGIC MYDRIATICS | | |
| <i>atropine ophthalmic drops</i> | 2 | MO |
| DIRECT ACTING MIOTICS | | |
| <i>pilocarpine hcl ophthalmic drops 1 %, 2 %, 4 %</i> | 2 | MO |
| MISCELLANEOUS OPHTHALMOLOGICS | | |
| ALOCRIAL OPHTHALMIC DROPS | 4 | MO |
| ALOMIDE OPHTHALMIC DROPS | 4 | MO |
| <i>azelastine ophthalmic drops</i> | 2 | MO |
| BEPREVE OPHTHALMIC DROPS | 4 | MO |
| <i>cromolyn ophthalmic drops</i> | 2 | MO |
| CYSTARAN OPHTHALMIC DROPS | 5 | PA; MO |
| EMADINE OPHTHALMIC DROPS | 4 | MO |
| <i>epinastine ophthalmic drops</i> | 2 | MO |
| RESTASIS MULTIDOSE OPHTHALMIC DROPS | 3 | MO; QL (60 per 30 days) |
| RESTASIS OPHTHALMIC DROPPERETTE | 3 | MO; QL (60 per 30 days) |
| NON-STEROIDAL ANTI-INFLAMMATORY AGENTS | | |
| ACUVAIL (PF) OPHTHALMIC DROPPERETTE | 4 | MO |
| <i>bromfenac ophthalmic drops</i> | 4 | MO |
| <i>diclofenac sodium ophthalmic drops</i> | 2 | MO |
| <i>flurbiprofen sodium ophthalmic drops</i> | 2 | MO |
| <i>ketorolac ophthalmic drops</i> | 2 | MO |
| ORAL DRUGS FOR GLAUCOMA | | |
| <i>acetazolamide oral capsule, extended release</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>acetazolamide oral tablet</i> | 2 | MO |
| <i>acetazolamide sodium injection recon soln</i> | 2 | MO |
| <i>methazolamide oral tablet</i> | 4 | MO |
| OTHER GLAUCOMA DRUGS | | |
| <i>bimatoprost ophthalmic drops</i> | 3 | ST; MO |
| COMBIGAN OPHTHALMIC DROPS | 3 | MO |
| <i>dorzolamide ophthalmic drops</i> | 2 | MO |
| <i>dorzolamide-timolol ophthalmic drops</i> | 2 | MO |
| <i>latanoprost ophthalmic drops</i> | 2 | MO |
| LUMIGAN OPHTHALMIC DROPS 0.01 % | 3 | MO |
| SIMBRINZA OPHTHALMIC DROPS,SUSPENSION | 3 | MO |
| TRAVATAN Z OPHTHALMIC DROPS | 4 | ST; MO |
| ZIOPTAN (PF) OPHTHALMIC DROPPERETTE | 4 | ST; MO |
| STEROID-ANTIBIOTIC COMBINATIONS | | |
| <i>neomycin-bacitracin-poly-hc ophthalmic ointment</i> | 1 | MO |
| <i>neomycin-polymyxin b-dexameth ophthalmic drops,suspension</i> | 1 | MO |
| <i>neomycin-polymyxin b-dexameth ophthalmic ointment</i> | 1 | MO |
| <i>neomycin-polymyxin-hc ophthalmic drops,suspension</i> | 2 | MO |
| <i>neo-polycin hc ophthalmic ointment</i> | 2 | MO |
| PRED-G OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| PRED-G S.O.P. OPHTHALMIC OINTMENT | 4 | MO |
| TOBRADEX OPHTHALMIC OINTMENT | 4 | MO |
| <i>tobramycin-dexamethasone ophthalmic drops,suspension</i> | 2 | MO |
| ZYLET OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| STERIODS | | |
| ALREX OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| <i>dexamethasone sodium phosphate ophthalmic drops</i> | 2 | MO |
| DUREZOL OPHTHALMIC DROPS | 3 | MO |
| <i>fluorometholone ophthalmic drops,suspension</i> | 2 | MO |
| FML FORTE OPHTHALMIC DROPS,SUSPENSION | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| FML S.O.P. OPHTHALMIC OINTMENT | 4 | MO |
| LOTEMAX OPHTHALMIC DROPS,GEL | 4 | MO |
| LOTEMAX OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| LOTEMAX OPHTHALMIC OINTMENT | 4 | MO |
| MAXIDEX OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| PRED MILD OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| <i>prednisolone acetate ophthalmic drops,suspension</i> | 2 | MO |
| <i>prednisolone sodium phosphate ophthalmic drops</i> | 2 | MO |
| STEROID-SULFONAMIDE COMBINATIONS | | |
| BLEPHAMIDE OPHTHALMIC DROPS,SUSPENSION | 4 | MO |
| BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT | 4 | MO |
| <i>sulfacetamide-prednisolone ophthalmic drops</i> | 2 | MO |
| SULFONAMIDES | | |
| <i>sulfacetamide sodium ophthalmic drops</i> | 1 | MO |
| <i>sulfacetamide sodium ophthalmic ointment</i> | 2 | MO |
| SYMPATHOMIMETICS | | |
| ALPHAGAN P OPHTHALMIC DROPS 0.1 % | 3 | MO |
| <i>apraclonidine ophthalmic drops</i> | 2 | MO |
| <i>brimonidine ophthalmic drops</i> | 2 | MO |
| IOPIDINE OPHTHALMIC DROPPERETTE | 4 | MO |
| RESPIRATORY AND ALLERGY | | |
| ANTI-HISTAMINE / ANTI-ALLERGENIC AGENTS | | |
| <i>carbinoxamine maleate oral liquid</i> | 2 | PA; MO |
| <i>carbinoxamine maleate oral tablet</i> | 2 | PA; MO |
| <i>clemastine oral tablet 2.68 mg</i> | 2 | PA; MO |
| <i>cyproheptadine oral syrup</i> | 2 | PA; MO |
| <i>cyproheptadine oral tablet</i> | 2 | PA; MO |
| <i>desloratadine oral tablet</i> | 4 | MO |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 2 | MO |
| <i>diphenhydramine hcl injection syringe</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>diphenhydramine hcl oral elixir</i> | 2 | PA |
| EPIPEN 2-PAK INJECTION AUTO-INJECTOR | 3 | MO |
| EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR | 3 | MO |
| <i>hydroxyzine hcl intramuscular solution</i> | 4 | MO |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i> | 4 | PA; MO |
| <i>hydroxyzine hcl oral tablet</i> | 2 | PA; MO |
| <i>hydroxyzine pamoate oral capsule</i> | 2 | PA; MO |
| <i>levocetirizine oral solution</i> | 4 | MO |
| <i>levocetirizine oral tablet</i> | 2 | MO |
| <i>phenadoz rectal suppository</i> | 2 | MO |
| <i>phenergan rectal suppository</i> | 2 | |
| <i>promethazine injection solution</i> | 2 | MO |
| <i>promethazine oral syrup</i> | 2 | PA; MO |
| <i>promethazine oral tablet</i> | 2 | PA; MO |
| <i>promethazine rectal suppository 12.5 mg, 25 mg</i> | 2 | MO |
| <i>promethazine rectal suppository 50 mg</i> | 2 | |
| <i>promethegan rectal suppository</i> | 2 | MO |
| PULMONARY AGENTS | | |
| <i>acetylcysteine solution</i> | 2 | B/D; MO |
| ADCIRCA ORAL TABLET | 5 | PA; MO; QL (60 per 30 days) |
| ADEMPAS ORAL TABLET | 5 | PA; MO; LA; QL (90 per 30 days) |
| ADVAIR DISKUS INHALATION BLISTER WITH DEVICE | 3 | MO |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER | 3 | MO |
| <i>albuterol sulfate inhalation solution for nebulization</i> | 1 | B/D; MO |
| <i>albuterol sulfate oral syrup</i> | 1 | MO |
| <i>albuterol sulfate oral tablet</i> | 4 | MO |
| <i>albuterol sulfate oral tablet extended release 12 hr 4 mg</i> | 4 | MO |
| <i>albuterol sulfate oral tablet extended release 12 hr 8 mg</i> | 2 | MO |
| <i>aminophylline intravenous solution 500 mg/20 ml</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE | 3 | MO |
| ARCAPTA NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE | 4 | MO |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE | 3 | MO |
| ASMANEX HFA INHALATION HFA AEROSOL INHALER | 3 | MO |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (30 DOSES), 220 MCG (120 DOSES), 220 MCG (30 DOSES), 220 MCG (60 DOSES) | 3 | MO |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (7 DOSES), 220 MCG (14 DOSES) | 3 | |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER | 4 | MO |
| BERINERT INTRAVENOUS KIT | 5 | PA; MO |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE | 3 | MO |
| BROVANA INHALATION SOLUTION FOR NEBULIZATION | 4 | B/D; MO |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> | 2 | B/D; MO |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> | 4 | B/D; MO |
| CINRYZE INTRAVENOUS RECON SOLN | 5 | PA; MO; QL (20 per 30 days) |
| COMBIVENT RESPIMAT INHALATION MIST | 3 | MO |
| <i>cromolyn inhalation solution for nebulization</i> | 2 | B/D; MO |
| DALIRESP ORAL TABLET | 4 | PA; MO |
| DULERA INHALATION HFA AEROSOL INHALER | 3 | MO |
| ELIXOPHYLLIN ORAL ELIXIR 80 MG/15 ML | 4 | MO |
| ESBRIET ORAL CAPSULE | 5 | PA; MO; QL (270 per 30 days) |
| ESBRIET ORAL TABLET 267 MG | 5 | PA; MO; QL (270 per 30 days) |
| ESBRIET ORAL TABLET 801 MG | 5 | PA; MO; QL (90 per 30 days) |
| FIRAZYR SUBCUTANEOUS SYRINGE | 5 | PA; MO |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE | 3 | MO |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER | 3 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------|
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i> | 2 | MO |
| <i>fluticasone nasal spray,suspension</i> | 2 | MO |
| INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE | 3 | MO |
| <i>ipratropium bromide inhalation solution</i> | 1 | B/D; MO |
| <i>ipratropium-albuterol inhalation solution for nebulization</i> | 1 | B/D; MO |
| KALYDECO ORAL GRANULES IN PACKET | 5 | PA; MO; QL (56 per 28 days) |
| KALYDECO ORAL TABLET | 5 | PA; MO; QL (60 per 30 days) |
| LETAIRIS ORAL TABLET | 5 | PA; MO; LA; QL (30 per 30 days) |
| <i>levalbuterol hcl inhalation solution for nebulization</i> | 2 | B/D; MO |
| LEVALBUTEROL TARTRATE INHALATION HFA AEROSOL INHALER | 4 | ST; MO; QL (30 per 30 days) |
| <i>metaproterenol oral syrup</i> | 2 | MO |
| <i>metaproterenol oral tablet</i> | 2 | MO |
| <i>montelukast oral granules in packet</i> | 2 | MO; QL (30 per 30 days) |
| <i>montelukast oral tablet</i> | 2 | MO; QL (30 per 30 days) |
| <i>montelukast oral tablet,chewable</i> | 2 | MO; QL (30 per 30 days) |
| NUCALA SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; QL (1 per 28 days) |
| OFEV ORAL CAPSULE | 5 | PA; MO; QL (60 per 30 days) |
| OPSUMIT ORAL TABLET | 5 | PA; MO; LA; QL (30 per 30 days) |
| ORKAMBI ORAL TABLET 100-125 MG | 5 | PA; MO; QL (112 per 28 days) |
| ORKAMBI ORAL TABLET 200-125 MG | 5 | PA; MO; QL (120 per 30 days) |
| PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION | 4 | B/D; MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------------|
| PULMOZYME INHALATION SOLUTION | 5 | PA; MO; QL (150 per 30 days) |
| REVATIO ORAL SUSPENSION FOR RECONSTITUTION | 5 | PA; MO; QL (180 per 30 days) |
| RUCONEST INTRAVENOUS RECON SOLN | 5 | PA; MO |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE | 3 | MO |
| <i>sildenafil oral tablet</i> | 3 | PA; MO; QL (90 per 30 days) |
| SPIRIVA RESPIMAT INHALATION MIST | 3 | MO |
| SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE | 3 | MO |
| STIOLTO RESPIMAT INHALATION MIST | 3 | MO |
| STRIVERDI RESPIMAT INHALATION MIST | 4 | MO |
| <i>terbutaline oral tablet</i> | 2 | MO |
| <i>terbutaline subcutaneous solution</i> | 2 | MO |
| <i>theophylline oral elixir</i> | 2 | |
| <i>theophylline oral solution</i> | 2 | |
| <i>theophylline oral tablet extended release 12 hr</i> | 2 | MO |
| <i>theophylline oral tablet extended release 24 hr</i> | 2 | MO |
| TRACLEER ORAL TABLET | 5 | PA; MO; LA; QL (60 per 30 days) |
| TYVASO INHALATION SOLUTION FOR NEBULIZATION | 5 | PA; MO |
| TYVASO INSTITUTIONAL START KIT INHALATION SOLUTION FOR NEBULIZATION | 5 | PA |
| TYVASO REFILL KIT INHALATION SOLUTION FOR NEBULIZATION | 5 | PA; MO |
| TYVASO STARTER KIT INHALATION SOLUTION FOR NEBULIZATION | 5 | PA; MO |
| VENTAVIS INHALATION SOLUTION FOR NEBULIZATION | 5 | PA; MO |
| VENTOLIN HFA INHALATION HFA AEROSOL INHALER | 3 | MO; QL (36 per 30 days) |
| XOLAIR SUBCUTANEOUS RECON SOLN | 5 | PA; MO; LA; QL (6 per 28 days) |
| <i>zafirlukast oral tablet</i> | 4 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|-----------|-----------|---------------------|
|-----------|-----------|---------------------|

UROLOGICALS

ANTICHOLINERGICS / ANTISPASMODICS

| | | |
|--|---|-------------------------|
| <i>flavoxate oral tablet</i> | 2 | MO |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR | 3 | MO; QL (30 per 30 days) |
| <i>oxybutynin chloride oral syrup</i> | 1 | MO |
| <i>oxybutynin chloride oral tablet</i> | 1 | MO |
| <i>oxybutynin chloride oral tablet extended release 24hr</i> | 2 | MO |
| <i>tolterodine oral capsule,extended release 24hr</i> | 3 | MO |
| <i>tolterodine oral tablet</i> | 3 | MO |
| <i>tropium oral capsule,extended release 24hr</i> | 2 | MO |
| <i>tropium oral tablet</i> | 2 | MO |
| VESICARE ORAL TABLET | 3 | MO |

BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY

| | | |
|--|---|----|
| <i>alfuzosin oral tablet extended release 24 hr</i> | 2 | MO |
| <i>dutasteride oral capsule</i> | 4 | MO |
| <i>finasteride oral tablet 5 mg</i> | 1 | MO |
| <i>tamsulosin oral capsule,extended release 24hr</i> | 2 | MO |

CHOLINERGIC STIMULANTS

| | | |
|---|---|----|
| <i>bethanechol chloride oral tablet</i> | 2 | MO |
|---|---|----|

MISCELLANEOUS UROLOGICALS

| | | |
|---|---|------------|
| CYSTAGON ORAL CAPSULE | 3 | PA; MO; LA |
| ELMIRON ORAL CAPSULE | 4 | MO |
| <i>glycine irrigation solution</i> | 2 | |
| <i>potassium citrate oral tablet extended release</i> | 4 | MO |

VITAMINS, HEMATINICS / ELECTROLYTES

ELECTROLYTES

| | | |
|---|---|----|
| <i>calcium acetate oral capsule</i> | 2 | MO |
| <i>calcium acetate oral tablet 667 mg</i> | 2 | MO |
| <i>calcium gluconate intravenous solution</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>dextrose-kcl-nacl intravenous solution</i> | 2 | MO |
| <i>effe-r-k oral tablet, effervescent 25 meq</i> | 2 | MO |
| <i>eliphos oral tablet</i> | 2 | MO |
| <i>k-effervescent oral tablet, effervescent</i> | 2 | MO |
| <i>klor-con 10 oral tablet extended release</i> | 2 | MO |
| <i>klor-con 8 oral tablet extended release</i> | 2 | MO |
| <i>klor-con m10 oral tablet,er particles/crystals</i> | 2 | MO |
| <i>klor-con m15 oral tablet,er particles/crystals</i> | 2 | MO |
| <i>klor-con m20 oral tablet,er particles/crystals</i> | 2 | MO |
| <i>klor-con oral packet</i> | 2 | MO |
| <i>klor-con sprinkle oral capsule, extended release</i> | 2 | MO |
| <i>klor-con/ef oral tablet, effervescent</i> | 2 | MO |
| <i>k-tab oral tablet extended release 8 meq</i> | 2 | MO |
| <i>lactated ringers intravenous parenteral solution</i> | 2 | MO |
| MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML | 4 | |
| <i>magnesium sulfate in water intravenous parenteral solution</i> | 2 | |
| <i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/50 ml (8 %)</i> | 2 | |
| <i>magnesium sulfate in water intravenous piggyback 4 gram/100 ml (4 %)</i> | 2 | MO |
| <i>magnesium sulfate injection solution</i> | 2 | MO |
| <i>magnesium sulfate injection syringe</i> | 2 | |
| NORMOSOL-R IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| NORMOSOL-R INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| <i>potassium acetate intravenous solution 2 meq/ml</i> | 2 | |
| <i>potassium bicarb and chloride oral tablet, effervescent</i> | 2 | MO |
| <i>potassium bicarb-citric acid oral tablet, effervescent</i> | 2 | MO |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i> | 2 | MO |
| <i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i> | 2 | |
| <i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i> | 2 | |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i> | 2 | MO |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i> | 2 | |
| <i>potassium chloride intravenous piggyback 10 meq/100 ml, 10 meq/50 ml</i> | 2 | MO |
| <i>potassium chloride intravenous piggyback 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i> | 2 | |
| <i>potassium chloride intravenous solution</i> | 4 | MO |
| <i>potassium chloride oral capsule, extended release</i> | 2 | MO |
| <i>potassium chloride oral liquid 20 meq/15 ml</i> | 4 | MO |
| <i>potassium chloride oral liquid 40 meq/15 ml</i> | 3 | MO |
| <i>potassium chloride oral packet</i> | 2 | MO |
| <i>potassium chloride oral tablet extended release</i> | 2 | MO |
| <i>potassium chloride oral tablet,er particles/crystals</i> | 2 | MO |
| <i>potassium chloride-0.45 % nacl intravenous parenteral solution</i> | 2 | |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i> | 2 | MO |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 30 meq/l, 40 meq/l</i> | 2 | |
| <i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i> | 2 | |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l</i> | 2 | MO |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 40 meq/l</i> | 2 | |
| <i>potassium phosphate m-/d-basic intravenous solution</i> | 2 | MO |
| <i>ringer's intravenous parenteral solution</i> | 2 | |
| <i>sodium acetate intravenous solution</i> | 2 | |
| <i>sodium bicarbonate intravenous solution</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>sodium bicarbonate intravenous syringe 10 meq/10 ml (8.4 %), 7.5 % (0.9 meq/ml)</i> | 2 | MO |
| <i>sodium bicarbonate intravenous syringe 4.2 % (0.5 meq/ml), 8.4 % (1 meq/ml)</i> | 2 | |
| <i>sodium chloride 0.45 % intravenous parenteral solution</i> | 2 | MO |
| <i>sodium chloride 0.45 % intravenous piggyback</i> | 2 | |
| <i>sodium chloride 3 % intravenous parenteral solution</i> | 2 | MO |
| <i>sodium chloride 5 % intravenous parenteral solution</i> | 2 | |
| <i>sodium chloride intravenous parenteral solution</i> | 2 | MO |
| <i>sodium lactate intravenous solution</i> | 2 | |
| TPN ELECTROLYTES INTRAVENOUS SOLUTION | 3 | |
| MISCELLANEOUS NUTRITION PRODUCTS | | |
| <i>amino acids 15 % intravenous parenteral solution</i> | 2 | B/D |
| AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D; MO |
| <i>electrolyte-48 in d5w intravenous parenteral solution</i> | 2 | |
| FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| <i>freamine iii 10 % intravenous parenteral solution</i> | 4 | B/D |
| HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| <i>intralipid intravenous emulsion 20 %</i> | 2 | B/D |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| INTRALIPID INTRAVENOUS EMULSION 30 % | 4 | B/D |
| IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| KABIVEN INTRAVENOUS EMULSION | 4 | B/D |
| NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| PERIKABIVEN INTRAVENOUS EMULSION | 4 | B/D |
| PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| <i>premasol 10 % intravenous parenteral solution</i> | 2 | B/D; MO |
| PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D; MO |
| SMOFLIPID INTRAVENOUS EMULSION | 4 | B/D |
| <i>travasol 10 % intravenous parenteral solution</i> | 2 | B/D; MO |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D; MO |
| TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION | 4 | B/D |
| VITAMINS / HEMATINICS | | |
| <i>fluoritab oral tablet, chewable 0.5 mg fluoride (1.1 mg)</i> | 2 | MO |
| <i>ludent fluoride oral tablet, chewable 0.25 mg fluorid (0.55 mg), 0.5 mg fluoride (1.1 mg)</i> | 2 | MO |
| <i>multi-vit with fluoride-iron oral drops</i> | 2 | MO |
| <i>multi-vitamin with fluoride oral drops</i> | 2 | MO |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>multivitamin with fluoride oral tablet, chewable</i> | 2 | MO |
| <i>multivitamins with fluoride oral tablet, chewable</i> | 2 | MO |
| <i>mvc-fluoride oral tablet, chewable</i> | 2 | MO |
| <i>prenatal vitamin oral tablet</i> | 2 | MO |
| <i>sodium fluoride oral tablet</i> | 2 | MO |
| <i>sodium fluoride oral tablet, chewable 0.5 mg fluoride (1.1 mg)</i> | 2 | MO |
| <i>triple vitamin with fluoride oral drops</i> | 2 | |
| <i>tri-vit with fluoride and iron oral drops</i> | 2 | MO |
| <i>tri-vitamin with fluoride oral drops</i> | 2 | MO |
| <i>vitamins a, c, d and fluoride oral drops</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index

- A**
- abacavir 3
 - abacavir-lamivudine 3
 - abacavir-lamivudine-
 zidovudine 3
 - ABELCET 2
 - ABILIFY MAINTENA 44
 - ABRAXANE 17
 - ABSTRAL 36, 37
 - acamprosate 74
 - acarbose 80
 - acebutolol 58
 - acetaminophen-codeine 37
 - acetasol hc 78
 - acetazolamide 110, 111
 - acetazolamide sodium 111
 - acetic acid 74, 78
 - acetic acid-aluminum acetate
 78
 - acetylcysteine 74, 113
 - acitretin 67
 - ACTEMRA 99
 - ACTHAR H.P. 78
 - ACTHIB (PF) 95
 - ACTIMMUNE 92
 - ACUVAIL (PF) 110
 - acyclovir 3, 71
 - acyclovir sodium 3
 - ADACEL(TDAP
 ADOLESN/ADULT)(PF)
 95
 - ADAGEN 74
 - adapalene 69
 - ADCIRCA 113
 - adefovir 3
 - ADEMPAS 113
 - adriamycin 17
 - adrucil 17
 - ADVAIR DISKUS 113
 - ADVAIR HFA 113
 - afeditab cr 58
 - AFINITOR 17
 - AFINITOR DISPERZ 17
 - AFREZZA 80
 - a-hydrocort 78
 - AKYNZEO 88
 - ala-cort 71
 - ALBENZA 9
 - albuterol sulfate 113
 - alclometasone 71, 72
 - alcohol pads 80
 - ALDURAZYME 84
 - ALECENSA 17
 - alendronate 74, 99
 - alfuzosin 117
 - ALIMTA 17
 - ALINIA 9
 - ALKERAN 17
 - allopurinol 98
 - allopurinol sodium 98
 - ALOCRIAL 110
 - ALOMIDE 110
 - alose tron 88
 - ALOXI 88
 - ALPHAGAN P 112
 - alprazolam 44
 - ALREX 111
 - altavera (28) 104
 - alyacen 1/35 (28) 104
 - alyacen 7/7/7 (28) 104
 - amabelz 102
 - amantadine hcl 3
 - AMBISOME 2
 - amcinonide 72
 - amethia 104
 - amethia lo 104
 - amethyst 104
 - amifostine crystalline 16
 - amikacin 9
 - amiloride 58
 - amiloride-
 hydrochlorothiazide 58
 - amino acids 15 % 120
 - aminocaproic acid 62
 - aminophylline 113
 - AMINOSYN 10 % 120
 - AMINOSYN 7 % WITH
 ELECTROLYTES 120
 - AMINOSYN 8.5 % 120
 - AMINOSYN 8.5 %-
 ELECTROLYTES 120
 - AMINOSYN II 10 % 120
 - AMINOSYN II 15 % 120
 - AMINOSYN II 7 % 120
 - AMINOSYN II 8.5 % 120
 - AMINOSYN II 8.5 %-
 ELECTROLYTES 120
 - AMINOSYN M 3.5 % 120
 - AMINOSYN-HBC 7% ... 120
 - AMINOSYN-PF 10 % 120
 - AMINOSYN-PF 7 %
 (SULFITE-FREE) 120
 - AMINOSYN-RF 5.2 % .. 121
 - amiodarone 57
 - AMITIZA 88
 - amitriptyline 44
 - amitriptyline-
 chlordiazepoxide 44
 - amlodipine 58
 - amlodipine-benazepril 58
 - amlodipine-valsartan 58
 - ammonium lactate 68
 - amoxapine 44
 - amoxicillin 13
 - amoxicillin-pot clavulanate 13
 - amphotericin b 2
 - ampicillin 13
 - ampicillin sodium 13
 - ampicillin-sulbactam 13
 - AMPYRA 34
 - ANADROL-50 84
 - anagrelide 74
 - anastrozole 17
 - ANDRODERM 84
 - ANDROGEL 84, 85
 - androxy 85
 - ANORO ELLIPTA 114
 - APOKYN 33
 - apraclonidine 112
 - aprepitant 88
 - apri 104
 - APRISO 88
 - APTIOM 29
 - APTIVUS 3
 - ARALAST NP 74
 - aranelle (28) 104
 - ARANESP (IN
 POLYSORBATE) ... 92, 93
 - ARCALYST 93
 - ARCAPTA NEOHALER 114
 - ARGATROBAN 62

| | | | | |
|-------------------------------|------------------------------|---------|------------------------------|---------|
| ARGATROBAN IN 0.9 % | azathioprine sodium | 18 | BILTRICIDE | 10 |
| SOD CHLOR | azelnastine | 77, 110 | bimatoprost | 111 |
| ARGATROBAN IN NAACL | azithromycin | 9 | bisoprolol fumarate | 58 |
| (ISO-OS) | aztreonam | 10 | bisoprolol- | |
| aripiprazole | azurette (28) | 104 | hydrochlorothiazide | 58 |
| ARISTADA | B | | BIVIGAM | 95 |
| ARISTOSPAN INTRA- | baciiim | 10 | bleo 15k | 18 |
| ARTICULAR | bacitracin | 10, 109 | bleomycin | 18 |
| ARISTOSPAN | bacitracin-polymyxin b ... | 109 | BLEPHAMIDE | 112 |
| INTRALESIONAL | baclofen | 36 | BLEPHAMIDE S.O.P. ... | 112 |
| armodafinil | BACTROBAN NASAL ... | 77 | BLINCYTO | 18 |
| ARNUITY ELLIPTA | balsalazide | 88 | blisovi 24 fe | 104 |
| ARRANON | balziva (28) | 104 | blisovi fe 1.5/30 (28) | 104 |
| ARZERRA | BANZEL | 29 | blisovi fe 1/20 (28) | 104 |
| ASACOL HD | BARACLUDE | 3 | BOOSTRIX TDAP | 95 |
| ascomp with codeine | BASAGLAR KWIKPEN.. | 80 | BOSULIF | 18 |
| ashlyna | BAVENCIO | 18 | BOTOX | 95 |
| ASMANEX HFA | BCG VACCINE, LIVE (PF) | | BREO ELLIPTA | 114 |
| ASMANEX TWISTHALER | | 95 | brillyn | 104 |
| | bekyree (28) | 104 | BRILINTA | 62 |
| aspirin-dipyridamole | BELEODAQ | 18 | brimonidine | 112 |
| atenolol | benazepril | 58 | BRIVIACT | 29 |
| atenolol-chlorthalidone | benazepril- | | bromfenac | 110 |
| ATGAM | hydrochlorothiazide | 58 | bromocriptine | 33 |
| atomoxetine | BENDEKA | 18 | BROVANA | 114 |
| atorvastatin | BENLYSTA | 99 | budesonide | 88, 114 |
| atovaquone | BENTYL | 87 | bumetanide | 58 |
| atovaquone-proguanil | benztropine | 33 | BUPHENYL | 74 |
| ATRIPLA | BEPREVE | 110 | buprenorphine hcl | 37 |
| atropine | BERINERT | 114 | bupropion hcl | 45 |
| ATROVENT HFA | BESIVANCE | 109 | bupropion hcl (smoking | |
| AUBAGIO | betamethasone acet,sod phos | | deter) | 77 |
| aubra | | 78 | buspirona | 45 |
| AURYXIA | betamethasone dipropionate | | busulfan | 18 |
| AVASTIN | | 72 | BUSULFEX | 18 |
| AVELOX IN NAACL (ISO- | betamethasone valerate | 72 | butalbital compound | |
| OSMOTIC) | betamethasone, augmented | 72 | w/codeine | 37 |
| aviane | BETASERON | 93 | butalbital-acetaminop-caf- | |
| avita | betaxolol | 58, 109 | cod | 37 |
| AVONEX | bethanechol chloride | 117 | butorphanol tartrate | 42 |
| AVONEX (WITH | BETHKIS | 10 | BYDUREON | 80 |
| ALBUMIN) | BETIMOL | 109 | BYETTA | 80 |
| AVYCAZ | BETOPTIC S | 109 | C | |
| azacitidine | bexarotene | 18 | cabergoline | 85 |
| AZACTAM | BEXSERO | 95 | CABOMETYX | 18 |
| AZACTAM IN DEXTROSE | bicalutamide | 18 | calcipotriene | 67 |
| (ISO-OSM) | BICILLIN C-R | 13 | calcitonin (salmon) | 85 |
| AZASITE | BICILLIN L-A | 13 | calcitriol | 67, 85 |
| azathioprine | BICNU | 18 | calcium acetate | 117 |

| | | | | | |
|--------------------------------|--------|--------------------------------|-----|-------------------------------|---------|
| calcium gluconate | 117 | cefepime in dextrose,iso-osm | 7 | ciclodan | 71 |
| camila | 102 | | 7 | ciclopirox | 71 |
| camrese | 104 | cefotaxime | 7 | cidofovir | 3 |
| camrese lo | 104 | cefotetan | 7 | cilostazol | 63 |
| CANASA | 88 | CEFOTETAN IN | | CILOXAN..... | 109 |
| CANCIDAS | 2 | DEXTROSE, ISO-OSM . | 7 | cimetidine..... | 91 |
| candesartan..... | 58 | cefoxitin | 8 | cimetidine hcl..... | 91 |
| candesartan- | | cefoxitin in dextrose, iso-osm | 7 | CIMZIA | 88 |
| hydrochlorothiazid | 58 | | 7 | CIMZIA POWDER FOR | |
| CAPASTAT | 10 | cefpodoxime..... | 8 | RECONST | 88 |
| CAPRELSA | 18 | cefprozil | 8 | CIMZIA STARTER KIT .. | 88 |
| captopril | 58 | ceftazidime | 8 | CINRYZE | 114 |
| captopril-hydrochlorothiazide | | CEFTAZIDIME IN D5W ... | 8 | CIPRO HC | 78 |
| | 58 | ceftibuten..... | 8 | CIPRODEX..... | 78 |
| carafate..... | 91 | ceftriaxone..... | 8 | ciprofloxacin (mixture) | 14 |
| CARBAGLU..... | 74 | ceftriaxone..... | 8 | ciprofloxacin hcl | 14, 109 |
| carbamazepine..... | 29, 30 | CEFTRIAZONE..... | 8 | ciprofloxacin in 5 % dextrose | |
| carbidopa..... | 33 | ceftriaxone in dextrose,iso-os | 8 | | 14 |
| carbidopa-levodopa..... | 33 | | 8 | ciprofloxacin lactate.... | 14, 15 |
| carbidopa-levodopa- | | cefuroxime axetil | 8 | cisplatin | 18 |
| entacapone..... | 33 | cefuroxime sodium..... | 8 | citalopram | 46 |
| carbinoxamine maleate ... | 112 | celecoxib | 42 | cladribine..... | 19 |
| carboplatin..... | 18 | CELLCEPT | | claravis | 69 |
| CARDENE IV IN | | INTRAVENOUS | 18 | clarithromycin..... | 9 |
| DEXTROSE..... | 58 | CELONTIN..... | 30 | clemastine | 112 |
| CARDENE IV IN SODIUM | | cephalexin | 8 | CLEOCIN | 103 |
| CHLORIDE | 58 | CERDELGA | 85 | clindacin etz | 69 |
| CARIMUNE NF | | CEREZYME | 85 | clindacin p..... | 69 |
| NANOFILTERED | 95 | cevimeline | 74 | clindamycin hcl..... | 10 |
| carisoprodol..... | 36 | CHANTIX..... | 77 | CLINDAMYCIN IN 0.9 % | |
| carisoprodol-asa-codeine .. | 36 | CHANTIX CONTINUING | | SOD CHLOR | 10 |
| carisoprodol-aspirin | 36 | MONTH BOX | 77 | clindamycin in 5 % dextrose | |
| carteolol..... | 109 | CHANTIX STARTING | | | 10 |
| cartia xt..... | 58 | MONTH BOX | 77 | clindamycin palmitate hcl . | 10 |
| carvedilol..... | 58 | chateal | 104 | clindamycin pediatric..... | 10 |
| CAYSTON..... | 10 | CHEMET | 74 | clindamycin phosphate..... | 69, |
| caziant (28)..... | 104 | chloramphenicol sod | | 103 | |
| cefaclor..... | 7 | succinate..... | 10 | CLINIMIX 5%/D15W | |
| cefadroxil | 7 | chlorhexidine gluconate | 77 | SULFITE FREE..... | 121 |
| cefazolin | 7 | chloroquine phosphate | 10 | CLINIMIX 5%/D25W | |
| cefazolin in dextrose (iso-os) | | chlorothiazide..... | 58 | SULFITE-FREE | 121 |
| | 7 | chlorothiazide sodium..... | 58 | CLINIMIX 2.75%/D5W | |
| CEFAZOLIN IN | | chlorpromazine | 45 | SULFIT FREE | 121 |
| DEXTROSE (ISO-OS) ... | 7 | chlorthalidone | 58 | CLINIMIX 4.25%/D10W | |
| cefdinir | 7 | chlorzoxazone | 36 | SULF FREE | 121 |
| cefepime..... | 7 | cholestyramine (with sugar) | | CLINIMIX 4.25%/D5W | |
| CEFEPIME IN DEXTROSE | | | 65 | SULFIT FREE | 75 |
| 5 % | 7 | cholestyramine light..... | 65 | CLINIMIX 4.25%-D20W | |
| | | chorionic gonadotropin, | | SULF-FREE..... | 121 |
| | | human..... | 85 | | |

| | | |
|---------------------------------|-------------------------------|--------------------------------|
| CLINIMIX 4.25%-D25W | COMPLERA..... 3 | DAPSONE 10 |
| SULF-FREE..... 121 | compro 88 | DAPTACEL (DTAP |
| CLINIMIX 5%- | CONDYLOX 68 | PEDIATRIC) (PF) 95 |
| D20W(SULFITE-FREE) | constulose..... 88 | daptomycin..... 10 |
| 121 | COPAXONE..... 35 | DARAPRIM 10 |
| CLINIMIX E 2.75%/D10W | CORLANOR..... 67 | DARZALEX..... 19 |
| SUL FREE 75 | cormax..... 72 | dasetta 1/35 (28)..... 105 |
| CLINIMIX E 2.75%/D5W | cortisone..... 79 | dasetta 7/7/7 (28)..... 105 |
| SULF FREE 75 | COSENTYX 68 | daunorubicin 19 |
| CLINIMIX E 4.25%/D10W | COSENTYX (2 SYRINGES) | daysee..... 105 |
| SUL FREE 121 | 67 | deblitane 102 |
| CLINIMIX E 4.25%/D25W | COSENTYX PEN..... 68 | decitabine 19 |
| SUL FREE 121 | COSENTYX PEN (2 PENS) | deferoxamine..... 75 |
| CLINIMIX E 4.25%/D5W | 68 | deltasone 79 |
| SULF FREE 121 | COTELLIC 19 | delyla (28) 105 |
| CLINIMIX E 5%/D15W | CREON 88 | DELZICOL 88 |
| SULFIT FREE 121 | CRESEMBA..... 2 | DEMSEER 59 |
| CLINIMIX E 5%/D20W | CRIXIVAN..... 3 | DENAVIR..... 71 |
| SULFIT FREE 121 | cromolyn 88, 110, 114 | denta 5000 plus 77 |
| CLINIMIX E 5%/D25W | cryselle (28) 104 | dentagel 78 |
| SULFIT FREE 121 | cyclafem 1/35 (28) 104 | DEPEN TITRATABS..... 99 |
| CLINISOL SF 15 %..... 121 | cyclafem 7/7/7 (28) 104 | DEPO-ESTRADIOL..... 102 |
| clobetasol 72 | cyclobenzaprine 36 | DEPO-MEDROL 79 |
| clobetasol-emollient..... 72 | cyclophosphamide..... 19 | DEPO-PROVERA 102 |
| clofarabine..... 19 | CYCLOPHOSPHAMIDE. 19 | DEPO-SUBQ PROVERA |
| CLOLAR..... 19 | cyclosporine 19 | 104..... 102 |
| clomipramine 46 | cyclosporine modified..... 19 | DESCOVY 3 |
| clonazepam 30 | cyproheptadine..... 112 | desipramine..... 46 |
| clonidine..... 59 | CYRAMZA..... 19 | desloratadine 112 |
| clonidine (pf)..... 42, 58 | cyred..... 105 | desmopressin..... 85 |
| clonidine hcl..... 46, 58 | CYSTADANE 88 | desog-e.estradiol/e.estradiol |
| clopidogrel 63 | CYSTAGON..... 117 | 105 |
| clorazepate dipotassium 46 | CYSTARAN 110 | desonide 72 |
| clotrimazole..... 2, 71 | cytarabine 19 | desoximetasone 72 |
| clotrimazole-betamethasone | cytarabine (pf)..... 19 | DESVENLAFAXINE. 46, 47 |
| 71 | D | DESVENLAFAXINE |
| clozapine 46 | d10 %-0.45 % sodium | FUMARATE..... 46 |
| CLOZAPINE 46 | chloride 75 | desvenlafaxine succinate... 47 |
| COARTEM..... 10 | d2.5 %-0.45 % sodium | dexamethasone 79 |
| codeine sulfate 37 | chloride 75 | dexamethasone intensol 79 |
| codeine-butalbital-asa-caff 37 | d5 % and 0.9 % sodium | dexamethasone sodium phos |
| COLCRYS 98 | chloride 75 | (pf)..... 79 |
| colestipol..... 65 | d5 %-0.45 % sodium chloride | dexamethasone sodium |
| colistin (colistimethate na) 10 | 75 | phosphate 79, 111 |
| COLY-MYCIN S..... 78 | dacarbazine 19 | DEXILANT 91 |
| COMBIGAN..... 111 | DALIRESP 114 | dexmethylphenidate 47 |
| COMBIVENT RESPIMAT | DALVANCE..... 10 | dextrazoxane hcl 16 |
| 114 | danazol 85 | dextroamphetamine..... 47 |
| COMETRIQ..... 19 | dantrolene..... 36 | |

| | | | | | |
|---|------------|--|-----|--|--------|
| dextroamphetamine- amphetamine | 47 | dipyridamole | 63 | ELIGARD (4 MONTH).... | 20 |
| dextrose 10 % and 0.2 % nacl | 75 | diskets | 37 | ELIGARD (6 MONTH).... | 20 |
| dextrose 10 % in water (d10w)..... | 75 | disopyramide phosphate.... | 57 | elinest | 105 |
| dextrose 20 % in water (d20w)..... | 75 | disulfiram | 75 | eliphos | 118 |
| dextrose 25 % in water (d25w)..... | 75 | DIURIL | 59 | ELIQUIS | 63 |
| dextrose 30 % in water (d30w)..... | 75 | divalproex | 30 | ELITEK..... | 16 |
| dextrose 40 % in water (d40w)..... | 75 | DIVIGEL | 102 | ELIXOPHYLLIN | 114 |
| dextrose 5 % in water (d5w) | 75 | docetaxel | 19 | ELLA | 105 |
| dextrose 5 %-lactated ringers | 75 | DOCETAXEL..... | 19 | ELMIRON | 117 |
| dextrose 5%-0.2 % sod chloride | 75 | dofetilide | 57 | EMADINE | 110 |
| dextrose 5%-0.3 % sod.chloride | 75 | donepezil | 35 | EMCYT..... | 20 |
| dextrose 50 % in water (d50w)..... | 75 | DORIBAX | 10 | EMEND | 89 |
| dextrose 70 % in water (d70w)..... | 75 | DORIPENEM | 10 | EMFLAZA..... | 79 |
| dextrose with sodium chloride | 75 | dorzolamide..... | 111 | emoquette | 105 |
| dextrose-kcl-nacl..... | 118 | dorzolamide-timolol..... | 111 | EMPLICITI..... | 20 |
| diazepam | 30, 47, 48 | doxazosin | 59 | EMSAM..... | 48 |
| diazepam intensol..... | 47 | doxepin..... | 48 | EMTRIVA | 4 |
| diclofenac potassium..... | 42 | doxercalciferol | 85 | enalapril maleate | 59 |
| diclofenac sodium | 42, 110 | doxorubicin | 19 | enalapril-hydrochlorothiazide | 59 |
| dicloxacillin..... | 13 | doxorubicin, peg-liposomal | 19 | ENBREL | 99 |
| dicyclomine..... | 87 | doxy-100 | 15 | ENBREL SURECLICK.. | 100 |
| didanosine | 3 | doxycycline hyclate | 15 | endocet | 37, 38 |
| DIFICID | 9 | doxycycline monohydrate. | 15 | ENGERIX-B (PF)..... | 95 |
| diflorasone..... | 72 | dronabinol | 88 | ENGERIX-B PEDIATRIC (PF) | 95, 96 |
| diflunisal | 42 | drospirenone-ethinyl estradiol..... | 105 | enoxaparin..... | 63 |
| digitek | 62 | DUAVEE | 102 | enpresse..... | 105 |
| digox | 62 | DULERA | 114 | enskyce..... | 105 |
| digoxin | 62 | duloxetine..... | 48 | entacapone..... | 33 |
| dihydroergotamine | 34 | DUOPA..... | 33 | entecavir | 4 |
| DILANTIN 30 MG..... | 30 | duramorph (pf) | 37 | ENTRESTO | 67 |
| diltiazem hcl..... | 59 | DUREZOL..... | 111 | enulose | 89 |
| dilt-xr..... | 59 | dutasteride | 117 | EPCLUSA..... | 4 |
| DIPENTUM..... | 88 | DYSPORT | 95 | epinastine | 110 |
| diphenhydramine hcl..... | 112, 113 | E | | EPIPEN 2-PAK..... | 113 |
| diphenoxylate-atropine | 87 | e.e.s. 400 | 9 | EPIPEN JR 2-PAK | 113 |
| | | E.E.S. GRANULES | 9 | epirubicin | 20 |
| | | econazole..... | 71 | epitol | 30 |
| | | EDURANT | 3 | EPIVIR HBV | 4 |
| | | effer-k..... | 118 | eplerenone | 59 |
| | | EFFIENT..... | 63 | EPOGEN..... | 93 |
| | | EGRIFTA..... | 93 | epoprostenol (glycine) | 59 |
| | | ELAPRASE | 85 | eprosartan | 59 |
| | | electrolyte-48 in d5w | 121 | EQUETRO..... | 30 |
| | | ELELYSO..... | 85 | ERAXIS(WATER DILUENT)..... | 2 |
| | | ELIDEL..... | 68 | ERBITUX | 20 |
| | | ELIGARD..... | 20 | ergoloid | 48 |
| | | ELIGARD (3 MONTH).... | 20 | | |

| | | | | | |
|-------------------------------|--------|--------------------------------|--------|----------------------------|---------|
| ERIVEDGE..... | 20 | FARXIGA..... | 80 | fluorometholone..... | 111 |
| errin..... | 102 | FARYDAK..... | 20 | fluorouracil..... | 20, 69 |
| ERWINAZE..... | 20 | FASLODEX..... | 20 | fluoxetine..... | 49 |
| ery pads..... | 69 | felbamate..... | 30 | fluphenazine decanoate.... | 49 |
| erygel..... | 69 | felodipine..... | 59 | fluphenazine hcl..... | 49 |
| ERYPED 200..... | 9 | FEMRING..... | 102 | flurbiprofen..... | 43 |
| ERYPED 400..... | 9 | femynor..... | 105 | flurbiprofen sodium..... | 110 |
| ery-tab..... | 9 | fenofibrate..... | 65 | flutamide..... | 21 |
| ERY-TAB..... | 9 | fenofibrate micronized..... | 65 | fluticasone..... | 73, 115 |
| ERYTHROCIN..... | 9 | fenofibrate nanocrystallized | | fluvastatin..... | 66 |
| erythrocin (as stearate)..... | 9 | | 65 | fluvoxamine..... | 49 |
| erythromycin..... | 9, 109 | fenofibric acid..... | 66 | FML FORTE..... | 111 |
| erythromycin ethylsuccinate | 9 | fenofibric acid (choline).... | 66 | FML S.O.P..... | 112 |
| erythromycin with ethanol | 69 | fenopropfen..... | 43 | FOLOTYN..... | 21 |
| erythromycin-benzoyl | | fentanyl..... | 38 | fomepizole..... | 96 |
| peroxide..... | 69 | fentanyl citrate..... | 38 | fondaparinux..... | 63 |
| ESBRIET..... | 114 | fentanyl citrate (pf)..... | 38 | FORTAZ..... | 8 |
| escitalopram oxalate..... | 48 | FENTORA..... | 38 | FORTAZ IN DEXTROSE 5 | |
| esmolol..... | 59 | FERRIPROX..... | 75 | %..... | 8 |
| estarylla..... | 105 | FETZIMA..... | 49 | FORTEO..... | 99 |
| ESTRACE..... | 102 | finasteride..... | 117 | foscarnet..... | 4 |
| estradiol..... | 102 | FIRAZYR..... | 114 | fosinopril..... | 59 |
| estradiol valerate..... | 102 | FIRMAGON KIT W | | fosinopril- | |
| estradiol-norethindrone acet | | DILUENT SYRINGE... 20 | | hydrochlorothiazide..... | 59 |
| | 102 | flavoxate..... | 117 | fosphenytoin..... | 30 |
| ESTRING..... | 102 | FLEBOGAMMA DIF..... | 96 | FOSRENOL..... | 76 |
| estropipate..... | 102 | flecainide..... | 57 | FRAGMIN..... | 63, 64 |
| ethambutol..... | 10 | FLOVENT DISKUS..... | 114 | FREAMINE HBC 6.9 %. | 121 |
| ethosuximide..... | 30 | FLOVENT HFA..... | 114 | freamine iii 10 %..... | 121 |
| ethynodiol diac-eth estradiol | | floxin..... | 78 | furosemide..... | 59 |
| | 105 | floxuridine..... | 20 | FUSILEV..... | 17 |
| etidronate disodium..... | 75 | fluconazole..... | 2 | FUZEON..... | 4 |
| etodolac..... | 43 | fluconazole in dextrose(iso-o) | | fyavolv..... | 102 |
| ETOPOPHOS..... | 20 | | 2 | FYCOMPA..... | 30, 31 |
| etoposide..... | 20 | fluconazole in nacl (iso-osm) | | G | |
| EUCRISA..... | 69 | | 2 | gabapentin..... | 31 |
| EVOTAZ..... | 4 | FLUCONAZOLE IN NACL | | GABITRIL..... | 31 |
| exemestane..... | 20 | (ISO-OSM)..... | 2 | GABLOFEN..... | 36 |
| EXJADE..... | 75 | flucytosine..... | 2 | galantamine..... | 35 |
| F | | fludarabine..... | 20 | GAMASTAN S/D..... | 96 |
| FABRAZYME..... | 85 | fludrocortisone..... | 79 | GAMMAGARD LIQUID. | 96 |
| falmina (28)..... | 105 | flunisolide..... | 115 | GAMMAGARD S-D (IGA < | |
| famciclovir..... | 4 | fluocinolone..... | 72, 73 | 1 MCG/ML)..... | 96 |
| famotidine..... | 92 | fluocinolone acetone oil. | 78 | GAMMAKED..... | 96 |
| famotidine (pf)..... | 92 | fluocinolone and shower cap | | GAMMAPLEX..... | 96 |
| famotidine (pf)-nacl (iso-os) | | | 72 | GAMMAPLEX (WITH | |
| | 92 | fluocinonide..... | 73 | SORBITOL)..... | 96 |
| FANAPT..... | 48, 49 | fluocinonide-e..... | 73 | GAMUNEX-C..... | 96 |
| FARESTON..... | 20 | fluoritab..... | 122 | ganciclovir sodium..... | 4 |

| | | | | | |
|------------------------------|-------------|--------------------------------|-----|-------------------------------|------------|
| GARDASIL (PF) | 96 | GRASTEK | 96 | HUMULIN 70/30 | |
| GARDASIL 9 (PF) | 96 | griseofulvin microsize | 2 | KWIKPEN | 81 |
| gatifloxacin | 109 | griseofulvin ultramicrosize . | 2 | HUMULIN N | 81 |
| GATTEX 30-VIAL | 89 | guanidine | 49 | HUMULIN N KWIKPEN | 81 |
| GATTEX ONE-VIAL | 89 | H | | HUMULIN R U-100 | 82 |
| GAUZE PAD | 80 | HALAVEN | 21 | HUMULIN R U-500 | |
| gavilyte-c | 89 | halobetasol propionate | 73 | (CONC) KWIKPEN | 82 |
| gavilyte-g | 89 | haloperidol | 49 | HUMULIN R U-500 | |
| gavilyte-h and bisacodyl ... | 89 | haloperidol decanoate | 49 | (CONCENTRATED).... | 82 |
| gavilyte-n | 89 | haloperidol lactate | 49 | hydralazine | 59, 60 |
| GAZYVA | 21 | HARVONI | 4 | hydrochlorothiazide | 60 |
| gemcitabine | 21 | HAVRIX (PF) | 96 | hydrocodone-acetaminophen | |
| gemfibrozil | 66 | heather | 102 | | 38 |
| generlac | 89 | heparin (porcine) | 64 | hydrocodone-ibuprofen | 38 |
| gengraf | 21 | heparin (porcine) in 5 % dex | | hydrocortisone | 73, 79, 89 |
| GENOTROPIN | 93 | | 64 | hydrocortisone butyrate | 73 |
| GENOTROPIN | | heparin (porcine) in nacl (pf) | | hydrocortisone valerate | 73 |
| MINIQUICK | 93 | | 64 | hydrocortisone-acetic acid | 78 |
| gentak | 109 | heparin(porcine) in 0.45% | | hydrocortisone-min oil-wht | |
| gentamicin | 11, 70, 109 | nacl | 64 | pet | 73 |
| gentamicin in nacl (iso-osm) | | HEPARIN(PORCINE) IN | | hydromorphone | 39 |
| | 10, 11 | 0.45% NACL | 64 | HYDROMORPHONE (PF) | |
| GENTAMICIN IN NAACL | | heparin, porcine (pf) | 64 | | 39 |
| (ISO-OSM) | 11 | HEPATAMINE 8% | 121 | hydroxychloroquine | 11 |
| GENVOYA | 4 | HERCEPTIN | 21 | hydroxyprogesterone | |
| GEODON | 49 | HETLIOZ | 49 | caproate | 102 |
| gianvi (28) | 105 | HEXALEN | 21 | hydroxyurea | 21 |
| gildagia | 105 | HIBERIX (PF) | 96 | hydroxyzine hcl | 113 |
| GILENYA | 35 | HIZENTRA | 96 | hydroxyzine pamoate | 113 |
| GILOTRIF | 21 | HORIZANT | 35 | I | |
| GLASSIA | 76 | HUMALOG | 81 | ibandronate | 99 |
| GLEEVEC | 21 | HUMALOG KWIKPEN | 81 | IBRANCE | 21 |
| GLEOSTINE | 21 | HUMALOG MIX 50-50 ... | 81 | ibuprofen | 43 |
| glimepiride | 80 | HUMALOG MIX 50-50 | | ibuprofen-oxycodone | 39 |
| glipizide | 80, 81 | KWIKPEN | 81 | ibutilide fumarate | 57 |
| glipizide-metformin | 81 | HUMALOG MIX 75-25 ... | 81 | ICLUSIG | 21 |
| GLUCAGEN HYPOKIT .. | 81 | HUMALOG MIX 75-25 | | idarubicin | 21 |
| GLUCAGON | | KWIKPEN | 81 | ifosfamide | 21 |
| EMERGENCY KIT | | HUMATROPE | 93 | ILARIS (PF) | 93 |
| (HUMAN) | 81 | HUMIRA | 100 | IMBRUVICA | 22 |
| glycine | 117 | HUMIRA PEDIATRIC | | imipenem-cilastatin | 11 |
| glycopyrrolate | 87 | CROHN'S START | 100 | imipramine hcl | 49 |
| GLYXAMBI | 81 | HUMIRA PEN | 100 | imipramine pamoate | 49 |
| GRALISE | 31 | HUMIRA PEN CROHN'S- | | imiquimod | 69 |
| GRALISE 30-DAY | | UC-HS START | 100 | IMOGAM RABIES-HT (PF) | |
| STARTER PACK | 31 | HUMIRA PEN PSORIASIS- | | | 96 |
| granisetron (pf) | 89 | UVEITIS | 100 | IMOVAX RABIES | |
| granisetron hcl | 89 | HUMULIN 70/30 | 81 | VACCINE (PF) | 96 |
| GRANIX | 93 | | | INCRELEX | 76 |

| | | | | | |
|------------------------------|---------|------------------------------|--------|--------------------------------|---------|
| INCRUSE ELLIPTA | 115 | JANUMET | 82 | KORLYM | 85 |
| indapamide | 60 | JANUMET XR | 82 | k-tab | 118 |
| INFANRIX (DTAP) (PF) . | 96 | JANUVIA | 82 | kurvelo | 106 |
| INLYTA | 22 | JARDIANCE | 82 | KUVAN | 85 |
| INSULIN PEN NEEDLE . | 82 | jencycla | 102 | KYNAMRO | 66 |
| INSULIN SYRINGE (DISP) | | JENTADUETO | 82 | KYPROLIS | 22 |
| U-100 | 82 | JENTADUETO XR | 82 | L | |
| INTELENCE | 4 | JEVTANA | 22 | l norgest/e.estradiol-e.estrad | |
| intralipid | 121 | jinteli | 102 | | 106 |
| INTRALIPID | 122 | jolessa | 105 | labetalol | 60 |
| INTRON A | 93 | jolivetite | 102 | lactated ringers | 74, 118 |
| introvale | 105 | juleber | 105 | lactulose | 89 |
| INVANZ | 11 | junel 1.5/30 (21) | 105 | lamivudine | 4 |
| INVEGA SUSTENNA | 50 | junel 1/20 (21) | 105 | lamivudine-zidovudine | 4 |
| INVEGA TRINZA | 50 | junel fe 1.5/30 (28) | 105 | lamotrigine | 31 |
| INVIRASE | 4 | junel fe 1/20 (28) | 105 | lansoprazole | 92 |
| INVOKAMET | 82 | junel fe 24 | 105 | LANTUS | 82 |
| INVOKAMET XR | 82 | JUXTAPID | 66 | LANTUS SOLOSTAR | 82 |
| INVOKANA | 82 | K | | larin 1.5/30 (21) | 106 |
| IONOSOL-B IN D5W | 122 | KABIVEN | 122 | larin 1/20 (21) | 106 |
| IONOSOL-MB IN D5W. | 122 | KADCYLA | 22 | larin 24 fe | 106 |
| IOPIDINE | 112 | kaitlib fe | 105 | larin fe 1.5/30 (28) | 106 |
| IPOL | 96 | KALETRA | 4 | larin fe 1/20 (28) | 106 |
| ipratropium bromide . | 78, 115 | KALYDECO | 115 | larissia | 106 |
| ipratropium-albuterol | 115 | KANUMA | 85 | LARTRUVO | 22 |
| irbesartan | 60 | kariva (28) | 105 | latanoprost | 111 |
| irbesartan- | | k-effervescent | 118 | LATUDA | 50 |
| hydrochlorothiazide | 60 | kelnor 1/35 (28) | 105 | layolis fe | 106 |
| IRESSA | 22 | KEPIVANCE | 17 | LAZANDA | 39 |
| irinotecan | 22 | ketoconazole | 2, 71 | leena 28 | 106 |
| ISENTRESS | 4 | ketoprofen | 43 | leflunomide | 100 |
| ISOLYTE S PH 7.4 | 122 | ketorolac | 110 | LENVIMA | 22 |
| ISOLYTE-P IN 5 % | | KEVEYIS | 35 | lessina | 106 |
| DEXTROSE | 122 | KEYTRUDA | 22 | LETAIRIS | 115 |
| ISOLYTE-S | 122 | KHEDEZLA | 50 | letrozole | 23 |
| isoniazid | 11 | kimidess (28) | 105 | leucovorin calcium | 17 |
| isosorbide dinitrate | 67 | KINERET | 100 | LEUKERAN | 23 |
| isosorbide mononitrate | 67 | KINRIX (PF) | 96, 97 | LEUKINE | 93 |
| isradipine | 60 | kionex | 76 | leuprolide | 23 |
| ISTODAX | 22 | kionex (with sorbitol) | 76 | levabuterol hcl | 115 |
| ISUPREL | 67 | KISQALI | 22 | LEVALBUTEROL | |
| itraconazole | 2 | klor-con | 118 | TARTRATE | 115 |
| ivermectin | 11 | klor-con 10 | 118 | LEVEMIR | 82 |
| IXEMPRAX | 22 | klor-con 8 | 118 | LEVEMIR FLEXTOUCH | 82 |
| IXIARO (PF) | 96 | klor-con m10 | 118 | levetiracetam | 31 |
| J | | klor-con m15 | 118 | LEVETIRACETAM IN | |
| JADENU | 76 | klor-con m20 | 118 | NACL (ISO-OS) | 31 |
| JAKAFI | 22 | klor-con sprinkle | 118 | levobunolol | 110 |
| jantoven | 64 | klor-con/ef | 118 | levocarnitine | 76 |

| | | | | | |
|--------------------------------|---------|------------------------------|--------|----------------------------|--------|
| levocarnitine (with sugar) . | 76 | lorstab 7.5-325 | 39 | mefloquine | 11 |
| levocetirizine | 113 | loryna (28)..... | 106 | megestrol..... | 23 |
| levofloxacin..... | 15, 109 | losartan | 60 | MEKINIST | 23 |
| levofloxacin in d5w..... | 15 | losartan-hydrochlorothiazide | | meloxicam..... | 43 |
| levoleucovorin..... | 17 | | 60 | melphalan hcl..... | 23 |
| LEVOLEUCOVORIN | 17 | LOTEMAX..... | 112 | memantine..... | 35 |
| levonest (28)..... | 106 | lovastatin..... | 66 | MEMANTINE | 35 |
| levonorgestrel-ethinyl estrad | | low-ogestrel (28)..... | 106 | MENACTRA (PF)..... | 97 |
| | 106 | loxapine succinate..... | 51 | MENEST..... | 103 |
| levonorg-eth estrad triphasic | | ludent fluoride..... | 122 | MENHIBRIX (PF)..... | 97 |
| | 106 | LUMIGAN..... | 111 | MENOMUNE - A/C/Y/W- | |
| levora-28 | 106 | LUMIZYME..... | 85 | 135..... | 97 |
| levorphanol tartrate | 39 | LUPANETA PACK (1 | | MENOMUNE - A/C/Y/W- | |
| levothyroxine | 87 | MONTH)..... | 103 | 135 (PF) | 97 |
| LEXIVA..... | 4 | LUPANETA PACK (3 | | MENOSTAR..... | 103 |
| LIALDA..... | 89 | MONTH)..... | 103 | MENVEO A-C-Y-W-135- | |
| lidocaine..... | 70 | LUPRON DEPOT..... | 23 | DIP (PF)..... | 97 |
| lidocaine (pf)..... | 57, 70 | LUPRON DEPOT (3 | | mercaptapurine | 23 |
| lidocaine hcl..... | 70 | MONTH)..... | 23 | meropenem..... | 11 |
| lidocaine in 5 % dextrose (pf) | | LUPRON DEPOT (4 | | MEROPENEM-0.9% | |
| | 57 | MONTH)..... | 23 | SODIUM CHLORIDE.. | 11 |
| lidocaine viscous..... | 70 | LUPRON DEPOT (6 | | mesalamine | 89 |
| lidocaine-prilocaine..... | 70 | MONTH)..... | 23 | mesalamine with cleansing | |
| LINCOCIN | 11 | LUPRON DEPOT-PED... | 23 | wipe..... | 89 |
| lincomycin..... | 11 | LUPRON DEPOT-PED (3 | | mesna | 17 |
| lindane..... | 74 | MONTH)..... | 23 | MESNEX | 17 |
| linezolid..... | 11 | lutera (28)..... | 106 | MESTINON | 36 |
| linezolid-0.9% sodium | | LYNPARZA | 23 | metadate er | 51 |
| chloride | 11 | LYRICA..... | 31, 32 | metaproterenol | 115 |
| LINZESS..... | 89 | LYSODREN | 23 | metformin..... | 83 |
| LIORESAL | 36 | lyza..... | 102 | methadone | 39, 40 |
| liothyronine | 87 | M | | methadone intensol | 40 |
| lisinopril | 60 | magnesium sulfate | 118 | methadose | 40 |
| lisinopril-hydrochlorothiazide | | MAGNESIUM SULFATE | | methamphetamine..... | 51 |
| | 60 | IN D5W..... | 118 | methazolamide | 111 |
| lithium carbonate | 50 | magnesium sulfate in water | | methenamine hippurate.... | 16 |
| lithium citrate | 50 | | 118 | methenamine mandelate.... | 16 |
| LITHOSTAT..... | 76 | MAKENA..... | 102 | methergine..... | 108 |
| lomedina 24 fe..... | 106 | malathion..... | 74 | methimazole..... | 80 |
| LONSURF | 23 | maprotiline | 51 | methocarbamol..... | 36 |
| loperamide..... | 87 | marlissa | 106 | methotrexate sodium..... | 23 |
| lopinavir-ritonavir | 4 | MARPLAN..... | 51 | methotrexate sodium (pf).. | 23 |
| lorazepam..... | 50, 51 | MATULANE | 23 | methoxsalen | 69 |
| lorazepam intensol | 50 | matzim la..... | 60 | methscopolamine | 87 |
| lorcet (hydrocodone)..... | 39 | MAXIDEX..... | 112 | methyclothiazide..... | 60 |
| lorcet hd | 39 | meclizine | 89 | methylergonovine | 108 |
| lorcet plus..... | 39 | meclofenamate | 43 | methylphenidate..... | 51 |
| lorstab 10-325..... | 39 | medroxyprogesterone..... | 102, | methylprednisolone..... | 79 |
| lorstab 5-325..... | 39 | 103 | | methylprednisolone acetate | 79 |

| | | | | | |
|--------------------------------|--------|--------------------------------|-----|--------------------------------|---------|
| methylprednisolone sodium succ | 79 | MOTOFEN | 87 | necon 1/50 (28) | 106 |
| methyltestosterone | 86 | MOVANTIK | 89 | necon 10/11 (28) | 107 |
| metipranolol | 110 | MOXEZA | 109 | necon 7/7/7 (28) | 107 |
| metoclopramide hcl | 89 | moxifloxacin | 15 | NEEDLES, INSULIN | |
| metolazone | 60 | MOXIFLOXACIN-SOD.ACE,SUL-WATER | 15 | DISP.,SAFETY | 83 |
| metoprolol succinate | 60 | MOZOBIL | 93 | nefazodone | 51 |
| metoprolol ta-hydrochlorothiaz | 60 | MULTAQ | 57 | neomycin | 11 |
| metoprolol tartrate | 60 | multi-vit with fluoride-iron | 122 | neomycin-bacitracin-poly-hc | 111 |
| metro i.v. | 11 | multivitamin with fluoride | 123 | neomycin-bacitracin-polymyxin | 109 |
| metronidazole 11, 69, 70, 103 | | multi-vitamin with fluoride | 122 | neomycin-polymyxin b gu | 74 |
| metronidazole in nacl (iso-os) | 11 | multivitamins with fluoride | 123 | neomycin-polymyxin b-dexameth | 111 |
| mexiletine | 57 | mupirocin | 71 | neomycin-polymyxin-gramicidin | 109 |
| MIACALCIN | 86 | MUSTARGEN | 24 | neomycin-polymyxin-hc | 78, 111 |
| miconazole-3 | 103 | myc-fluoride | 123 | neo-polycin | 109 |
| microgestin 1.5/30 (21) | 106 | MYALEPT | 86 | neo-polycin hc | 111 |
| microgestin 1/20 (21) | 106 | MYCAMINE | 2 | neostigmine methylsulfate | 36 |
| microgestin fe 1.5/30 (28) | 106 | mycophenolate mofetil | 24 | NEPHRAMINE 5.4 % | 122 |
| microgestin fe 1/20 (28) | 106 | mycophenolate mofetil hcl | 24 | NEULASTA | 94 |
| midodrine | 76 | mycophenolate sodium | 24 | NEUPOGEN | 94 |
| migergot | 34 | myorisan | 70 | NEUPRO | 33 |
| mimvey | 103 | MYRBETRIQ | 117 | nevirapine | 5 |
| mimvey lo | 103 | MYTESI | 87 | NEXAVAR | 24 |
| minocycline | 15 | myzilra | 106 | niacin | 66 |
| minoxidil | 60 | N | | nicardipine | 60 |
| mirtazapine | 51 | nabumetone | 43 | NICOTROL | 77 |
| misoprostol | 92 | nadolol | 60 | NICOTROL NS | 77 |
| mitomycin | 24 | nadolol-bendroflumethiazide | 60 | nifedipine | 60 |
| mitoxantrone | 24 | nafcillin | 13 | nikki (28) | 107 |
| M-M-R II (PF) | 97 | nafcillin in dextrose iso-osm | 13 | nilutamide | 24 |
| modafinil | 51 | NAGLAZYME | 86 | nimodipine | 61 |
| moderiba | 5 | nalbuphine | 43 | NINLARO | 24 |
| moderiba dose pack | 5 | naloxone | 43 | NIPENT | 24 |
| moexipril | 60 | naltrexone | 43 | nitro-bid | 67 |
| moexipril-hydrochlorothiazide | 60 | naproxen | 43 | NITRO-DUR | 67 |
| molindone | 51 | naproxen sodium | 43 | nitrofurantoin macrocrystal | 16 |
| mometasone | 73 | naratriptan | 34 | nitrofurantoin monohyd/m-cryst | 16 |
| mondoxyne nl | 15 | NATACYN | 109 | nitroglycerin | 67 |
| mono-linyah | 106 | nateglinide | 83 | nizatidine | 92 |
| mononessa (28) | 106 | NATPARA | 86 | nora-be | 103 |
| montelukast | 115 | NEBUPENT | 11 | NORDITROPIN FLEXP | 94 |
| MONUROL | 16 | necon 0.5/35 (28) | 106 | noreth-ethinyl estradiol-iron | 107 |
| morgidox | 15 | | | | |
| morphine | 40, 41 | | | | |
| morphine (pf) | 40 | | | | |
| morphine concentrate | 40 | | | | |

| | | | |
|--------------------------------|--------------------------------|-------------|------------------------------|
| norethindrone (contraceptive) | octreotide acetate | 24 | P |
| 103 | ODEFSEY | 5 | pacerone |
| norethindrone acetate | ODOMZO | 24 | paclitaxel |
| 103 | OFEV | 115 | paliperidone |
| norethindrone ac-eth estradiol | ofloxacin | 15, 78, 109 | pamidronate |
| 103, 107 | ogestrel (28) | 107 | PANCREAZE |
| norethindrone-e.estradiol- | olanzapine | 52 | PANRETIN |
| iron | omega-3 acid ethyl esters.. | 66 | pantoprazole |
| 107 | omeprazole | 92 | paricalcitol |
| norgestimate-ethinyl estradiol | OMNITROPE | 94 | PARICALCITOL |
| 107 | ONCASPAS | 24 | paroex oral rinse |
| norlyda | ondansetron | 90 | paromomycin |
| 103 | ondansetron hcl | 90 | paroxetine hcl |
| norlyroc | ondansetron hcl (pf) | 90 | PASER |
| 103 | ONFI | 32 | PAXIL |
| NORMOSOL-M IN 5 % | ONMEL | 3 | PEDIARIX (PF) |
| DEXTROSE | OPANA ER | 41 | PEDVAX HIB (PF) |
| 122 | OPDIVO | 24 | peg 3350-electrolytes |
| NORMOSOL-R | OPSUMIT | 115 | PEGANONE |
| 118 | ORALAIR | 97 | PEGASYS |
| NORMOSOL-R IN 5 % | oralone | 78 | PEGASYS PROCLICK |
| DEXTROSE | ORBACTIV | 11 | peg-electrolyte soln |
| 118 | ORENCIA | 100 | PEGINTRON |
| NORMOSOL-R PH 7.4 .. | ORENCIA (WITH | | PEGINTRON REDIPEN .. |
| 122 | MALTOSE) | 100 | PENICILLIN G POT IN |
| NORTHERA | ORENCIA CLICKJECT .. | 100 | DEXTROSE |
| 76 | ORFADIN | 76 | 14 |
| nortrel 0.5/35 (28) | ORKAMBI | 115 | penicillin g potassium |
| 107 | orphenadrine citrate | 36 | 14 |
| nortrel 1/35 (21) | orsythia | 107 | penicillin g procaine |
| 107 | oseltamivir | 5 | 14 |
| nortrel 1/35 (28) | OTEZLA | 100 | penicillin g sodium |
| 107 | OTEZLA STARTER | 100 | 14 |
| nortrel 7/7/7 (28) | OTREXUP (PF) | 100 | penicillin v potassium |
| 107 | oxacillin | 13, 14 | 14 |
| nortriptyline | oxacillin in dextrose(iso-osm) | | PENTACEL ACTHIB |
| 52 | 13 | | COMPONENT (PF) |
| NORVIR | oxaliplatin | 24 | 97 |
| 5 | oxandrolone | 86 | PENTAM |
| NOVOLIN 70/30 | oxazepam | 52 | 12 |
| 83 | oxcarbazepine | 32 | PENTASA |
| NOVOLIN N | oxybutynin chloride | 117 | 90 |
| 83 | oxycodone | 41 | pentoxifylline |
| NOVOLIN R | OXYCODONE | 41 | 64 |
| 83 | oxycodone-acetaminophen | 41 | PERFOROMIST |
| NOVOLOG | 41 | | 115 |
| NOVOLOG FLEXPEN | oxycodone-aspirin | 41 | PERIKABIVEN |
| 83 | 41 | | 122 |
| NOVOLOG MIX 70-30 | oxymorphone | 41 | perindopril erbumine |
| 83 | oxytocin | 108 | 61 |
| NOVOLOG MIX 70-30 | | | periogard |
| FLEXPEN | | | 78 |
| 83 | | | PERJETA |
| NOVOLOG PENFILL | | | 24 |
| 83 | | | permethrin |
| NOXAFIL | | | 74 |
| 2 | | | perphenazine |
| NUCALA | | | 52 |
| 115 | | | perphenazine-amitriptyline |
| NUEDEXTA | | | 52 |
| 35 | | | PERTZYE |
| NULOJIX | | | 90 |
| 24 | | | pfizerpen-g |
| NUPLAZID | | | 14 |
| 52 | | | phenadoz |
| NUTROPIN AQ NUSPIN | | | 113 |
| 94 | | | phenelzine |
| NUVARING | | | 52 |
| 103 | | | phenergan |
| nyamyc | | | 113 |
| 71 | | | phenobarbital |
| nyata | | | 32 |
| 71 | | | |
| nystatin | | | |
| 2, 3, 71 | | | |
| nystatin-triamcinolone | | | |
| 71 | | | |
| nystop | | | |
| 71 | | | |
| O | | | |
| OICALIVA | | | |
| 90 | | | |
| ocella | | | |
| 107 | | | |
| OCTAGAM | | | |
| 97 | | | |

| | | | | | |
|------------------------------|----------|------------------------------|---------|-------------------------------|-----|
| phenobarbital sodium..... | 32 | potassium chloride in lr-d5 | 119 | PROCALAMINE 3% | 122 |
| phenoxybenzamine | 61 | | 119 | prochlorperazine | 90 |
| phenytoin..... | 32 | potassium chloride-0.45 % | 119 | prochlorperazine edisylate | 90 |
| phenytoin sodium..... | 32 | nacl..... | 119 | prochlorperazine maleate .. | 90 |
| phenytoin sodium extended | 32 | potassium chloride-d5- | 119 | PROCRIT..... | 94 |
| | 32 | 0.2%nacl..... | 119 | procto-med hc | 90 |
| philith | 107 | potassium chloride-d5- | 119 | procto-pak | 90 |
| PHOSPHOLINE IODIDE | 110 | 0.3%nacl..... | 119 | proctosol hc..... | 90 |
| | 110 | potassium chloride-d5- | 119 | proctozone-hc..... | 91 |
| PHYSIOLYTE..... | 74 | 0.9%nacl..... | 119 | progesterone micronized. | 103 |
| PHYSIOSOL IRRIGATION | 74 | potassium citrate | 117 | PROGLYCEM..... | 83 |
| | 74 | potassium phosphate m-/d- | 119 | PROGRAF | 25 |
| PICATO | 69 | basic | 119 | PROLASTIN-C..... | 76 |
| pilocarpine hcl..... | 76, 110 | POTIGA | 32 | PROLEUKIN..... | 94 |
| pimozide..... | 53 | PRADAXA | 64 | PROLIA | 99 |
| pimtree (28)..... | 107 | PRALUENT PEN | 66 | PROMACTA | 64 |
| pindolol | 61 | pramipexole..... | 33 | promethazine..... | 113 |
| pioglitazone..... | 83 | pravastatin | 66 | promethegan..... | 113 |
| pioglitazone-metformin..... | 83 | prazosin | 61 | propafenone..... | 57 |
| piperacillin-tazobactam..... | 14 | PRED MILD | 112 | propantheline..... | 87 |
| PIPERACILLIN- | | PRED-G | 111 | propranolol..... | 61 |
| TAZOBACTAM..... | 14 | PRED-G S.O.P..... | 111 | propranolol- | |
| pirmella | 107 | prednicarbate..... | 73 | hydrochlorothiazid | 61 |
| piroxicam | 43 | prednisolone..... | 79 | propylthiouracil..... | 80 |
| PLASMA-LYTE 148..... | 122 | prednisolone acetate..... | 112 | PROQUAD (PF)..... | 97 |
| PLASMA-LYTE A..... | 122 | prednisolone sodium | | PROSOL 20 %..... | 122 |
| PLEGRIDY..... | 94 | phosphate | 79, 112 | protriptyline..... | 53 |
| podofilox..... | 69 | prednisone..... | 79 | PULMOZYME | 116 |
| polycin..... | 109 | prednisone intensol | 79 | PURIXAN..... | 25 |
| polyethylene glycol 3350.. | 90 | PREMARIN..... | 103 | pyrazinamide..... | 12 |
| polymyxin b sulfate..... | 12 | premasol 10 %..... | 122 | pyridostigmine bromide | 36 |
| polymyxin b sulf- | | PREMASOL 6 %..... | 122 | Q | |
| trimethoprim | 109 | PREMPHASE | 103 | QUADRACEL (PF)..... | 97 |
| POMALYST | 25 | PREMPRO..... | 103 | quasense | 107 |
| portia | 107 | prenatal vitamin oral tablet | | quetiapine..... | 53 |
| PORTRAZZA..... | 25 | | 123 | quinapril | 61 |
| potassium acetate | 118 | prevalite..... | 66 | quinapril-hydrochlorothiazide | |
| potassium bicarb and | | previfem | 107 | | 61 |
| chloride | 118 | PREZCOBIX | 5 | quinidine gluconate..... | 57 |
| potassium bicarb-citric acid | | PREZISTA | 5 | quinidine sulfate..... | 57 |
| | 118 | PRIALT..... | 43 | quinine sulfate..... | 12 |
| potassium chlorid-d5- | | PRIFTIN | 12 | R | |
| 0.45%nacl..... | 118, 119 | PRIMAQUINE | 12 | RABAVERT (PF)..... | 97 |
| potassium chloride | 119 | primidone | 32 | RAGWITEK | 97 |
| potassium chloride in | | PRISTIQ | 53 | raloxifene | 99 |
| 0.9%nacl..... | 119 | PRIVIGEN..... | 97 | ramipril..... | 61 |
| potassium chloride in 5 % | | probenecid..... | 98 | RANEXA | 67 |
| dex..... | 119 | probenecid-colchicine..... | 98 | ranitidine hcl | 92 |
| | | procainamide..... | 57 | RAPAMUNE | 25 |

| | | | | | |
|-------------------------|----------|-----------------------------|--------|------------------------------|----------|
| rasagiline..... | 33 | RITUXAN..... | 25 | sirolimus..... | 25 |
| RASUVO (PF)..... | 100, 101 | rivastigmine..... | 35 | SIRTURO | 12 |
| RAVICTI | 76 | rivastigmine tartrate | 35 | SIVEXTRO..... | 12 |
| REBETOL..... | 5 | rizatriptan | 34 | SMOFLIPID | 122 |
| REBIF (WITH ALBUMIN) | | ropinirole..... | 33 | sodium acetate..... | 119 |
| | 94 | ropivacaine (pf)..... | 70 | sodium bicarbonate . | 119, 120 |
| REBIF REBIDOSE..... | 94 | rosadan | 70 | sodium chloride..... | 76, 120 |
| REBIF TITRATION PACK | | rosuvastatin | 66 | sodium chloride 0.45 % .. | 120 |
| | 94 | ROTARIX..... | 97 | sodium chloride 0.9 % | 76 |
| reclipsen (28) | 107 | ROTATEQ VACCINE | 97 | sodium chloride 3 % | 120 |
| RECOMBIVAX HB (PF) . | 97 | roweepra..... | 32 | sodium chloride 5 % | 120 |
| regonol | 36 | ROZEREM | 54 | sodium fluoride | 123 |
| REGRANEX..... | 69 | RUBRACA | 25 | sodium lactate | 120 |
| RELENZA DISKHALER.. | 5 | RUCONEST | 116 | sodium phenylbutyrate..... | 76 |
| RELISTOR | 91 | S | | sodium polystyrene (sorb | |
| REMICADE..... | 91 | SABRIL | 32 | free)..... | 76 |
| REMODULIN..... | 61 | SAIZEN | 95 | sodium polystyrene sulfonate | |
| REVELA | 76 | SAIZEN CLICK.EASY ... | 94 | | 77 |
| repaglinide..... | 83 | SAIZEN SAIZENPREP... | 94 | SODIUM POLYSTYRENE | |
| REPATHA PUSHTRONEX | | salsalate | 43 | SULFONATE | 77 |
| | 66 | SAMSCA | 86 | SOLIRIS | 77 |
| REPATHA SURECLICK. | 66 | SANCUSO..... | 91 | SOLTAMOX | 25 |
| REPATHA SYRINGE..... | 66 | SANDOSTATIN LAR | | SOLU-CORTEF | 79 |
| RESCRIPTOR | 5 | DEPOT..... | 25 | SOLU-CORTEF (PF) | 79 |
| reserpine..... | 61 | SANTYL..... | 74 | SOLU-MEDROL | 79 |
| RESTASIS | 110 | SAPHRIS (BLACK | | SOLU-MEDROL (PF)..... | 79 |
| RESTASIS MULTIDOSE | | CHERRY)..... | 54, 55 | SOMATULINE DEPOT.. | 26 |
| | 110 | SAVELLA | 101 | SOMAVERT..... | 86 |
| RETROVIR..... | 5 | selegiline hcl | 33, 34 | sorine..... | 57 |
| REVATIO..... | 116 | selenium sulfide | 68 | sotalol..... | 57 |
| REVLIMID..... | 25 | SELZENTRY | 6 | sotalol af..... | 57 |
| REXULTI | 53 | SENSIPAR..... | 86 | SOVALDI..... | 6 |
| REYATAZ..... | 5 | SEREVENT DISKUS.... | 116 | SPIRIVA RESPIMAT ... | 116 |
| ribasphere..... | 5 | SEROSTIM..... | 95 | SPIRIVA WITH | |
| ribasphere ribapak..... | 5 | sertraline..... | 55 | HANDIHALER | 116 |
| ribavirin..... | 5, 6 | setlakin | 107 | spironolactone | 61 |
| RIDAURA | 101 | sf 78 | | spironolacton- | |
| rifabutin..... | 12 | sf 5000 plus..... | 78 | hydrochlorothiaz | 61 |
| RIFAMATE | 12 | sharobel..... | 103 | sprintec (28) | 107 |
| rifampin..... | 12 | SIGNIFOR | 25 | SPRITAM | 32 |
| RIFATER | 12 | SIGNIFOR LAR | 25 | SPRYCEL | 26 |
| riluzole | 76 | sildenafil..... | 116 | sps (with sorbitol) | 77 |
| rimantadine | 6 | SILENOR..... | 55 | sronyx..... | 107 |
| ringer's..... | 74, 119 | silver sulfadiazine | 68 | ssd | 68 |
| RIOMET | 84 | SIMBRINZA..... | 111 | STAMARIL (PF)..... | 97 |
| risedronate..... | 99 | SIMPONI | 101 | stavudine | 6 |
| RISPERDAL CONSTA... | 53, | SIMPONI ARIA | 101 | STELARA..... | 68 |
| 54 | | SIMULECT..... | 25 | STIMATE | 86 |
| risperidone..... | 54 | simvastatin | 66 | STIOLTO RESPIMAT ... | 116 |

| | | | | | |
|-----------------------------|--------|------------------------------|----------|----------------------------|---------|
| STIVARGA | 26 | TALTZ AUTOINJECTOR (3 | 68 | THYMOGLOBULIN | 98 |
| STRATTERA | 55 | PACK)..... | 68 | tiagabine | 32 |
| STRENSIQ | 86 | TALTZ SYRINGE..... | 68 | TICE BCG | 98 |
| STREPTOMYCIN..... | 12 | TALTZ SYRINGE (2 | 68 | ticlopidine | 65 |
| STRIANT..... | 86 | PACK)..... | 68 | TIGECYCLINE | 12 |
| STRIBILD..... | 6 | TALTZ SYRINGE (3 | 68 | tilia fe | 107 |
| STRIVERDI RESPIMAT | 116 | PACK)..... | 68 | timolol maleate..... | 61, 110 |
| SUBOXONE..... | 43 | TAMIFLU..... | 6 | tinidazole..... | 12 |
| SUBSYS | 42 | tamoxifen | 27 | tis-u-sol pentalyte..... | 74 |
| SUCRAID..... | 91 | tamsulosin | 117 | TIVICAY | 6 |
| sucralfate..... | 92 | TARCEVA..... | 27 | tizanidine..... | 36 |
| sulfacetamide sodium..... | 112 | TARGRETIN..... | 27 | TOBI PODHALER..... | 12 |
| sulfacetamide sodium (acne) | 71 | tarina fe 1/20 (28)..... | 107 | TOBRADEX..... | 111 |
| | 71 | TASIGNA..... | 27 | tobramycin | 109 |
| sulfacetamide-prednisolone | 112 | tazarotene | 70 | tobramycin in 0.225 % nacl | 12 |
| | 112 | TAZORAC..... | 70 | | 12 |
| sulfadiazine | 15 | taztia xt..... | 61 | tobramycin sulfate..... | 12 |
| sulfamethoxazole- | | TECENTRIQ | 27 | tobramycin-dexamethasone | 111 |
| trimethoprim | 15 | TECFIDERA..... | 35 | | 111 |
| SULFAMYLON | 71 | TEFLARO..... | 8 | TOBREX..... | 109 |
| sulfasalazine..... | 91 | TEKTURNA..... | 61 | tolazamide | 84 |
| sulindac | 43 | TEKTURNA HCT | 61 | tolbutamide | 84 |
| sumatriptan..... | 34 | telmisartan..... | 61 | tolmetin | 43 |
| sumatriptan succinate..... | 34 | telmisartan-amlodipine | 61 | tolterodine | 117 |
| SUPRAX..... | 8 | telmisartan- | | topiramate | 33 |
| SUPREP BOWEL PREP | | hydrochlorothiazid | 61 | toposar..... | 27 |
| KIT..... | 91 | TEMODAR..... | 27 | topotecan..... | 27 |
| SUSTIVA..... | 6 | TENIVAC (PF)..... | 97, 98 | TORISEL | 27 |
| SUTENT | 26 | terazosin | 61 | toremide..... | 61 |
| syeda | 107 | terbinafine hcl | 3 | TOUJEO SOLOSTAR..... | 84 |
| SYLATRON | 95 | terbutaline | 116 | TPN ELECTROLYTES.. | 120 |
| SYLVANT..... | 26 | terconazole | 103, 104 | TRACLEER..... | 116 |
| SYMLINPEN 120..... | 84 | TESTIM | 86 | TRADJENTA | 84 |
| SYMLINPEN 60..... | 84 | TESTOSTERONE | 86 | tramadol | 44 |
| SYNAGIS | 6 | testosterone cypionate..... | 86 | tramadol-acetaminophen... | 44 |
| SYNAREL | 86 | testosterone enanthate | 86 | trandolapril..... | 61 |
| SYNERCID..... | 12 | TETANUS, DIPHThERIA | | tranexamic acid | 65, 104 |
| SYNJARDY..... | 84 | TOX PED(PF)..... | 98 | TRANSDERM-SCOP..... | 91 |
| SYNRIBO..... | 26 | TETANUS-DIPHThERIA | | tranlycypromine | 55 |
| SYNTHROID | 87 | TOXOIDS-TD | 98 | travasol 10 %..... | 122 |
| SYPRINE..... | 77 | tetrabenazine | 35 | TRAVATAN Z | 111 |
| T | | tetracycline..... | 16 | trazodone..... | 55 |
| TABLOID..... | 26 | THALOMID | 27 | TREANDA | 27 |
| tacrolimus..... | 26, 69 | theophylline..... | 116 | TRECTOR | 12 |
| TAFINLAR..... | 26 | thermazene | 68 | TRELSTAR | 27, 28 |
| TAGRISSO..... | 26, 27 | THIOLA..... | 77 | TRESIBA FLEXTOUCH U- | |
| TALTZ AUTOINJECTOR | 68 | thioridazine | 55 | 100..... | 84 |
| TALTZ AUTOINJECTOR (2 | | thiotepa..... | 27 | TRESIBA FLEXTOUCH U- | |
| PACK)..... | 68 | thiothixene..... | 55 | 200..... | 84 |

| | | | | | |
|--------------------------------|-----|--------------------------------|-----|-------------------------------|-----|
| tretinoin..... | 70 | TYVASO STARTER KIT | | vestura (28)..... | 108 |
| tretinoin (chemotherapy)... | 28 | | 116 | VIBATIV..... | 16 |
| tri femynor..... | 107 | U | | VIBERZI..... | 91 |
| triamcinolone acetonide ... | 73, | UCERIS..... | 91 | VIBRAMYCIN..... | 16 |
| 78, 80 | | ULORIC..... | 99 | vicodin..... | 42 |
| triamterene- | | unithroid..... | 87 | vicodin es..... | 42 |
| hydrochlorothiazid..... | 61 | UNITUXIN..... | 28 | vicodin hp..... | 42 |
| triderm..... | 73 | UPTRAVI..... | 62 | VICTOZA 2-PAK..... | 84 |
| tri-estarylla..... | 108 | ursodiol..... | 91 | VICTOZA 3-PAK..... | 84 |
| trifluoperazine..... | 55 | UVADEX..... | 69 | VIDEX 2 GRAM | |
| trifluridine..... | 109 | V | | PEDIATRIC..... | 6 |
| trihexyphenidyl..... | 34 | valacyclovir..... | 6 | VIDEX 4 GRAM | |
| tri-legest fe..... | 108 | VALCHLOR..... | 69 | PEDIATRIC..... | 6 |
| tri-linyah..... | 108 | valganciclovir..... | 6 | vienva..... | 108 |
| tri-lo-estarylla..... | 108 | valproate sodium..... | 33 | VIGAMOX..... | 109 |
| tri-lo-marzia..... | 108 | valproic acid..... | 33 | VIIBRYD..... | 56 |
| tri-lo-sprintec..... | 108 | valproic acid (as sodium salt) | | VIMPAT..... | 33 |
| trilyte with flavor packets . | 91 | | 33 | vinblastine..... | 28 |
| trimethoprim..... | 16 | valsartan..... | 62 | vincasar pfs..... | 28 |
| trimipramine..... | 55 | valsartan-hydrochlorothiazide | | vincristine..... | 28 |
| trinessa (28)..... | 108 | | 62 | vinorelbine..... | 28 |
| trinessa lo..... | 108 | VALSTAR..... | 28 | VIOKACE..... | 91 |
| TRINTELLIX..... | 55 | vancomycin..... | 16 | viorele (28)..... | 108 |
| triple vitamin with fluoride | | VANCOMYCIN..... | 16 | VIRACEPT..... | 6 |
| | 123 | VANCOMYCIN IN 0.9% | | VIRAZOLE..... | 6 |
| tri-previfem (28)..... | 108 | SODIUM CL..... | 16 | VIREAD..... | 6 |
| TRISENOX..... | 28 | VANCOMYCIN IN | | vitamins a,c,d and fluoride | |
| tri-sprintec (28)..... | 108 | DEXTROSE 5 %..... | 16 | | 123 |
| TRIUMEQ..... | 6 | vandazole..... | 104 | voriconazole..... | 3 |
| tri-vit with fluoride and iron | | VAQTA (PF)..... | 98 | VOTRIENT..... | 28 |
| | 123 | VARIVAX (PF)..... | 98 | VPRIV..... | 87 |
| tri-vitamin with fluoride.. | 123 | VASCEPA..... | 66 | VRAYLAR..... | 56 |
| trivora (28)..... | 108 | VECAMYL..... | 67 | vyfemla (28)..... | 108 |
| TROPHAMINE 10 %..... | 122 | VECTIBIX..... | 28 | W | |
| TROPHAMINE 6%..... | 122 | VELCADE..... | 28 | warfarin..... | 65 |
| tropium..... | 117 | veletri..... | 62 | water for irrigation, sterile | 77 |
| TRULICITY..... | 84 | velivet triphasic regimen (28) | | WELCHOL..... | 66 |
| TRUMENBA..... | 98 | | 108 | wera (28)..... | 108 |
| TRUVADA..... | 6 | VELTASSA..... | 77 | wymzya fe..... | 108 |
| TWINRIX (PF)..... | 98 | VEMLIDY..... | 6 | X | |
| TYBOST..... | 6 | VENCLEXTA..... | 28 | XALKORI..... | 28 |
| TYGACIL..... | 12 | VENCLEXTA STARTING | | XARELTO..... | 65 |
| TYKERB..... | 28 | PACK..... | 28 | XELJANZ..... | 101 |
| TYPHIM VI..... | 98 | venlafaxine..... | 55 | XELJANZ XR..... | 101 |
| TYSABRI..... | 35 | VENTAVIS..... | 116 | XEOMIN..... | 98 |
| TYVASO..... | 116 | VENTOLIN HFA..... | 116 | XERMELO..... | 28 |
| TYVASO INSTITUTIONAL | | verapamil..... | 62 | XGEVA..... | 17 |
| START KIT..... | 116 | VERSACLOZ..... | 55 | XIFAXAN..... | 12 |
| TYVASO REFILL KIT .. | 116 | VESICARE..... | 117 | XIGDUO XR..... | 84 |

| | | | | | |
|-------------------|-----|---------------------------|-----|------------------------|-----|
| XOLAIR | 116 | zenatane..... | 70 | zolpidem..... | 56 |
| XTANDI | 29 | zenchent (28)..... | 108 | ZOMACTON..... | 95 |
| xulane..... | 104 | zenchent fe | 108 | ZOMETA..... | 87 |
| XYREM | 56 | ZENPEP | 91 | zonisamide | 33 |
| Y | | zenzedi | 56 | ZONTIVITY | 65 |
| YERVOY | 29 | ZERBAXA..... | 9 | ZORBTIVE..... | 95 |
| YF-VAX (PF) | 98 | ZERIT | 6 | ZORTRESS..... | 29 |
| YONDELIS..... | 29 | ZETIA..... | 66 | ZOSTAVAX (PF)..... | 98 |
| yuvafem..... | 103 | ZIAGEN..... | 7 | ZOSYN | 14 |
| Z | | zidovudine..... | 7 | ZOSYN IN DEXTROSE | |
| zafirlukast..... | 116 | ZINBRYTA | 36 | (ISO-OSM) | 14 |
| zaleplon..... | 56 | ZINECARD (AS HCL)..... | 17 | zovia 1/35e (28) | 108 |
| ZALTRAP..... | 29 | ZINPLAVA..... | 98 | zovia 1/50e (28) | 108 |
| ZANOSAR..... | 29 | ZIOPTAN (PF) | 111 | ZUBSOLV | 44 |
| zarah..... | 108 | ziprasidone hcl | 56 | ZURAMPIC..... | 99 |
| ZARXIO | 95 | ZIRGAN | 109 | ZYDELIG | 29 |
| ZAVESCA | 87 | zoledronic acid..... | 87 | ZYKADIA | 29 |
| ZELAPAR..... | 34 | zoledronic acid-mannitol- | | ZYLET | 111 |
| ZELBORAF | 29 | water..... | 77 | ZYPREXA RELPREVV . | 56, |
| ZEMAIRA | 77 | ZOLINZA | 29 | 57 | |
| ZEMPLAR..... | 87 | zolmitriptan..... | 34 | ZYTIGA..... | 29 |

Nondiscrimination Notice

MedStar Medicare Choice complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. MedStar Medicare Choice does not exclude people or treat them differently because of race, color, national origin, age, disability, **creed, religious affiliation, ancestry, sex gender, gender identity or expression, or sexual orientation.**

MedStar Medicare Choice:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)

- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact Member Services at **855-222-1041** (TTY users should call **855-250-5604**). Our hours of operation change twice a year. You can call us October 1 through February 14, seven days a week from 8 a.m. to 8 p.m. From February 15 through September 30, you can call us Monday through Friday from 8 a.m. to 8 p.m., and Saturday from 8 a.m. to 3 p.m.

If you believe that MedStar Medicare Choice has failed to provide the services referenced above or has discriminated in another way on the basis of race, color, national origin, age, disability, creed, religious affiliation, ancestry, sex gender, gender identity or expression, or sexual orientation you can file a grievance with: Civil Rights Coordinator, 5233 King Ave., Suite 400, Baltimore, MD 21237-4001; Phone Number: 855-222-1041, Fax: 855-434-8762; Email CivilRightsMedicare@medstar.net

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019, 800-537-7697** (TDD).

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Translation Services

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-222-1041 (TTY: 1-855-250-5604).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያገዝዎት ተዘጋጅተዋል። ወደ ሚከተለው ቁጥር ይደውሉ 1-855-222-1041 (መስማት ለተሳናቸው: 1-855-250-5604)።

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-855-222-1041 (TTY：1-855-250-5604)。

ATTENTION: Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1-855-222-1041 (ATS: 1-855-250-5604).

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-222-1041 (TTY: 1-855-250-5604).

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-855-222-1041 (телетайп: 1-855-250-5604).

ATENÇÃO: Se fala português, encontram-se disponíveis serviços linguísticos, grátis. Ligue para 1-855-222-1041 (TTY: 1-855-250-5604).

ATTENZIONE: In caso la lingua parlata sia l'italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiamare il numero 1-855-222-1041 (TTY: 1-855-250-5604).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-222-1041 (TTY: 1-855-250-5604).

Dè dɛ nià kɛ dyédɛ gbo: ɔ jũ ké m̄ [Bàsɔ̀ò-wùdù-po-nyò] jũ ní, ní, à wuɖu kà kò dò po-poò béin m̄ gbo kpáa. Dá 1-855-222-1041 (TTY: 1-855-250-5604)

Ige nti: O buru na asu Ibo asusu, enyemaka diri gi site na call 1-855-222-1041 (TTY: 1-855-250-5604).

AKIYESI: Ti o ba nso ede Yoruba ofe ni iranlowo lori ede wa fun yin o. E pe ero ibanisoro yi 1-855-222-1041 (TTY: 1-855-250-5604).

লক্ষ্য করুনঃ যদি আপনি বাংলা, কথা বলতে পারেন, তাহলে নিঃখরচায় ভাষা সহায়তা পরিষেবা উপলব্ধ আছে। ফোন করুন 1-855-222-1041 (TTY: 1-855-250-5604)।

注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。1-855-222-1041 (TTY: 1-855-250-5604) まで、お電話にてご連絡ください。

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다.
1-855-222-1041 (TTY: 1-855-250-5604) 번으로 전화해 주십시오.

เรียน: ถ้าคุณพูดภาษาไทยคุณสามารถใช้บริการช่วยเหลือทางภาษาได้ฟรี โทร 1-855-222-1041
(TTY: 1-855-250-5604).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche
Hilfsdienstleistungen zur Verfügung. Rufnummer: 1-855-222-1041 (TTY: 1-855-250-5604).

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1-855-222-1041 (رقم
هاتف الصم والبكم: 1-855-250-5604).

خبردار: اگر آپ اردو بولتے ہیں، تو آپ کو زبان کی مدد کی خدمات مفت میں دستیاب ہیں۔ کال
کریں۔ 1-855-222-1041 (TTY: 1-855-250-5604)۔

توجه: اگر بہ زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما
فراهم می باشد. با 1-855-222-1041 (TTY: 1-855-250-5604) تماس بگیرید.

ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele
1-855-222-1041 (TTY: 1-855-250-5604).

सुचना: જો તમે ગુજરાતી બોલતા હો, તો નિ:શુલ્ક ભાષા સહાય સેવાઓ તમારા માટે ઉપલબ્ધ છે. ફોન
કરો 1-855-222-1041 (TTY: 1-855-250-5604).



MedStar Medicare Choice

5233 King Ave.
Suite 400
Baltimore, MD 21237

**This formulary was updated
on 07/01/2017.**

For more recent information or other questions,
please contact MedStar Medicare Choice
Member Services at **855-222-1041** or,
for TTY users, **855-250-5604** seven days
a week from 8 a.m. to 8 p.m.,* or visit
MedStarMedicareChoice.com.

*Our hours of operation change twice a
year. We are available to take your call:


Oct. 1 through Feb. 14:

Monday through Sunday: 8 a.m. to 8 p.m.

Feb. 15 through Sept. 30:

Monday through Friday: 8 a.m. to 8 p.m.

Saturday: 8 a.m. to 3 p.m.



Comprehensive