



MedStar Medicare
Choice

MedStar Medicare Choice Care Advantage (HMO SNP)
2017 Formulary
(List of Covered Drugs)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.

HPMS Approved Formulary File Submission ID: 00017198, Version Number 13.

This formulary was updated on 05/01/2017. For more recent information or other questions, please contact MedStar Medicare Choice Member Services at **855-222-1041** or, for TTY users, **855-250-5604** seven days a week from 8 a.m. to 8 p.m.,* or visit **MedStarMedicareChoice.com**.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means MedStar Family Choice, Inc. When it refers to “plan” or “our plan,” it means MedStar Medicare Choice Care Advantage (HMO SNP).

This document includes a list of the drugs (formulary) for our plan, which is current as of 05/01/2017. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2018, and from time to time during the year.

This plan is available to anyone with Medicare who has been diagnosed with Chronic Heart Failure and/or Diabetes. MedStar Medicare Choice Care Advantage (HMO SNP) has a contract with Medicare. Enrollment in MedStar Medicare Choice Care Advantage depends on contract renewal.

This document may be available in an alternative format such as Braille, large print or audio; please call Member Services, at **855-222-1041** or, for TTY users, **855-250-5604**, seven days a week from 8 a.m. to 8 p.m.*, or visit **MedStarMedicareChoice.com**.

The Formulary may change at any time. You will receive notice when necessary.

What is the MedStar Medicare Choice Care Advantage (HMO SNP) Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. We will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a MedStar Medicare Choice Care Advantage (HMO SNP) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2017 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2017 coverage year, except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released. Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. We feel it is important that you have continued access, for the remainder of the coverage year, to the formulary drugs that were available when you chose our plan, except for cases in which you can save additional money or we can ensure your safety.

If we remove drugs from our formulary, or add prior authorization, quantity limits, and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 60 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug. The enclosed formulary is current as of 05/01/2017. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages.

If our plan makes non-maintenance drug changes to this formulary that were approved by the Centers for Medicare & Medicaid Services (CMS), we will notify members by mailing errata sheets that list the prescription drug, change made, and the effective date. This will enable members to have the most up-to-date information regarding the covered drugs on our plan's formulary.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 2. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular, Hypertension/Lipids." If you know what your drug is used for, look for the category name in the list that begins on page 2. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 124. The Index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredients as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, our plan provides 30 tablets a month per prescription for Lansoprazole. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 2. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section "How do I request an exception to the MedStar Medicare Choice Care Advantage (HMO SNP) formulary?" on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the MedStar Medicare Choice Care Advantage (HMO SNP) Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug, or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary, but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (unless you have a prescription written for fewer days) when you go to a network pharmacy. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility, we will allow you to refill your prescription until we have provided you with up to a 98-day transition supply, consistent with dispensing increment, (unless you have a prescription written for fewer days). We will cover more than one refill of these drugs for the first 90 days you are a member of our plan. If you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

In addition, all members who experience a level-of-care change are eligible for a transition supply. A level-of-care change is when a member changes from one treatment setting to another. For example, if a member is discharged from an inpatient facility to home on a non-formulary medication, the member will be eligible for a transition supply of that non-formulary medication. You can receive up to a 30-day supply of the medication (unless you have a prescription written for fewer days) after being discharged, to allow time for you and your physician to switch to a formulary alternative or request an exception. After your first 30-day supply, we will not pay for the drug, unless an exception was approved. Our transition policy applies only to those drugs that are “Part D drugs.” The transition policy cannot be used to cover non-Part D drugs.

For more information

For more detailed information about your MedStar Medicare Choice Care Advantage (HMO SNP) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227), 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

MedStar Medicare Choice Care Advantage (HMO SNP) Formulary

The formulary that begins on page 2 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 124.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., VENTOLIN HFA) and generic drugs are listed in lower case italics (e.g., *bupropion*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

Formulary Drug Tiers

The formulary drug tier table provides the tier description (e.g., preferred generic) and member cost-sharing for prescription drugs on each drug tier. Please refer to the table on the next page based on the plan you are a member of, MedStar Medicare Choice Care Advantage (HMO SNP). For additional information on your plan, please refer to the Evidence of Coverage, or contact Member Services, at **855-222-1041**, or for TTY users, **855-250-5604**, seven days a week from 8 a.m. to 8 p.m.,* or visit **MedStarMedicareChoice.com**.

MedStar Medicare Choice Care Advantage (HMO SNP) drug tiers and cost-sharing amounts after the annual deductible of \$200 (Excludes Tier 1, 2 & 6) for 2017:

MedStar Medicare Choice Care Advantage (HMO SNP)

Drug Tier Number	Drug Tier Description	Member Cost-Sharing (30, 60, or 90-day supply) Retail	Member Cost-Sharing (30, 60, or 90-day supply) Mail-order
1	Preferred Generic drug tier	<ul style="list-style-type: none"> • \$4 copayment for a 30-day retail supply • \$8 copayment for a 60-day retail supply • \$12 copayment for a 90-day retail supply 	<ul style="list-style-type: none"> • \$4 copayment for a 30-day mail-order supply • \$8 copayment for a 60-day mail-order supply • \$10 copayment for a 90-day mail-order supply
2	Generic drug tier	<ul style="list-style-type: none"> • \$15 copayment for a 30-day retail supply • \$30 copayment for a 60-day retail supply • \$45 copayment for a 90-day retail supply 	<ul style="list-style-type: none"> • \$15 copayment for a 30-day mail-order supply • \$30 copayment for a 60-day mail-order supply • \$37.50 copayment for a 90-day mail-order supply
3	Preferred Brand drug tier	<ul style="list-style-type: none"> • \$47 copayment for a 30-day retail supply • \$94 copayment for a 60-day retail supply • \$141 copayment for a 90-day retail supply 	<ul style="list-style-type: none"> • \$47 copayment for a 30-day mail-order supply • \$94 copayment for a 60-day mail-order supply • \$117.50 copayment for a 90-day mail-order supply
4	Non-Preferred Brand drug tier	<ul style="list-style-type: none"> • \$100 copayment for a 30-day retail supply • \$200 copayment for a 60-day retail supply • \$300 copayment for a 90-day retail supply 	<ul style="list-style-type: none"> • \$100 copayment for a 30-day mail-order supply • \$200 copayment for a 60-day mail-order supply • \$250 copayment for a 90-day mail-order supply
5	Specialty drug tier	<ul style="list-style-type: none"> • 29% coinsurance for a maximum 30-day retail supply (only) 	<ul style="list-style-type: none"> • 29% coinsurance for a maximum 30-day mail-order supply (only)
6	Diabetic drug tier	<ul style="list-style-type: none"> • \$10 copayment for a 30-day retail supply • \$20 copayment for a 60-day retail supply • \$30 copayment for a 90-day retail supply 	<ul style="list-style-type: none"> • \$10 copayment for a 30-day mail-order supply • \$20 copayment for a 60-day mail-order supply • \$25 copayment for a 90-day mail-order supply

NOTE: Drugs are provided in a Long-Term Care Facility for up to a 31-day supply

Below is a list of abbreviations that may appear on the following pages in the Requirements/Limits column that tells you if there are any special requirements for coverage of your drug.

List of Abbreviations

B/D: This prescription drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

LA: Limited Availability. This prescription may be available only at certain pharmacies. For more information, please call Customer Service.

MO: Mail-Order Drug. This prescription drug is available through our mail-order service, as well as through our retail network pharmacies. Consider using mail order for your long-term (maintenance) medications (such as high blood pressure medications). Retail network pharmacies may be more appropriate for short-term prescriptions (such as antibiotics).

PA: Prior Authorization. The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval before you fill your prescriptions. If you don't get approval, we may not cover the drug.

QL: Quantity Limit. For certain drugs, the Plan limits the amount of the drug that we will cover.

ST: Step Therapy. In some cases, the Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

Drug Name	Drug Tier	Requirements/Limits
ANTI - INFECTIVES		
ANTIFUNGAL AGENTS		
ABELCET INTRAVENOUS SUSPENSION	5	B/D; MO
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION	5	B/D; MO
<i>amphotericin b injection recon soln</i>	4	B/D; MO
CANCIDAS INTRAVENOUS RECON SOLN	5	B/D; MO
<i>clotrimazole mucous membrane troche</i>	2	MO
CRESEMBA INTRAVENOUS RECON SOLN	5	
CRESEMBA ORAL CAPSULE	5	MO
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN	4	MO
<i>fluconazole in dextrose(iso-o) intravenous piggyback</i>	2	
FLUCONAZOLE IN NACL (ISO-OSM) INTRAVENOUS PIGGYBACK 100 MG/50 ML	2	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i>	2	MO
<i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution</i>	2	MO
<i>fluconazole oral tablet</i>	2	MO
<i>flucytosine oral capsule</i>	5	MO
<i>griseofulvin microsize oral suspension</i>	4	MO
<i>griseofulvin microsize oral tablet</i>	4	MO
<i>griseofulvin ultramicrosize oral tablet</i>	4	MO
<i>itraconazole oral capsule</i>	4	PA; MO; QL (120 per 30 days)
<i>ketoconazole oral tablet</i>	2	MO
MYCAMINE INTRAVENOUS RECON SOLN	5	MO
NOXAFIL INTRAVENOUS SOLUTION	5	PA
NOXAFIL ORAL SUSPENSION	5	PA; MO
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC)	5	PA; MO; QL (93 per 30 days)
<i>nystatin oral suspension</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>nystatin oral tablet</i>	2	MO
ONMEL ORAL TABLET	4	PA; MO; QL (30 per 30 days)
<i>terbinafine hcl oral tablet</i>	1	MO
<i>voriconazole intravenous solution</i>	2	MO
<i>voriconazole oral suspension for reconstitution</i>	5	MO
<i>voriconazole oral tablet</i>	5	MO
ANTIVIRALS		
<i>abacavir oral tablet</i>	2	MO
<i>abacavir-lamivudine oral tablet</i>	5	MO
<i>abacavir-lamivudine-zidovudine oral tablet</i>	5	MO
<i>acyclovir oral capsule</i>	1	MO
<i>acyclovir oral suspension 200 mg/5 ml</i>	4	MO
<i>acyclovir oral tablet</i>	2	MO
<i>acyclovir sodium intravenous solution</i>	2	B/D; MO
<i>adefovir oral tablet</i>	5	PA; MO
<i>amantadine hcl oral capsule</i>	3	MO
<i>amantadine hcl oral solution</i>	3	MO
<i>amantadine hcl oral tablet</i>	3	MO
APTIVUS ORAL CAPSULE	5	MO
APTIVUS ORAL SOLUTION	5	
ATRIPLA ORAL TABLET	5	MO
BARACLUDE ORAL SOLUTION	4	PA; MO
<i>cidofovir intravenous solution</i>	5	B/D; MO
COMPLERA ORAL TABLET	5	MO
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	3	MO
DESCOVY ORAL TABLET	5	MO
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg</i>	2	
<i>didanosine oral capsule, delayed release(dr/ec) 200 mg, 250 mg, 400 mg</i>	2	MO
EDURANT ORAL TABLET	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
EMTRIVA ORAL CAPSULE	3	MO
EMTRIVA ORAL SOLUTION	3	MO
<i>entecavir oral tablet</i>	5	PA; MO
EPCLUSA ORAL TABLET	5	PA; MO; QL (28 per 28 days)
EPIVIR HBV ORAL SOLUTION	4	PA; MO
EPZICOM ORAL TABLET	5	MO
EVOTAZ ORAL TABLET	5	MO
<i>famciclovir oral tablet</i>	2	MO
<i>foscarnet intravenous solution</i>	2	B/D
FUZEON SUBCUTANEOUS RECON SOLN	5	MO
<i>ganciclovir sodium intravenous recon soln</i>	2	B/D; MO
GENVOYA ORAL TABLET	5	MO
HARVONI ORAL TABLET	5	PA; MO; QL (28 per 28 days)
INTELENCE ORAL TABLET 100 MG, 200 MG	5	MO
INTELENCE ORAL TABLET 25 MG	4	MO
INVIRASE ORAL CAPSULE	4	MO
INVIRASE ORAL TABLET	5	MO
ISENTRESS ORAL POWDER IN PACKET	3	MO
ISENTRESS ORAL TABLET	5	MO
ISENTRESS ORAL TABLET,CHEWABLE	3	MO
KALETRA ORAL SOLUTION	5	MO
KALETRA ORAL TABLET 100-25 MG	4	MO
KALETRA ORAL TABLET 200-50 MG	5	MO
<i>lamivudine oral solution</i>	2	MO
<i>lamivudine oral tablet 100 mg</i>	2	PA; MO
<i>lamivudine oral tablet 150 mg, 300 mg</i>	2	MO
<i>lamivudine-zidovudine oral tablet</i>	4	MO
LEXIVA ORAL SUSPENSION	4	MO
LEXIVA ORAL TABLET	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>lopinavir-ritonavir oral solution</i>	4	MO
<i>moderiba dose pack oral tablets,dose pack</i>	5	MO
<i>moderiba oral tablet</i>	2	MO
<i>nevirapine oral suspension</i>	2	MO
<i>nevirapine oral tablet</i>	2	MO
<i>nevirapine oral tablet extended release 24 hr</i>	2	MO
NORVIR ORAL CAPSULE	4	MO
NORVIR ORAL SOLUTION	4	MO
NORVIR ORAL TABLET	4	MO
ODEFSEY ORAL TABLET	5	MO
<i>oseltamivir oral capsule 30 mg</i>	3	MO; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg, 75 mg</i>	3	MO; QL (42 per 180 days)
PREZCOBIX ORAL TABLET	5	MO
PREZISTA ORAL SUSPENSION	4	MO
PREZISTA ORAL TABLET 150 MG, 75 MG	4	MO
PREZISTA ORAL TABLET 600 MG, 800 MG	5	MO
REBETOL ORAL SOLUTION	5	MO
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE	3	MO; QL (120 per 365 days)
RESCRIPTOR ORAL TABLET	4	MO
RESCRIPTOR ORAL TABLET, DISPERSIBLE	4	MO
RETROVIR INTRAVENOUS SOLUTION	4	MO
REYATAZ ORAL CAPSULE 150 MG, 200 MG, 300 MG	5	MO
REYATAZ ORAL POWDER IN PACKET	5	MO
<i>ribasphere oral capsule</i>	2	MO
<i>ribasphere oral tablet 200 mg, 400 mg</i>	4	MO
<i>ribasphere oral tablet 600 mg</i>	5	MO
<i>ribasphere ribapak oral tablets,dose pack 200 mg (28)- 400 mg (28)</i>	5	MO
<i>ribasphere ribapak oral tablets,dose pack 200 mg (7)- 400 mg (7)</i>	5	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>ribavirin inhalation recon soln</i>	5	
<i>ribavirin oral capsule</i>	2	MO
<i>ribavirin oral tablet 200 mg</i>	2	MO
<i>rimantadine oral tablet</i>	2	MO
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	MO
SELZENTRY ORAL TABLET 25 MG	4	MO
SOVALDI ORAL TABLET	5	PA; MO; QL (30 per 30 days)
<i>stavudine oral capsule</i>	2	MO
STRIBILD ORAL TABLET	5	MO
SUSTIVA ORAL CAPSULE	4	MO
SUSTIVA ORAL TABLET	5	MO
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML	5	PA; MO
SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML	5	PA; MO; LA
TAMIFLU ORAL CAPSULE 30 MG	3	MO; QL (84 per 180 days)
TAMIFLU ORAL CAPSULE 45 MG, 75 MG	3	MO; QL (42 per 180 days)
TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION	3	MO; QL (525 per 180 days)
TIVICAY ORAL TABLET 10 MG	4	MO
TIVICAY ORAL TABLET 25 MG, 50 MG	5	MO
TRIUMEQ ORAL TABLET	5	MO
TRUVADA ORAL TABLET	5	MO
TYBOST ORAL TABLET	3	MO
<i>valacyclovir oral tablet</i>	2	MO
VALCYTE ORAL RECON SOLN	5	MO
<i>valganciclovir oral recon soln</i>	5	MO
<i>valganciclovir oral tablet</i>	5	MO
VEMLIDY ORAL TABLET	5	PA; MO
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN	4	MO
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
VIRACEPT ORAL TABLET	5	MO
VIRAZOLE INHALATION RECON SOLN	5	MO
VIREAD ORAL POWDER	5	MO
VIREAD ORAL TABLET	5	MO
ZERIT ORAL RECON SOLN	4	MO
ZIAGEN ORAL SOLUTION	4	MO
<i>zidovudine oral capsule</i>	2	MO
<i>zidovudine oral syrup</i>	2	MO
<i>zidovudine oral tablet</i>	2	MO
CEPHALOSPORINS		
AVYCAZ INTRAVENOUS RECON SOLN	5	MO
<i>cefaclor oral capsule</i>	2	MO
<i>cefaclor oral tablet extended release 12 hr</i>	2	MO
<i>cefadroxil oral capsule</i>	2	MO
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	MO
<i>cefadroxil oral tablet</i>	2	MO
<i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	2	MO
CEFAZOLIN IN DEXTROSE (ISO-OS) INTRAVENOUS PIGGYBACK 2 GRAM/100 ML	2	
<i>cefazolin injection recon soln 1 gram, 500 mg</i>	2	MO
<i>cefazolin injection recon soln 10 gram, 100 gram, 20 gram, 300 g</i>	2	
<i>cefazolin intravenous recon soln</i>	2	
<i>cefdinir oral capsule</i>	2	MO
<i>cefdinir oral suspension for reconstitution</i>	2	MO
CEFEPIME IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK	3	MO
<i>cefepime in dextrose,iso-osm intravenous piggyback 1 gram/50 ml</i>	3	
<i>cefepime in dextrose,iso-osm intravenous piggyback 2 gram/100 ml</i>	3	MO
<i>cefepime injection recon soln</i>	3	MO
<i>cefotaxime injection recon soln 1 gram, 2 gram, 500 mg</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>cefotaxime injection recon soln 10 gram</i>	2	MO
CEFOTETAN IN DEXTROSE, ISO-OSM INTRAVENOUS PIGGYBACK	2	
<i>cefotetan injection recon soln</i>	2	
<i>cefotetan intravenous recon soln</i>	2	
<i>cefoxitin in dextrose, iso-osm intravenous piggyback</i>	2	
<i>cefoxitin intravenous recon soln 1 gram, 2 gram</i>	2	MO
<i>cefoxitin intravenous recon soln 10 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution</i>	4	MO
<i>cefpodoxime oral tablet</i>	4	MO
<i>cefprozil oral suspension for reconstitution</i>	2	MO
<i>cefprozil oral tablet</i>	2	MO
CEFTAZIDIME IN D5W INTRAVENOUS PIGGYBACK	2	
<i>ceftazidime injection recon soln 1 gram, 2 gram</i>	2	MO
<i>ceftazidime injection recon soln 6 gram</i>	2	
<i>ceftibuten oral capsule</i>	2	MO
<i>ceftibuten oral suspension for reconstitution</i>	2	MO
<i>ceftriaxone in dextrose, iso-os intravenous piggyback</i>	2	MO
<i>ceftriaxone injection recon soln 1 gram, 2 gram, 250 mg, 500 mg</i>	2	MO
<i>ceftriaxone injection recon soln 10 gram</i>	4	
CEFTRIAZONE INJECTION RECON SOLN 100 GRAM	4	
<i>ceftriaxone intravenous recon soln</i>	2	MO
<i>cefuroxime axetil oral tablet</i>	2	MO
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	MO
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	2	MO
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	MO
<i>cephalexin oral capsule 750 mg</i>	4	MO
<i>cephalexin oral suspension for reconstitution</i>	1	MO
<i>cephalexin oral tablet</i>	1	MO
FORTAZ IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK	4	
FORTAZ INJECTION RECON SOLN 1 GRAM, 2 GRAM	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
FORTAZ INTRAVENOUS RECON SOLN	4	
SUPRAX ORAL CAPSULE	4	MO
SUPRAX ORAL TABLET,CHEWABLE	4	MO
TEFLARO INTRAVENOUS RECON SOLN 400 MG	4	MO
TEFLARO INTRAVENOUS RECON SOLN 600 MG	5	MO
ZERBAXA INTRAVENOUS RECON SOLN	5	
ERYTHROMYCINS / OTHER MACROLIDES		
<i>azithromycin intravenous recon soln</i>	2	MO
<i>azithromycin oral packet</i>	2	MO
<i>azithromycin oral suspension for reconstitution</i>	2	MO
<i>azithromycin oral tablet</i>	2	MO
<i>clarithromycin oral suspension for reconstitution</i>	3	MO
<i>clarithromycin oral tablet</i>	2	MO
<i>clarithromycin oral tablet extended release 24 hr</i>	2	MO
DIFICID ORAL TABLET	5	ST; MO; QL (20 per 10 days)
<i>e.e.s. 400 oral tablet</i>	4	MO
E.E.S. GRANULES ORAL SUSPENSION FOR RECONSTITUTION	4	MO
ERYPED 200 ORAL SUSPENSION FOR RECONSTITUTION	4	MO
ERYPED 400 ORAL SUSPENSION FOR RECONSTITUTION	4	MO
<i>ery-tab oral tablet,delayed release (dr/ec) 250 mg, 333 mg</i>	4	MO
ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 500 MG	4	MO
<i>erythrocin (as stearate) oral tablet 250 mg</i>	4	MO
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG	4	MO
<i>erythromycin ethylsuccinate oral suspension for reconstitution</i>	4	MO
<i>erythromycin ethylsuccinate oral tablet</i>	4	MO
<i>erythromycin oral capsule,delayed release(dr/ec)</i>	2	MO
<i>erythromycin oral tablet</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
MISCELLANEOUS ANTIINFECTIVES		
ALBENZA ORAL TABLET	3	MO
ALINIA ORAL SUSPENSION FOR RECONSTITUTION	4	MO
ALINIA ORAL TABLET	4	MO; QL (40 per 30 days)
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	3	MO
<i>atovaquone oral suspension</i>	5	MO
<i>atovaquone-proguanil oral tablet</i>	2	MO
AZACTAM IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2 GRAM/50 ML	4	
AZACTAM INJECTION RECON SOLN 2 GRAM	4	MO
<i>aztreonam injection recon soln</i>	4	MO
<i>baciiim intramuscular recon soln</i>	2	
<i>bacitracin intramuscular recon soln</i>	2	MO
BETHKIS INHALATION SOLUTION FOR NEBULIZATION	5	B/D; MO; QL (224 per 56 days)
BILTRICIDE ORAL TABLET	3	MO
CAPASTAT INJECTION RECON SOLN	4	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION	5	MO; LA; QL (84 per 56 days)
<i>chloramphenicol sod succinate intravenous recon soln</i>	2	
<i>chloroquine phosphate oral tablet</i>	2	MO
<i>clindamycin hcl oral capsule</i>	2	MO
<i>clindamycin in 5 % dextrose intravenous piggyback</i>	2	MO
<i>clindamycin palmitate hcl oral recon soln</i>	2	MO
<i>clindamycin pediatric oral recon soln</i>	2	
COARTEM ORAL TABLET	3	MO
<i>colistin (colistimethate na) injection recon soln</i>	2	MO
CUBICIN INTRAVENOUS RECON SOLN	5	MO
CUBICIN RF INTRAVENOUS RECON SOLN	5	
DALVANCE INTRAVENOUS SOLUTION	5	MO
DAPSONE ORAL TABLET	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>daptomycin intravenous recon soln</i>	5	MO
DARAPRIM ORAL TABLET	4	MO
DORIBAX INTRAVENOUS RECON SOLN	4	
DORIPENEM INTRAVENOUS RECON SOLN	4	
<i>ethambutol oral tablet</i>	2	MO
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml</i>	2	MO
GENTAMICIN IN NAACL (ISO-OSM) INTRAVENOUS PIGGYBACK 100 MG/50 ML, 120 MG/100 ML	2	
<i>gentamicin in nacl (iso-osm) intravenous piggyback 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	2	
<i>gentamicin injection solution 40 mg/ml</i>	2	MO
<i>hydroxychloroquine oral tablet</i>	2	MO
<i>imipenem-cilastatin intravenous recon soln</i>	2	MO
INVANZ INJECTION RECON SOLN	4	MO
INVANZ INTRAVENOUS RECON SOLN	4	
<i>isoniazid injection solution</i>	2	
<i>isoniazid oral solution</i>	1	MO
<i>isoniazid oral tablet</i>	1	MO
<i>ivermectin oral tablet</i>	2	MO
LINCOICIN INJECTION SOLUTION	4	MO
<i>lincomycin injection solution</i>	4	
<i>linezolid intravenous parenteral solution</i>	5	
<i>linezolid oral suspension for reconstitution</i>	5	MO
<i>linezolid oral tablet</i>	5	MO
<i>linezolid-0.9% sodium chloride intravenous parenteral solution</i>	5	
<i>mefloquine oral tablet</i>	2	MO
<i>meropenem intravenous recon soln</i>	2	MO
MEROPENEM-0.9% SODIUM CHLORIDE INTRAVENOUS PIGGYBACK	2	
<i>metro i.v. intravenous piggyback</i>	2	MO
<i>metronidazole in nacl (iso-os) intravenous piggyback</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>metronidazole oral capsule</i>	3	MO
<i>metronidazole oral tablet</i>	2	MO
NEBUPENT INHALATION RECON SOLN	4	B/D; MO
<i>neomycin oral tablet</i>	2	MO
ORBACTIV INTRAVENOUS RECON SOLN	5	MO
<i>paromomycin oral capsule</i>	2	MO
PASER ORAL GRANULES DR FOR SUSP IN PACKET	4	MO
PENTAM INJECTION RECON SOLN	4	MO
<i>polymyxin b sulfate injection recon soln</i>	2	MO
PRIFTIN ORAL TABLET	4	MO
PRIMAQUINE ORAL TABLET	3	MO
<i>pyrazinamide oral tablet</i>	2	MO
<i>quinine sulfate oral capsule</i>	2	PA; MO
<i>rifabutin oral capsule</i>	4	MO
RIFAMATE ORAL CAPSULE	4	MO
<i>rifampin intravenous recon soln</i>	2	MO
<i>rifampin oral capsule</i>	2	MO
RIFATER ORAL TABLET	4	MO
SIRTURO ORAL TABLET	5	PA; MO; LA
SIVEXTRO INTRAVENOUS RECON SOLN	5	QL (6 per 30 days)
SIVEXTRO ORAL TABLET	5	MO; QL (6 per 30 days)
STREPTOMYCIN INTRAMUSCULAR RECON SOLN	4	MO
SYNERCID INTRAVENOUS RECON SOLN	5	
TIGECYCLINE INTRAVENOUS RECON SOLN	5	
<i>tinidazole oral tablet</i>	3	MO
TOBI PODHALER INHALATION CAPSULE	5	QL (224 per 56 days)
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE	5	MO; QL (224 per 56 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization</i>	5	B/D; MO; QL (280 per 56 days)
<i>tobramycin sulfate injection recon soln</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>tobramycin sulfate injection solution</i>	2	MO
TRECTOR ORAL TABLET	4	MO
TYGACIL INTRAVENOUS RECON SOLN	5	MO
XIFAXAN ORAL TABLET 200 MG	4	MO; QL (9 per 3 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; MO; QL (60 per 30 days)
PENICILLINS		
<i>amoxicillin oral capsule</i>	1	MO
<i>amoxicillin oral suspension for reconstitution</i>	1	MO
<i>amoxicillin oral tablet</i>	1	MO
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	MO
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i>	2	MO
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>	4	MO
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	4	MO
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	2	MO
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr</i>	4	MO
<i>amoxicillin-pot clavulanate oral tablet, chewable</i>	2	MO
<i>ampicillin oral capsule</i>	2	MO
<i>ampicillin oral suspension for reconstitution</i>	2	MO
<i>ampicillin sodium injection recon soln</i>	2	MO
<i>ampicillin sodium intravenous recon soln</i>	2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 3 gram</i>	2	MO
<i>ampicillin-sulbactam injection recon soln 15 gram</i>	2	
BICILLIN C-R INTRAMUSCULAR SYRINGE	4	MO
BICILLIN L-A INTRAMUSCULAR SYRINGE	4	MO
<i>dicloxacillin oral capsule</i>	2	MO
<i>naftcillin in dextrose iso-osm intravenous piggyback 1 gram/50 ml</i>	4	
<i>naftcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i>	4	MO
<i>naftcillin injection recon soln 1 gram, 2 gram</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>nafcillin injection recon soln 10 gram</i>	5	MO
<i>nafcillin intravenous recon soln</i>	4	MO
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml</i>	2	
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 2 gram/50 ml</i>	5	MO
<i>oxacillin injection recon soln 1 gram</i>	2	
<i>oxacillin injection recon soln 10 gram</i>	5	
<i>oxacillin injection recon soln 2 gram</i>	2	MO
<i>oxacillin intravenous recon soln</i>	2	
PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 1 MILLION UNIT/50 ML, 2 MILLION UNIT/50 ML	4	
PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 3 MILLION UNIT/50 ML	4	MO
<i>penicillin g potassium injection recon soln</i>	2	MO
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml</i>	2	MO
<i>penicillin g procaine intramuscular syringe 600,000 unit/ml</i>	2	
<i>penicillin g sodium injection recon soln</i>	5	MO
<i>penicillin v potassium oral recon soln</i>	1	MO
<i>penicillin v potassium oral tablet</i>	1	MO
<i>pfizerpen-g injection recon soln</i>	2	
PIPERACILLIN-TAZOBACTAM INTRAVENOUS RECON SOLN 13.5 GRAM	4	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	4	MO
ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 2.25 GRAM/50 ML	4	
ZOSYN IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 3.375 GRAM/50 ML, 4.5 GRAM/100 ML	4	MO
ZOSYN INTRAVENOUS RECON SOLN 2.25 GRAM, 3.375 GRAM	4	MO
QUINOLONES		
AVELOX IN NACL (ISO-OSMOTIC) INTRAVENOUS PIGGYBACK	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg</i>	2	MO; QL (14 per 30 days)
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 500 mg</i>	2	MO; QL (28 per 30 days)
<i>ciprofloxacin hcl oral tablet</i>	1	MO
<i>ciprofloxacin in 5 % dextrose intravenous piggyback</i>	2	MO
<i>ciprofloxacin lactate intravenous solution 200 mg/20 ml</i>	2	MO
<i>ciprofloxacin lactate intravenous solution 400 mg/40 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml</i>	2	
<i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i>	2	MO
<i>levofloxacin intravenous solution</i>	2	MO
<i>levofloxacin oral solution</i>	3	MO
<i>levofloxacin oral tablet</i>	2	MO
<i>moxifloxacin oral tablet</i>	3	MO
MOXIFLOXACIN-SOD.ACE,SUL-WATER INTRAVENOUS PIGGYBACK	4	
<i>ofloxacin oral tablet 300 mg</i>	2	
<i>ofloxacin oral tablet 400 mg</i>	2	MO
SULFA'S / RELATED AGENTS		
<i>sulfadiazine oral tablet</i>	2	MO
<i>sulfamethoxazole-trimethoprim intravenous solution</i>	2	MO
<i>sulfamethoxazole-trimethoprim oral suspension</i>	1	MO
<i>sulfamethoxazole-trimethoprim oral tablet</i>	1	MO
TETRACYCLINES		
<i>doxy-100 intravenous recon soln</i>	2	MO
<i>doxycycline hyclate oral capsule 100 mg</i>	4	MO
<i>doxycycline hyclate oral capsule 50 mg</i>	3	MO
<i>doxycycline hyclate oral tablet 100 mg</i>	4	MO
<i>doxycycline hyclate oral tablet 20 mg</i>	2	MO
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	2	MO
<i>doxycycline monohydrate oral suspension for reconstitution</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline monohydrate oral tablet 100 mg, 150 mg</i>	4	MO
<i>doxycycline monohydrate oral tablet 50 mg, 75 mg</i>	2	MO
<i>minocycline oral capsule</i>	2	MO
<i>mondoxyne nl oral capsule 100 mg, 50 mg</i>	2	MO
<i>morgidox oral capsule 100 mg</i>	4	MO
<i>morgidox oral capsule 50 mg</i>	3	
<i>tetracycline oral capsule</i>	4	MO
VIBRAMYCIN ORAL SYRUP	4	MO
URINARY TRACT AGENTS		
<i>methenamine hippurate oral tablet</i>	2	MO
<i>methenamine mandelate oral tablet</i>	2	MO
MONUROL ORAL PACKET	4	MO
<i>nitrofurantoin macrocrystal oral capsule 100 mg</i>	2	MO; QL (90 per 365 days)
<i>nitrofurantoin macrocrystal oral capsule 50 mg</i>	2	MO; QL (180 per 365 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule</i>	2	MO; QL (90 per 365 days)
<i>trimethoprim oral tablet</i>	2	MO
VANCOMYCIN		
VANCOMYCIN IN 0.9% SODIUM CL INTRAVENOUS PIGGYBACK	3	
VANCOMYCIN IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK 1 GRAM/200 ML	3	MO
VANCOMYCIN IN DEXTROSE 5 % INTRAVENOUS PIGGYBACK 500 MG/100 ML, 750 MG/150 ML	3	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg</i>	3	MO
VANCOMYCIN INTRAVENOUS RECON SOLN 750 MG	3	MO
<i>vancomycin oral capsule</i>	5	MO
VIBATIV INTRAVENOUS RECON SOLN 750 MG	5	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS		
ADJUNCTIVE AGENTS		
<i>amifostine crystalline intravenous recon soln</i>	2	MO
<i>dexrazoxane hcl intravenous recon soln 250 mg</i>	5	
<i>dexrazoxane hcl intravenous recon soln 500 mg</i>	5	MO
ELITEK INTRAVENOUS RECON SOLN	5	MO
FUSILEV INTRAVENOUS RECON SOLN	5	MO
KEPIVANCE INTRAVENOUS RECON SOLN	5	LA
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg</i>	2	MO
<i>leucovorin calcium injection recon soln 500 mg</i>	2	
<i>leucovorin calcium oral tablet</i>	2	MO
LEVOLEUCOVORIN INTRAVENOUS RECON SOLN 175 MG	5	
<i>levoleucovorin intravenous recon soln 50 mg</i>	5	
LEVOLEUCOVORIN INTRAVENOUS SOLUTION	5	
<i>mesna intravenous solution</i>	2	MO
MESNEX ORAL TABLET	4	MO
XGEVA SUBCUTANEOUS SOLUTION	5	PA; MO; QL (1.7 per 28 days)
ZINECARD (AS HCL) INTRAVENOUS RECON SOLN 250 MG	5	MO
ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION	5	MO
<i>adriamycin intravenous solution</i>	2	
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	2	B/D
<i>adrucil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i>	2	B/D; MO
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION	5	PA; MO
AFINITOR ORAL TABLET 10 MG	5	PA; MO; QL (30 per 30 days)
AFINITOR ORAL TABLET 2.5 MG	5	PA; MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
AFINITOR ORAL TABLET 5 MG, 7.5 MG	5	PA; MO; QL (60 per 30 days)
ALECENSA ORAL CAPSULE	5	PA; MO; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN	5	MO
ALKERAN ORAL TABLET	3	B/D; MO
<i>anastrozole oral tablet</i>	2	MO
ARRANON INTRAVENOUS SOLUTION	5	
ARZERRA INTRAVENOUS SOLUTION	5	B/D; MO
AVASTIN INTRAVENOUS SOLUTION	5	MO
<i>azacitidine injection recon soln</i>	5	MO
<i>azathioprine oral tablet</i>	2	B/D; MO
<i>azathioprine sodium injection recon soln</i>	2	B/D
BELEODAQ INTRAVENOUS RECON SOLN	5	MO
BENDEKA INTRAVENOUS SOLUTION	5	MO
<i>bexarotene oral capsule</i>	5	PA; MO
<i>bicalutamide oral tablet</i>	2	MO
BICNU INTRAVENOUS RECON SOLN	4	MO
<i>bleo 15k injection recon soln</i>	2	B/D
<i>bleomycin injection recon soln</i>	2	B/D; MO
BLINCYTO INTRAVENOUS KIT	5	B/D; MO
BOSULIF ORAL TABLET 100 MG	5	PA; MO; QL (180 per 30 days)
BOSULIF ORAL TABLET 500 MG	5	PA; MO; QL (60 per 30 days)
BUSULFEX INTRAVENOUS SOLUTION	5	
CABOMETYX ORAL TABLET 20 MG	5	PA; MO; LA; QL (90 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA; MO; LA; QL (60 per 30 days)
CABOMETYX ORAL TABLET 60 MG	5	PA; MO; LA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
CAPRELSA ORAL TABLET 100 MG	3	PA; MO; LA; QL (90 per 30 days)
CAPRELSA ORAL TABLET 300 MG	3	PA; MO; LA; QL (30 per 30 days)
<i>carboplatin intravenous solution</i>	2	MO
CELLCEPT INTRAVENOUS RECON SOLN	4	B/D; MO
<i>cisplatin intravenous solution</i>	2	MO
<i>cladribine intravenous solution</i>	5	B/D; MO
CLOLAR INTRAVENOUS SOLUTION	5	
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3)	5	PA; MO; QL (112 per 28 days)
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	5	PA; MO; QL (252 per 28 days)
COTELLIC ORAL TABLET	5	PA; MO; LA; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln</i>	4	MO
CYCLOPHOSPHAMIDE ORAL CAPSULE	4	B/D; MO
<i>cyclosporine intravenous solution</i>	2	B/D
<i>cyclosporine modified oral capsule</i>	2	B/D; MO
<i>cyclosporine modified oral solution</i>	2	B/D; MO
<i>cyclosporine oral capsule</i>	2	B/D; MO
CYRAMZA INTRAVENOUS SOLUTION	5	B/D; MO
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	B/D; MO
<i>cytarabine (pf) injection solution 20 mg/ml</i>	2	B/D
<i>cytarabine injection solution</i>	2	B/D; MO
<i>dacarbazine intravenous recon soln</i>	2	MO
DARZALEX INTRAVENOUS SOLUTION	5	MO; LA
<i>daunorubicin intravenous solution</i>	2	
<i>decitabine intravenous recon soln</i>	5	MO
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 20 mg/2 ml (10 mg/ml)</i>	5	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	MO
<i>doxorubicin intravenous recon soln</i>	2	
<i>doxorubicin intravenous solution</i>	2	MO
<i>doxorubicin, peg-liposomal intravenous suspension</i>	5	MO
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE	4	PA; MO; QL (1 per 84 days)
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE	4	PA; MO; QL (1 per 112 days)
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE	4	PA; MO; QL (1 per 168 days)
ELIGARD SUBCUTANEOUS SYRINGE	4	PA; MO; QL (1 per 28 days)
EMCYT ORAL CAPSULE	4	PA; MO
EMPLICITI INTRAVENOUS RECON SOLN	5	B/D; MO
<i>epirubicin intravenous solution 200 mg/100 ml</i>	2	
<i>epirubicin intravenous solution 50 mg/25 ml</i>	2	MO
ERBITUX INTRAVENOUS SOLUTION	5	MO
ERIVEDGE ORAL CAPSULE	5	PA; MO; QL (30 per 30 days)
ERWINAZE INJECTION RECON SOLN	5	MO
ETOPOPHOS INTRAVENOUS RECON SOLN	4	MO
<i>etoposide intravenous solution</i>	2	MO
<i>exemestane oral tablet</i>	4	MO
FARESTON ORAL TABLET	5	PA; MO
FARYDAK ORAL CAPSULE 10 MG, 15 MG	5	PA; MO; QL (12 per 21 days)
FARYDAK ORAL CAPSULE 20 MG	5	PA; MO; QL (6 per 21 days)
FASLODEX INTRAMUSCULAR SYRINGE	5	MO
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA; MO; QL (4 per 365 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	4	PA; MO; QL (12 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>floxuridine injection recon soln</i>	2	
<i>fludarabine intravenous recon soln</i>	2	MO
<i>fludarabine intravenous solution</i>	2	
<i>fluorouracil intravenous solution</i>	2	B/D; MO
<i>flutamide oral capsule</i>	2	MO
FOLOTYN INTRAVENOUS SOLUTION	5	MO
GAZYVA INTRAVENOUS SOLUTION	5	MO
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i>	5	MO
<i>gemcitabine intravenous recon soln 2 gram</i>	5	
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	5	MO
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	5	
<i>gengraf oral capsule</i>	2	B/D; MO
<i>gengraf oral solution</i>	2	B/D; MO
GILOTRIF ORAL TABLET 20 MG, 30 MG	5	PA; MO; QL (60 per 30 days)
GILOTRIF ORAL TABLET 40 MG	5	PA; MO; QL (30 per 30 days)
GLEEVEC ORAL TABLET 100 MG	5	PA; MO; QL (240 per 30 days)
GLEEVEC ORAL TABLET 400 MG	5	PA; MO; QL (60 per 30 days)
GLEOSTINE ORAL CAPSULE	4	PA; MO
HALAVEN INTRAVENOUS SOLUTION	5	MO
HERCEPTIN INTRAVENOUS RECON SOLN	5	MO
HEXALEN ORAL CAPSULE	5	MO
<i>hydroxyurea oral capsule</i>	2	MO
IBRANCE ORAL CAPSULE 100 MG, 75 MG	5	PA; MO; QL (42 per 28 days)
IBRANCE ORAL CAPSULE 125 MG	5	PA; MO; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ICLUSIG ORAL TABLET 45 MG	5	PA; MO; QL (30 per 30 days)
<i>idarubicin intravenous solution</i>	5	
<i>ifosfamide intravenous recon soln</i>	2	MO
<i>ifosfamide intravenous solution</i>	2	
IMBRUVICA ORAL CAPSULE	5	PA; MO; QL (120 per 30 days)
INLYTA ORAL TABLET 1 MG	5	PA; MO; QL (600 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA; MO; QL (120 per 30 days)
IRESSA ORAL TABLET	5	PA; MO; QL (30 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i>	3	MO
<i>irinotecan intravenous solution 500 mg/25 ml</i>	3	
ISTODAX INTRAVENOUS RECON SOLN	5	MO
IXEMPRA INTRAVENOUS RECON SOLN	5	MO
JAKAFI ORAL TABLET 10 MG	5	PA; MO; QL (180 per 30 days)
JAKAFI ORAL TABLET 15 MG, 20 MG	5	PA; MO; QL (120 per 30 days)
JAKAFI ORAL TABLET 25 MG	5	PA; MO; QL (60 per 30 days)
JAKAFI ORAL TABLET 5 MG	5	PA; MO; QL (300 per 30 days)
JEVTANA INTRAVENOUS SOLUTION	5	MO
KADCYLA INTRAVENOUS RECON SOLN	5	MO
KEYTRUDA INTRAVENOUS RECON SOLN	5	MO
KEYTRUDA INTRAVENOUS SOLUTION	5	MO
KYPROLIS INTRAVENOUS RECON SOLN	5	MO
LARTRUVO INTRAVENOUS SOLUTION	5	MO; LA
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1/DAY), 24 MG/DAY(10 MG X 2-4 MG X 1)	5	PA; MO; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2)	5	PA; MO; QL (120 per 30 days)
LENVIMA ORAL CAPSULE 18 MG/DAY (10 MG X 1-4 MG X2), 8 MG/DAY (4 MG X 2)	5	PA; MO; QL (180 per 30 days)
<i>letrozole oral tablet</i>	2	MO
LEUKERAN ORAL TABLET	4	MO
<i>leuprolide subcutaneous kit</i>	2	PA; MO
LONSURF ORAL TABLET	5	PA; MO
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT	5	PA; MO; QL (1 per 84 days)
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT	5	PA; MO; QL (1 per 84 days)
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT	5	PA; MO; QL (1 per 168 days)
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT	5	PA; MO; QL (1 per 28 days)
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT	5	PA; MO; QL (1 per 84 days)
LUPRON DEPOT-PED INTRAMUSCULAR KIT	5	PA; MO; QL (1 per 28 days)
LYNPARZA ORAL CAPSULE	5	PA; MO; QL (480 per 30 days)
LYSODREN ORAL TABLET	5	MO
MATULANE ORAL CAPSULE	5	MO
<i>megestrol oral suspension 400 mg/10 ml (10 ml)</i>	3	PA
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	3	PA; MO
<i>megestrol oral tablet</i>	3	PA; MO
MEKINIST ORAL TABLET 0.5 MG	5	PA; MO; QL (120 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA; MO; QL (30 per 30 days)
<i>melphalan hcl intravenous recon soln</i>	5	
<i>mercaptopurine oral tablet</i>	2	MO
<i>methotrexate sodium (pf) injection recon soln</i>	2	B/D

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>methotrexate sodium (pf) injection solution</i>	2	B/D; MO
<i>methotrexate sodium injection solution</i>	2	B/D; MO
<i>methotrexate sodium oral tablet</i>	2	MO
<i>mitomycin intravenous recon soln</i>	5	MO
<i>mitoxantrone intravenous concentrate</i>	2	MO
MUSTARGEN INJECTION RECON SOLN	4	MO
<i>mycophenolate mofetil hcl intravenous recon soln</i>	4	B/D
<i>mycophenolate mofetil oral capsule</i>	2	B/D; MO
<i>mycophenolate mofetil oral suspension for reconstitution</i>	5	B/D; MO
<i>mycophenolate mofetil oral tablet</i>	2	B/D; MO
<i>mycophenolate sodium oral tablet, delayed release (dr/ec)</i>	4	B/D; MO
NEXAVAR ORAL TABLET	5	PA; MO; LA; QL (120 per 30 days)
NILANDRON ORAL TABLET	5	MO
<i>nilutamide oral tablet</i>	5	MO
NINLARO ORAL CAPSULE 2.3 MG, 3 MG	5	PA; MO; QL (6 per 28 days)
NINLARO ORAL CAPSULE 4 MG	5	PA; MO; QL (3 per 28 days)
NIPENT INTRAVENOUS RECON SOLN	5	MO
NULOJIX INTRAVENOUS RECON SOLN	5	PA; MO
<i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>	5	MO
<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	4	MO
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	4	MO
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	MO
ODOMZO ORAL CAPSULE	5	PA; MO; LA; QL (30 per 30 days)
ONCASPAR INJECTION SOLUTION	5	
OPDIVO INTRAVENOUS SOLUTION	5	MO
<i>oxaliplatin intravenous recon soln 100 mg</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>oxaliplatin intravenous recon soln 50 mg</i>	4	
<i>oxaliplatin intravenous solution</i>	4	MO
<i>paclitaxel intravenous concentrate</i>	2	MO
PERJETA INTRAVENOUS SOLUTION	5	MO
POMALYST ORAL CAPSULE 1 MG	5	PA; MO; QL (84 per 28 days)
POMALYST ORAL CAPSULE 2 MG, 3 MG	5	PA; MO; QL (42 per 28 days)
POMALYST ORAL CAPSULE 4 MG	5	PA; MO; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION	5	B/D; MO
PROGRAF INTRAVENOUS SOLUTION	4	B/D; MO
PURIXAN ORAL SUSPENSION	5	PA; MO
RAPAMUNE ORAL SOLUTION	5	PA; MO
REVLIMID ORAL CAPSULE 10 MG	5	PA; MO; LA; QL (63 per 28 days)
REVLIMID ORAL CAPSULE 15 MG, 20 MG	5	PA; MO; LA; QL (42 per 28 days)
REVLIMID ORAL CAPSULE 2.5 MG	5	PA; MO; LA; QL (210 per 28 days)
REVLIMID ORAL CAPSULE 25 MG	5	PA; MO; LA; QL (21 per 28 days)
REVLIMID ORAL CAPSULE 5 MG	5	PA; MO; LA; QL (105 per 28 days)
RITUXAN INTRAVENOUS CONCENTRATE	5	PA; MO
RUBRACA ORAL TABLET	5	PA; MO; LA
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON	5	PA; MO
SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	5	PA; MO; QL (1 per 28 days)
SIGNIFOR SUBCUTANEOUS SOLUTION	5	PA; MO; QL (60 per 30 days)
SIMULECT INTRAVENOUS RECON SOLN 10 MG	4	B/D
SIMULECT INTRAVENOUS RECON SOLN 20 MG	4	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>sirolimus oral tablet 0.5 mg, 1 mg</i>	4	PA; MO
<i>sirolimus oral tablet 2 mg</i>	5	PA; MO
SOLTAMOX ORAL SOLUTION	4	MO
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA; MO; QL (0.5 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA; MO; QL (0.4 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA; MO; QL (0.6 per 28 days)
SPRYCEL ORAL TABLET 100 MG, 140 MG	5	PA; MO; QL (60 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA; MO; QL (270 per 30 days)
SPRYCEL ORAL TABLET 50 MG	5	PA; MO; QL (120 per 30 days)
SPRYCEL ORAL TABLET 70 MG, 80 MG	5	PA; MO; QL (90 per 30 days)
STIVARGA ORAL TABLET	5	PA; MO; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG	5	PA; MO; QL (210 per 30 days)
SUTENT ORAL CAPSULE 25 MG	5	PA; MO; QL (120 per 30 days)
SUTENT ORAL CAPSULE 37.5 MG	5	PA; MO; QL (90 per 30 days)
SUTENT ORAL CAPSULE 50 MG	5	PA; MO; QL (60 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN	5	PA; MO
SYNRIBO SUBCUTANEOUS RECON SOLN	5	MO
TABLOID ORAL TABLET	4	PA; MO
<i>tacrolimus oral capsule 0.5 mg, 1 mg</i>	2	B/D; MO
<i>tacrolimus oral capsule 5 mg</i>	4	B/D; MO
TAFINLAR ORAL CAPSULE 50 MG	5	PA; MO; QL (180 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
TAFINLAR ORAL CAPSULE 75 MG	5	PA; MO; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG	5	PA; MO; LA; QL (60 per 30 days)
TAGRISSE ORAL TABLET 80 MG	5	PA; MO; LA; QL (30 per 30 days)
<i>tamoxifen oral tablet</i>	2	MO
TARCEVA ORAL TABLET 100 MG	5	PA; MO; QL (150 per 30 days)
TARCEVA ORAL TABLET 150 MG	5	PA; MO; QL (90 per 30 days)
TARCEVA ORAL TABLET 25 MG	5	PA; MO
TARGRETIN TOPICAL GEL	5	MO
TASIGNA ORAL CAPSULE 150 MG	5	PA; MO; QL (180 per 30 days)
TASIGNA ORAL CAPSULE 200 MG	5	PA; MO; QL (120 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION	5	MO; LA
TEMODAR INTRAVENOUS RECON SOLN	5	MO
THALOMID ORAL CAPSULE 100 MG, 50 MG	5	PA; MO
THALOMID ORAL CAPSULE 150 MG	5	PA; MO; QL (90 per 30 days)
THALOMID ORAL CAPSULE 200 MG	5	PA; MO; QL (60 per 30 days)
<i>thiotepa injection recon soln</i>	5	MO
<i>toposar intravenous solution</i>	2	MO
<i>topotecan intravenous recon soln</i>	5	
<i>topotecan intravenous solution</i>	5	MO
TORISEL INTRAVENOUS RECON SOLN	5	MO
TREANDA INTRAVENOUS RECON SOLN	5	MO
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	PA; MO; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	PA; MO; QL (1 per 168 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	PA; MO; QL (1 per 28 days)
TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML	5	PA; MO; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SYRINGE 22.5 MG/2 ML	5	PA; MO; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SYRINGE 3.75 MG/2 ML	5	PA; MO; QL (1 per 28 days)
<i>tretinoin (chemotherapy) oral capsule</i>	5	MO
TRISENOX INTRAVENOUS SOLUTION	5	MO
TYKERB ORAL TABLET	5	PA; MO; LA; QL (180 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION	5	MO
VALSTAR INTRAVESICAL SOLUTION	5	MO
VECTIBIX INTRAVENOUS SOLUTION	5	B/D; MO
VELCADE INJECTION RECON SOLN	5	MO
VENCLEXTA ORAL TABLET 10 MG	4	PA; MO; LA; QL (1200 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA; MO; LA; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	4	PA; MO; LA; QL (240 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK	5	PA; MO; LA; QL (42 per 30 days)
<i>vinblastine intravenous solution</i>	2	B/D; MO
<i>vincasar pfs intravenous solution 1 mg/ml</i>	2	B/D
<i>vincasar pfs intravenous solution 2 mg/2 ml</i>	2	B/D; MO
<i>vincristine intravenous solution</i>	2	B/D; MO
<i>vinorelbine intravenous solution</i>	2	MO
VOTRIENT ORAL TABLET	5	PA; MO; QL (120 per 30 days)
XALKORI ORAL CAPSULE 200 MG	5	PA; MO; QL (90 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
XALKORI ORAL CAPSULE 250 MG	5	PA; MO; QL (60 per 30 days)
XTANDI ORAL CAPSULE	5	PA; MO; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION	5	MO
YONDELIS INTRAVENOUS RECON SOLN	5	MO
ZALTRAP INTRAVENOUS SOLUTION	5	MO
ZANOSAR INTRAVENOUS RECON SOLN	4	MO
ZELBORAF ORAL TABLET	5	PA; MO; QL (240 per 30 days)
ZOLINZA ORAL CAPSULE	5	PA; MO; QL (120 per 30 days)
ZORTRESS ORAL TABLET 0.25 MG	4	PA; MO
ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG	5	PA; MO
ZYDELIG ORAL TABLET 100 MG	5	PA; MO; QL (90 per 30 days)
ZYDELIG ORAL TABLET 150 MG	5	PA; MO; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE	5	PA; MO; QL (150 per 30 days)
ZYTIGA ORAL TABLET	5	PA; MO; QL (120 per 30 days)
AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH		
ANTICONVULSANTS		
APTIOM ORAL TABLET 200 MG	4	PA; MO
APTIOM ORAL TABLET 400 MG, 600 MG, 800 MG	5	PA; MO
BANZEL ORAL SUSPENSION	4	PA; MO
BANZEL ORAL TABLET 200 MG	4	PA; MO
BANZEL ORAL TABLET 400 MG	5	PA; MO
BRIVIACT INTRAVENOUS SOLUTION	5	PA
BRIVIACT ORAL SOLUTION	5	PA; MO
BRIVIACT ORAL TABLET	5	PA; MO
<i>carbamazepine oral capsule, er multiphase 12 hr</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	MO
<i>carbamazepine oral tablet</i>	2	MO
<i>carbamazepine oral tablet extended release 12 hr</i>	2	MO
<i>carbamazepine oral tablet, chewable</i>	2	MO
CELONTIN ORAL CAPSULE 300 MG	4	MO
<i>clonazepam oral tablet 0.5 mg</i>	2	MO; QL (1200 per 30 days)
<i>clonazepam oral tablet 1 mg</i>	2	MO; QL (600 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	2	MO; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg</i>	2	ST; MO; QL (4800 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.25 mg</i>	2	ST; MO; QL (2400 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.5 mg</i>	2	ST; MO; QL (1200 per 30 days)
<i>clonazepam oral tablet, disintegrating 1 mg</i>	2	ST; MO; QL (600 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	ST; MO; QL (300 per 30 days)
<i>diazepam rectal kit</i>	2	MO
DILANTIN 30 MG ORAL CAPSULE	3	MO
<i>divalproex oral capsule, delayed rel sprinkle</i>	2	MO
<i>divalproex oral tablet extended release 24 hr</i>	3	MO
<i>divalproex oral tablet, delayed release (dr/ec)</i>	2	MO
<i>epitol oral tablet</i>	2	MO
EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR	4	MO
<i>ethosuximide oral capsule</i>	4	MO
<i>ethosuximide oral solution</i>	4	MO
<i>felbamate oral suspension</i>	4	MO
<i>felbamate oral tablet</i>	4	MO
<i>fosphenytoin injection solution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
FYCOMPA ORAL SUSPENSION	4	PA; MO
FYCOMPA ORAL TABLET	4	PA; MO
<i>gabapentin oral capsule</i>	2	MO
<i>gabapentin oral solution 250 mg/5 ml</i>	2	MO
<i>gabapentin oral solution 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i>	2	
<i>gabapentin oral tablet 600 mg, 800 mg</i>	2	MO
GABITRIL ORAL TABLET 12 MG, 16 MG	4	MO
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR	4	PA; MO; QL (156 per 365 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG	4	PA; MO; QL (30 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	4	PA; MO; QL (90 per 30 days)
<i>lamotrigine oral tablet</i>	2	MO
<i>lamotrigine oral tablet, chewable dispersible</i>	2	MO
LEVETIRACETAM IN NAACL (ISO-OS) INTRAVENOUS PIGGYBACK 1,000 MG/100 ML, 1,500 MG/100 ML	4	
LEVETIRACETAM IN NAACL (ISO-OS) INTRAVENOUS PIGGYBACK 500 MG/100 ML	4	MO
<i>levetiracetam intravenous solution</i>	2	MO
<i>levetiracetam oral solution 100 mg/ml</i>	4	MO
<i>levetiracetam oral solution 500 mg/5 ml (5 ml)</i>	4	
<i>levetiracetam oral tablet</i>	2	MO
<i>levetiracetam oral tablet extended release 24 hr</i>	2	MO
LYRICA ORAL CAPSULE 100 MG	4	PA; MO; QL (180 per 30 days)
LYRICA ORAL CAPSULE 150 MG	4	PA; MO; QL (120 per 30 days)
LYRICA ORAL CAPSULE 200 MG, 225 MG	4	PA; MO; QL (90 per 30 days)
LYRICA ORAL CAPSULE 25 MG	4	PA; MO; QL (720 per 30 days)
LYRICA ORAL CAPSULE 300 MG	4	PA; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
LYRICA ORAL CAPSULE 50 MG	4	PA; MO; QL (360 per 30 days)
LYRICA ORAL CAPSULE 75 MG	4	PA; MO; QL (240 per 30 days)
LYRICA ORAL SOLUTION	4	PA; MO; QL (900 per 30 days)
ONFI ORAL SUSPENSION	5	PA; MO
ONFI ORAL TABLET 10 MG, 20 MG	5	PA; MO
<i>oxcarbazepine oral suspension</i>	4	MO
<i>oxcarbazepine oral tablet</i>	2	MO
PEGANONE ORAL TABLET	4	MO
<i>phenobarbital oral elixir</i>	3	PA; MO
<i>phenobarbital oral tablet</i>	3	PA; MO
<i>phenobarbital sodium injection solution 130 mg/ml</i>	3	MO
<i>phenobarbital sodium injection solution 65 mg/ml</i>	3	
<i>phenytoin oral suspension 100 mg/4 ml</i>	2	
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	MO
<i>phenytoin oral tablet, chewable</i>	2	MO
<i>phenytoin sodium extended oral capsule</i>	2	MO
<i>phenytoin sodium intravenous solution</i>	2	MO
<i>phenytoin sodium intravenous syringe</i>	2	
POTIGA ORAL TABLET 200 MG	5	PA; MO
POTIGA ORAL TABLET 300 MG, 400 MG, 50 MG	4	PA; MO
<i>primidone oral tablet</i>	2	MO
<i>roweepra oral tablet 500 mg</i>	2	MO
SABRIL ORAL POWDER IN PACKET	5	PA; MO; LA; QL (180 per 30 days)
SABRIL ORAL TABLET	5	PA; MO; LA; QL (180 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION	4	PA; MO
<i>tiagabine oral tablet</i>	4	MO
<i>topiramate oral capsule, sprinkle</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>topiramate oral tablet</i>	2	MO
<i>valproate sodium intravenous solution</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i>	2	
<i>valproic acid oral capsule</i>	2	MO
VIMPAT INTRAVENOUS SOLUTION	5	PA
VIMPAT ORAL SOLUTION	4	PA; MO
VIMPAT ORAL TABLET	4	PA; MO
<i>zonisamide oral capsule</i>	2	MO
ANTIPARKINSONISM AGENTS		
APOKYN SUBCUTANEOUS CARTRIDGE	5	PA; MO; LA; QL (90 per 30 days)
AZILECT ORAL TABLET	3	MO
<i>benztropine injection solution</i>	2	MO
<i>benztropine oral tablet</i>	2	MO
<i>bromocriptine oral capsule</i>	3	MO
<i>bromocriptine oral tablet</i>	3	MO
<i>carbidopa oral tablet</i>	5	MO
<i>carbidopa-levodopa oral tablet</i>	2	MO
<i>carbidopa-levodopa oral tablet extended release</i>	2	MO
<i>carbidopa-levodopa oral tablet, disintegrating</i>	2	MO
<i>carbidopa-levodopa-entacapone oral tablet</i>	2	MO
DUOPA J-TUBE INTESTINAL PUMP SUSPENSION	5	PA; MO
<i>entacapone oral tablet</i>	2	MO
NEUPRO TRANSDERMAL PATCH 24 HOUR	4	PA; MO; QL (30 per 30 days)
<i>pramipexole oral tablet</i>	2	MO
<i>rasagiline oral tablet</i>	3	MO
<i>ropinirole oral tablet</i>	2	MO
<i>selegiline hcl oral capsule</i>	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>selegiline hcl oral tablet</i>	3	MO
<i>trihexyphenidyl oral elixir</i>	2	MO
<i>trihexyphenidyl oral tablet</i>	2	MO
ZELAPAR ORAL TABLET,DISINTEGRATING	5	MO
MIGRAINE / CLUSTER HEADACHE THERAPY		
<i>dihydroergotamine injection solution</i>	3	MO
<i>dihydroergotamine nasal spray,non-aerosol</i>	5	MO
<i>migergot rectal suppository</i>	5	MO
<i>naratriptan oral tablet</i>	2	MO; QL (9 per 28 days)
<i>rizatriptan oral tablet 10 mg</i>	2	MO; QL (12 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	2	MO; QL (24 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i>	2	MO; QL (12 per 28 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	MO; QL (24 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i>	4	MO; QL (12 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i>	4	MO; QL (18 per 28 days)
<i>sumatriptan succinate oral tablet</i>	2	MO; QL (9 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge</i>	4	MO; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector</i>	4	MO; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution</i>	4	MO; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	4	MO; QL (4 per 28 days)
<i>zolmitriptan oral tablet</i>	4	MO; QL (6 per 28 days)
<i>zolmitriptan oral tablet,disintegrating</i>	4	MO; QL (6 per 28 days)
MISCELLANEOUS NEUROLOGICAL THERAPY		
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR	5	PA; MO; LA; QL (60 per 30 days)
AUBAGIO ORAL TABLET	5	PA; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	MO; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	MO; QL (12 per 28 days)
<i>donepezil oral tablet 10 mg, 5 mg</i>	2	MO
<i>donepezil oral tablet, disintegrating</i>	2	MO
<i>galantamine oral capsule, ext rel. pellets 24 hr</i>	2	MO
<i>galantamine oral solution</i>	2	MO
<i>galantamine oral tablet</i>	2	MO
GILENYA ORAL CAPSULE	5	PA; MO; QL (30 per 30 days)
HORIZANT ORAL TABLET EXTENDED RELEASE	4	PA; MO; QL (60 per 30 days)
KEVEYIS ORAL TABLET	5	PA; MO; QL (120 per 30 days)
<i>memantine oral solution</i>	2	PA; MO
<i>memantine oral tablet</i>	2	PA; MO; QL (60 per 30 days)
MEMANTINE ORAL TABLETS, DOSE PACK	3	PA; MO; QL (49 per 28 days)
NUEDEXTA ORAL CAPSULE	4	PA; MO; QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule</i>	2	MO
<i>rivastigmine transdermal patch 24 hour</i>	2	MO
TECFIDERA ORAL CAPSULE, DELAYED RELEASE (DR/EC) 120 MG (14)- 240 MG (46)	5	PA; MO; QL (120 per 365 days)
TECFIDERA ORAL CAPSULE, DELAYED RELEASE (DR/EC) 120 MG, 240 MG	5	PA; MO; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg</i>	5	PA; MO; QL (240 per 30 days)
<i>tetrabenazine oral tablet 25 mg</i>	5	PA; MO; QL (120 per 30 days)
TYSABRI INTRAVENOUS SOLUTION	5	PA; MO; LA; QL (15 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ZINBRYTA SUBCUTANEOUS SYRINGE	5	PA; MO; LA; QL (1 per 28 days)
MUSCLE RELAXANTS / ANTISPASMODIC THERAPY		
<i>baclofen oral tablet</i>	2	MO
<i>carisoprodol oral tablet 350 mg</i>	2	PA; MO
<i>carisoprodol-asa-codeine oral tablet</i>	4	PA; MO; QL (240 per 30 days)
<i>carisoprodol-aspirin oral tablet</i>	2	PA; MO
<i>chlorzoxazone oral tablet</i>	2	PA; MO
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	PA; MO
<i>dantrolene oral capsule</i>	3	MO
GABLOFEN INTRATHECAL SOLUTION 10,000 MCG/20ML (500 MCG/ML), 20,000 MCG/20ML (1,000 MCG/ML)	4	B/D; MO
GABLOFEN INTRATHECAL SOLUTION 40,000 MCG/20ML (2,000 MCG/ML)	5	B/D; MO
GABLOFEN INTRATHECAL SYRINGE	4	B/D; MO
LIORESAL INTRATHECAL SOLUTION 2,000 MCG/ML	5	B/D; MO
LIORESAL INTRATHECAL SOLUTION 50 MCG/ML	4	B/D
LIORESAL INTRATHECAL SOLUTION 500 MCG/ML	4	B/D; MO
MESTINON ORAL SYRUP	4	MO
<i>methocarbamol oral tablet</i>	2	PA; MO
<i>neostigmine methylsulfate intravenous solution 0.5 mg/ml</i>	2	MO
<i>neostigmine methylsulfate intravenous solution 1 mg/ml</i>	2	
<i>orphenadrine citrate injection solution</i>	2	PA; MO
<i>orphenadrine citrate oral tablet extended release</i>	2	PA; MO
<i>pyridostigmine bromide oral tablet</i>	2	MO
<i>regonol injection solution</i>	2	
<i>tizanidine oral tablet</i>	2	MO
NARCOTIC ANALGESICS		
ABSTRAL SUBLINGUAL TABLET 100 MCG, 200 MCG, 300 MCG	5	PA; MO; QL (120 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ABSTRAL SUBLINGUAL TABLET 400 MCG	5	PA; MO; QL (116 per 30 days)
ABSTRAL SUBLINGUAL TABLET 600 MCG	5	PA; MO; QL (77 per 30 days)
ABSTRAL SUBLINGUAL TABLET 800 MCG	5	PA; MO; QL (58 per 30 days)
<i>acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 300 mg-30 mg /12.5 ml</i>	2	QL (4500 per 30 days)
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	MO; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	MO; QL (390 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	MO; QL (180 per 30 days)
<i>ascomp with codeine oral capsule</i>	4	MO; QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i>	4	MO; QL (267 per 30 days)
<i>buprenorphine hcl injection syringe</i>	4	QL (267 per 30 days)
<i>buprenorphine hcl sublingual tablet</i>	2	PA; MO; QL (60 per 30 days)
<i>butalbital compound w/codeine oral capsule</i>	4	MO; QL (180 per 30 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	4	MO; QL (180 per 30 days)
<i>codeine sulfate oral tablet</i>	2	MO; QL (180 per 30 days)
<i>codeine-bitalbitol-asa-caff oral capsule</i>	4	QL (180 per 30 days)
<i>diskets oral tablet,soluble</i>	2	QL (50 per 30 days)
<i>duramorph (pf) injection solution 0.5 mg/ml</i>	2	MO; QL (4000 per 30 days)
<i>duramorph (pf) injection solution 1 mg/ml</i>	2	QL (2000 per 30 days)
<i>endocet oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>endocet oral tablet 2.5-325 mg</i>	2	MO; QL (1600 per 30 days)
<i>fentanyl citrate (pf) injection solution</i>	3	MO; QL (400 per 30 days)
<i>fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)</i>	3	QL (400 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg</i>	5	PA; MO; QL (39 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,600 mcg</i>	5	PA; MO; QL (29 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	5	PA; MO; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 400 mcg</i>	5	PA; MO; QL (116 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 600 mcg</i>	5	PA; MO; QL (77 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 800 mcg</i>	5	PA; MO; QL (58 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	3	MO; QL (10 per 30 days)
FENTORA BUCCAL TABLET, EFFERVESCENT 100 MCG, 200 MCG	5	PA; MO; QL (120 per 30 days)
FENTORA BUCCAL TABLET, EFFERVESCENT 400 MCG	5	PA; MO; QL (116 per 30 days)
FENTORA BUCCAL TABLET, EFFERVESCENT 600 MCG	5	PA; MO; QL (77 per 30 days)
FENTORA BUCCAL TABLET, EFFERVESCENT 800 MCG	5	PA; MO; QL (58 per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml(15 ml), 5-163 mg/7.5ml(7.5ml)</i>	4	QL (9000 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	4	MO; QL (3600 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 5-300 mg, 7.5-300 mg</i>	4	MO; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	MO; QL (150 per 30 days)
HYDROMORPHONE (PF) INJECTION SOLUTION	4	MO; QL (30 per 30 days)
<i>hydromorphone injection solution 1 mg/ml</i>	4	QL (300 per 30 days)
<i>hydromorphone injection solution 2 mg/ml</i>	4	MO; QL (150 per 30 days)
<i>hydromorphone injection solution 4 mg/ml</i>	4	MO; QL (75 per 30 days)
<i>hydromorphone injection syringe 1 mg/ml</i>	4	QL (300 per 30 days)
<i>hydromorphone injection syringe 2 mg/ml</i>	4	QL (150 per 30 days)
<i>hydromorphone injection syringe 4 mg/ml</i>	4	MO; QL (75 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg</i>	2	MO; QL (180 per 30 days)
<i>hydromorphone oral tablet 8 mg</i>	4	MO; QL (180 per 30 days)
<i>ibuprofen-oxycodone oral tablet</i>	4	MO; QL (120 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY	5	PA; MO; QL (45 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 300 MCG/SPRAY	5	PA; QL (16 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 400 MCG/SPRAY	5	PA; MO; QL (30 per 30 days)
<i>levorphanol tartrate oral tablet</i>	4	MO; QL (240 per 30 days)
<i>lorcet (hydrocodone) oral tablet</i>	2	MO; QL (360 per 30 days)
<i>lorcet hd oral tablet</i>	2	MO; QL (360 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	2	MO; QL (360 per 30 days)
<i>lortab 10-325 oral tablet</i>	2	MO; QL (360 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>loratab 5-325 oral tablet</i>	2	MO; QL (360 per 30 days)
<i>loratab 7.5-325 oral tablet</i>	2	MO; QL (360 per 30 days)
<i>methadone injection solution</i>	2	QL (160 per 30 days)
<i>methadone intensol oral concentrate</i>	2	MO; QL (200 per 30 days)
<i>methadone oral concentrate</i>	2	MO; QL (200 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	4	MO; QL (1000 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	MO; QL (2000 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	MO; QL (200 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	MO; QL (90 per 30 days)
<i>methadone oral tablet, soluble</i>	2	QL (50 per 30 days)
<i>methadose oral concentrate</i>	2	MO; QL (200 per 30 days)
<i>methadose oral tablet, soluble</i>	2	MO; QL (50 per 30 days)
<i>morphine (pf) injection solution 0.5 mg/ml</i>	2	QL (4000 per 30 days)
<i>morphine (pf) injection solution 1 mg/ml</i>	2	MO; QL (2000 per 30 days)
<i>morphine (pf) intravenous patient control. analgesia soln 150 mg/30 ml</i>	2	B/D; MO; QL (400 per 30 days)
<i>morphine (pf) intravenous patient control. analgesia soln 30 mg/30 ml</i>	2	B/D; QL (2000 per 30 days)
<i>morphine concentrate oral solution</i>	2	MO; QL (300 per 30 days)
<i>morphine intravenous cartridge 2 mg/ml</i>	2	QL (1000 per 30 days)
<i>morphine intravenous cartridge 4 mg/ml</i>	2	QL (500 per 30 days)
<i>morphine intravenous solution 10 mg/ml</i>	2	MO; QL (200 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>morphine intravenous syringe 2 mg/ml</i>	2	QL (1000 per 30 days)
<i>morphine intravenous syringe 4 mg/ml</i>	2	QL (500 per 30 days)
<i>morphine oral solution</i>	2	MO; QL (900 per 30 days)
<i>morphine oral tablet</i>	2	MO; QL (180 per 30 days)
<i>morphine oral tablet extended release 100 mg</i>	2	MO; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg, 60 mg</i>	2	MO; QL (90 per 30 days)
<i>morphine oral tablet extended release 200 mg</i>	2	MO; QL (30 per 30 days)
OPANA ER ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 5 MG, 7.5 MG	3	MO; QL (60 per 30 days)
OPANA ER ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 40 MG	3	MO; QL (50 per 30 days)
<i>oxycodone oral capsule</i>	2	MO; QL (180 per 30 days)
<i>oxycodone oral concentrate</i>	4	MO; QL (180 per 30 days)
<i>oxycodone oral solution</i>	2	MO; QL (900 per 30 days)
OXYCODONE ORAL SYRINGE	4	QL (180 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	MO; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 20 mg</i>	4	MO; QL (180 per 30 days)
<i>oxycodone oral tablet 30 mg</i>	4	MO; QL (134 per 30 days)
<i>oxycodone-acetaminophen oral solution</i>	4	QL (1800 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	MO; QL (360 per 30 days)
<i>oxycodone-aspirin oral tablet</i>	4	MO; QL (360 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>oxymorphone oral tablet</i>	4	MO; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	4	MO; QL (60 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 40 mg</i>	4	MO; QL (50 per 30 days)
SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 1,200 MCG (600 MCG/SPRAY X 2)	5	PA; MO; QL (77 per 30 days)
SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 1,600 MCG (800 MCG/SPRAY X 2)	5	PA; MO; QL (58 per 30 days)
SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 200 MCG/SPRAY	5	PA; MO; QL (120 per 30 days)
SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 400 MCG/SPRAY	5	PA; MO; QL (84 per 30 days)
SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 600 MCG/SPRAY	5	PA; MO; QL (56 per 30 days)
SUBSYS SUBLINGUAL SPRAY, NON-AEROSOL 800 MCG/SPRAY	5	PA; MO; QL (42 per 30 days)
<i>vicodin es oral tablet</i>	4	MO; QL (390 per 30 days)
<i>vicodin hp oral tablet</i>	4	MO; QL (390 per 30 days)
<i>vicodin oral tablet</i>	4	MO; QL (390 per 30 days)
NON-NARCOTIC ANALGESICS		
<i>butorphanol tartrate injection solution 1 mg/ml</i>	2	MO; QL (720 per 30 days)
<i>butorphanol tartrate injection solution 2 mg/ml</i>	2	MO; QL (360 per 30 days)
<i>butorphanol tartrate nasal spray, non-aerosol</i>	4	MO; QL (40 per 30 days)
<i>celecoxib oral capsule</i>	3	MO
<i>clonidine (pf) epidural solution 5,000 mcg/10 ml</i>	2	B/D
<i>diclofenac potassium oral tablet</i>	2	MO
<i>diclofenac sodium oral tablet extended release 24 hr</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	4	MO
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg, 75 mg</i>	2	MO
<i>diclofenac sodium topical gel 1 %</i>	4	MO; QL (1000 per 30 days)
<i>diflunisal oral tablet</i>	4	MO
<i>etodolac oral capsule</i>	4	MO
<i>etodolac oral tablet</i>	4	MO
<i>fenoprofen oral tablet</i>	2	MO
<i>flurbiprofen oral tablet</i>	2	MO
<i>ibuprofen oral suspension</i>	1	MO
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	MO
<i>ketoprofen oral capsule</i>	2	MO
<i>meclofenamate oral capsule</i>	4	MO
<i>meloxicam oral suspension</i>	2	MO
<i>meloxicam oral tablet</i>	1	MO
<i>nabumetone oral tablet</i>	2	MO
<i>nalbuphine injection solution 10 mg/ml</i>	4	MO; QL (200 per 30 days)
<i>nalbuphine injection solution 20 mg/ml</i>	4	MO; QL (100 per 30 days)
<i>naloxone injection solution</i>	2	MO
<i>naloxone injection syringe</i>	2	MO
<i>naltrexone oral tablet</i>	2	MO
<i>naproxen oral suspension</i>	1	MO
<i>naproxen oral tablet</i>	1	MO
<i>naproxen oral tablet, delayed release (dr/ec)</i>	2	MO
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	1	MO
<i>piroxicam oral capsule</i>	3	MO
PRIALT INTRATHECAL SOLUTION	4	B/D; MO
<i>salsalate oral tablet</i>	2	MO
SUBOXONE SUBLINGUAL FILM	3	PA; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>sulindac oral tablet</i>	2	MO
<i>tolmetin oral capsule</i>	4	MO
<i>tolmetin oral tablet 200 mg</i>	2	MO
<i>tolmetin oral tablet 600 mg</i>	4	MO
<i>tramadol oral tablet</i>	2	MO; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet</i>	2	MO; QL (40 per 5 days)
ZUBSOLV SUBLINGUAL TABLET 1.4-0.36 MG	3	PA; MO; QL (180 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 11.4-2.9 MG	3	PA; MO; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 2.9-0.71 MG	3	PA; MO; QL (120 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 5.7-1.4 MG	3	PA; MO; QL (90 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	PA; MO; QL (60 per 30 days)
PSYCHOTHERAPEUTIC DRUGS		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG	5	MO; QL (2 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 400 MG	5	MO
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG	5	MO; QL (2 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 400 MG	5	MO; QL (1 per 28 days)
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	2	MO; QL (90 per 30 days)
<i>alprazolam oral tablet 2 mg</i>	2	MO; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg</i>	2	MO; QL (30 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 2 mg</i>	2	MO; QL (150 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>alprazolam oral tablet extended release 24 hr 3 mg</i>	2	MO; QL (90 per 30 days)
<i>amitriptyline oral tablet</i>	2	PA; MO
<i>amitriptyline-chlordiazepoxide oral tablet</i>	2	MO
<i>amoxapine oral tablet</i>	2	MO
<i>aripiprazole oral solution</i>	3	PA; MO
<i>aripiprazole oral tablet 10 mg</i>	3	MO; QL (90 per 30 days)
<i>aripiprazole oral tablet 15 mg</i>	3	MO; QL (60 per 30 days)
<i>aripiprazole oral tablet 2 mg</i>	3	MO; QL (450 per 30 days)
<i>aripiprazole oral tablet 20 mg</i>	3	MO; QL (45 per 30 days)
<i>aripiprazole oral tablet 30 mg</i>	3	MO; QL (30 per 30 days)
<i>aripiprazole oral tablet 5 mg</i>	3	MO; QL (180 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	3	PA; MO; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	3	PA; MO; QL (60 per 30 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML, 882 MG/3.2 ML	5	MO; QL (3.2 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	MO; QL (4.8 per 28 days)
<i>armodafinil oral tablet</i>	4	PA; MO; QL (30 per 30 days)
<i>bupropion hcl oral tablet</i>	2	MO
<i>bupropion hcl oral tablet extended release 12 hr</i>	2	MO
<i>bupropion hcl oral tablet extended release 24 hr</i>	2	MO
<i>bupirone oral tablet 10 mg, 15 mg, 5 mg</i>	1	MO
<i>bupirone oral tablet 30 mg</i>	4	MO
<i>bupirone oral tablet 7.5 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>chlorpromazine injection solution</i>	2	MO
<i>chlorpromazine oral tablet</i>	2	MO
<i>citalopram oral solution</i>	1	MO; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i>	1	MO; QL (120 per 30 days)
<i>citalopram oral tablet 20 mg</i>	1	MO; QL (60 per 30 days)
<i>citalopram oral tablet 40 mg</i>	1	MO; QL (30 per 30 days)
<i>clomipramine oral capsule</i>	4	PA; MO
<i>clonidine hcl oral tablet extended release 12 hr</i>	3	PA; MO; QL (120 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg</i>	2	MO; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 3.75 mg</i>	2	MO; QL (720 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i>	2	MO; QL (360 per 30 days)
<i>clozapine oral tablet</i>	2	MO
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST
CLOZAPINE ORAL TABLET, DISINTEGRATING 150 MG	4	ST; QL (180 per 30 days)
CLOZAPINE ORAL TABLET, DISINTEGRATING 200 MG	4	ST; QL (150 per 30 days)
<i>desipramine oral tablet</i>	2	MO
DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG	4	ST; MO; QL (120 per 30 days)
DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 50 MG	4	ST; MO; QL (240 per 30 days)
DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG	4	ST; MO; QL (120 per 30 days)
DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 50 MG	4	ST; MO; QL (240 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 100 MG	4	ST; MO; QL (120 per 30 days)
DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 50 MG	4	ST; QL (240 per 30 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg</i>	4	ST; MO; QL (120 per 30 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 25 mg</i>	4	ST; MO; QL (480 per 30 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 50 mg</i>	4	ST; MO; QL (240 per 30 days)
<i>dexmethylphenidate oral tablet</i>	2	PA; MO; QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg</i>	4	PA; MO; QL (120 per 30 days)
<i>dextroamphetamine oral capsule, extended release 5 mg</i>	4	PA; MO; QL (30 per 30 days)
<i>dextroamphetamine oral tablet</i>	2	PA; MO; QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>	4	PA; MO; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>	4	PA; MO; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 15 mg, 30 mg</i>	2	PA; MO; QL (60 per 30 days)
<i>diazepam injection solution</i>	2	
<i>diazepam injection syringe</i>	2	MO
<i>diazepam intensol oral concentrate</i>	2	MO; QL (240 per 30 days)
<i>diazepam oral concentrate</i>	2	MO; QL (240 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	MO; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml, 5 ml)</i>	2	QL (1200 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam oral tablet 10 mg</i>	2	MO; QL (120 per 30 days)
<i>diazepam oral tablet 2 mg</i>	2	MO; QL (600 per 30 days)
<i>diazepam oral tablet 5 mg</i>	2	MO; QL (240 per 30 days)
<i>doxepin oral capsule</i>	2	PA; MO
<i>doxepin oral concentrate</i>	2	PA; MO
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg</i>	2	MO; QL (180 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i>	2	MO; QL (120 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	4	MO; QL (90 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 60 mg</i>	2	MO; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR	5	MO
<i>ergoloid oral tablet</i>	3	MO
<i>escitalopram oxalate oral solution</i>	4	MO; QL (600 per 30 days)
<i>escitalopram oxalate oral tablet 10 mg</i>	2	MO; QL (60 per 30 days)
<i>escitalopram oxalate oral tablet 20 mg</i>	2	MO; QL (30 per 30 days)
<i>escitalopram oxalate oral tablet 5 mg</i>	2	MO; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG	4	PA; MO; QL (720 per 30 days)
FANAPT ORAL TABLET 10 MG, 8 MG	4	PA; MO; QL (90 per 30 days)
FANAPT ORAL TABLET 12 MG	4	PA; MO; QL (60 per 30 days)
FANAPT ORAL TABLET 2 MG	4	PA; MO; QL (360 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
FANAPT ORAL TABLET 4 MG	4	PA; MO; QL (180 per 30 days)
FANAPT ORAL TABLET 6 MG	4	PA; MO; QL (120 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK	4	PA; MO; QL (8 per 30 days)
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK	4	PA; MO; QL (28 per 28 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG	4	PA; MO; QL (30 per 30 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 20 MG	4	PA; MO; QL (180 per 30 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 40 MG	4	PA; MO; QL (90 per 30 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 80 MG	4	PA; MO; QL (60 per 30 days)
<i>fluoxetine oral capsule</i>	1	MO
<i>fluoxetine oral solution</i>	1	MO
<i>fluoxetine oral tablet 10 mg, 20 mg</i>	1	MO
<i>fluphenazine decanoate injection solution</i>	2	MO
<i>fluphenazine hcl injection solution</i>	2	MO
<i>fluphenazine hcl oral concentrate</i>	1	MO
<i>fluphenazine hcl oral elixir</i>	1	MO
<i>fluphenazine hcl oral tablet</i>	1	MO
<i>fluvoxamine oral tablet</i>	2	MO
GEODON INTRAMUSCULAR RECON SOLN	4	MO
<i>guanidine oral tablet</i>	2	MO
<i>haloperidol decanoate intramuscular solution</i>	2	MO
<i>haloperidol lactate injection solution</i>	2	MO
<i>haloperidol lactate oral concentrate</i>	2	MO
<i>haloperidol oral tablet</i>	1	MO
HETLIOZ ORAL CAPSULE	5	PA; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>imipramine hcl oral tablet</i>	2	PA; MO
<i>imipramine pamoate oral capsule</i>	2	PA; MO
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML	5	MO; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	MO; QL (2 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	MO; QL (1.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML, 819 MG/2.625 ML	5	MO; QL (2.625 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	MO; QL (2.63 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	MO; QL (3.5 per 84 days)
KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 100 MG	4	ST; MO; QL (120 per 30 days)
KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 50 MG	4	ST; MO; QL (240 per 30 days)
LATUDA ORAL TABLET 120 MG, 80 MG	5	MO; QL (60 per 30 days)
LATUDA ORAL TABLET 20 MG	5	MO; QL (240 per 30 days)
LATUDA ORAL TABLET 40 MG	5	MO; QL (120 per 30 days)
LATUDA ORAL TABLET 60 MG	5	MO; QL (90 per 30 days)
<i>lithium carbonate oral capsule</i>	1	MO
<i>lithium carbonate oral tablet</i>	1	MO
<i>lithium carbonate oral tablet extended release</i>	2	MO
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	MO
<i>lorazepam injection solution</i>	2	MO
<i>lorazepam injection syringe</i>	2	
<i>lorazepam intensol oral concentrate</i>	2	MO; QL (150 per 30 days)
<i>lorazepam oral concentrate</i>	2	MO; QL (150 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>lorazepam oral tablet 0.5 mg</i>	2	MO; QL (600 per 30 days)
<i>lorazepam oral tablet 1 mg</i>	2	MO; QL (300 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	2	MO; QL (150 per 30 days)
<i>loxapine succinate oral capsule</i>	2	MO
<i>maprotiline oral tablet</i>	2	MO
MARPLAN ORAL TABLET	4	MO
<i>metadate er oral tablet extended release</i>	4	PA; MO; QL (90 per 30 days)
<i>methamphetamine oral tablet</i>	2	MO; QL (150 per 30 days)
<i>methylphenidate oral capsule, er biphasic 30-70</i>	4	PA; MO; QL (30 per 30 days)
<i>methylphenidate oral capsule,er biphasic 50-50</i>	4	PA; MO; QL (30 per 30 days)
<i>methylphenidate oral solution 10 mg/5 ml</i>	2	PA; MO; QL (900 per 30 days)
<i>methylphenidate oral solution 5 mg/5 ml</i>	2	PA; MO; QL (1800 per 30 days)
<i>methylphenidate oral tablet 10 mg, 5 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>methylphenidate oral tablet 20 mg</i>	2	PA; MO; QL (150 per 30 days)
<i>methylphenidate oral tablet extended release</i>	4	PA; MO; QL (90 per 30 days)
<i>methylphenidate oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>	4	PA; MO; QL (30 per 30 days)
<i>methylphenidate oral tablet extended release 24hr 36 mg</i>	4	PA; MO; QL (60 per 30 days)
<i>mirtazapine oral tablet</i>	2	MO
<i>mirtazapine oral tablet,disintegrating</i>	2	MO
<i>modafinil oral tablet</i>	3	PA; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>molindone oral tablet</i>	4	PA
<i>nefazodone oral tablet</i>	4	MO
<i>nortriptyline oral capsule</i>	1	MO
<i>nortriptyline oral solution</i>	2	MO
NUPLAZID ORAL TABLET	5	PA; MO; QL (60 per 30 days)
<i>olanzapine intramuscular recon soln</i>	2	MO
<i>olanzapine oral tablet 10 mg, 15 mg</i>	2	MO; QL (60 per 30 days)
<i>olanzapine oral tablet 2.5 mg</i>	2	MO; QL (240 per 30 days)
<i>olanzapine oral tablet 20 mg</i>	2	MO; QL (30 per 30 days)
<i>olanzapine oral tablet 5 mg</i>	2	MO; QL (120 per 30 days)
<i>olanzapine oral tablet 7.5 mg</i>	2	MO; QL (90 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg</i>	4	MO; QL (60 per 30 days)
<i>olanzapine oral tablet, disintegrating 20 mg</i>	4	MO; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 5 mg</i>	4	MO; QL (120 per 30 days)
<i>oxazepam oral capsule</i>	2	MO; QL (120 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	5	PA; MO; QL (240 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg</i>	5	PA; MO; QL (120 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg, 9 mg</i>	5	PA; MO; QL (60 per 30 days)
<i>paroxetine hcl oral tablet</i>	1	MO
<i>paroxetine hcl oral tablet extended release 24 hr</i>	4	MO
PAXIL ORAL SUSPENSION	4	MO
<i>perphenazine oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>perphenazine-amitriptyline oral tablet</i>	2	MO
<i>phenelzine oral tablet</i>	2	MO
<i>pimozide oral tablet</i>	2	MO
PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG	4	ST; MO; QL (120 per 30 days)
PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG	4	ST; MO; QL (480 per 30 days)
PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 50 MG	4	ST; MO; QL (240 per 30 days)
<i>protriptyline oral tablet</i>	3	MO
<i>quetiapine oral tablet 100 mg</i>	2	PA; MO; QL (240 per 30 days)
<i>quetiapine oral tablet 200 mg</i>	2	PA; MO; QL (120 per 30 days)
<i>quetiapine oral tablet 25 mg</i>	2	PA; MO; QL (960 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i>	2	PA; MO; QL (90 per 30 days)
<i>quetiapine oral tablet 50 mg</i>	2	PA; MO; QL (480 per 30 days)
<i>quetiapine oral tablet extended release 24 hr</i>	4	PA; MO
REXULTI ORAL TABLET 0.25 MG	5	PA; MO; QL (480 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	PA; MO; QL (240 per 30 days)
REXULTI ORAL TABLET 1 MG	5	PA; MO; QL (120 per 30 days)
REXULTI ORAL TABLET 2 MG	5	PA; MO; QL (60 per 30 days)
REXULTI ORAL TABLET 3 MG	5	PA; MO; QL (45 per 30 days)
REXULTI ORAL TABLET 4 MG	5	PA; MO; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML	4	MO; QL (8 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 25 MG/2 ML	4	MO; QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML	5	MO; QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 50 MG/2 ML	5	MO; QL (2 per 28 days)
<i>risperidone oral solution</i>	2	MO
<i>risperidone oral tablet 0.25 mg</i>	2	MO; QL (1920 per 30 days)
<i>risperidone oral tablet 0.5 mg</i>	2	MO; QL (960 per 30 days)
<i>risperidone oral tablet 1 mg</i>	2	MO; QL (480 per 30 days)
<i>risperidone oral tablet 2 mg</i>	2	MO; QL (240 per 30 days)
<i>risperidone oral tablet 3 mg</i>	2	MO; QL (180 per 30 days)
<i>risperidone oral tablet 4 mg</i>	2	MO; QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg</i>	4	MO; QL (1920 per 30 days)
<i>risperidone oral tablet,disintegrating 0.5 mg</i>	4	MO; QL (960 per 30 days)
<i>risperidone oral tablet,disintegrating 1 mg</i>	4	MO; QL (480 per 30 days)
<i>risperidone oral tablet,disintegrating 2 mg</i>	4	MO; QL (240 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg</i>	4	MO; QL (180 per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	4	MO; QL (120 per 30 days)
ROZEREM ORAL TABLET	4	MO; QL (30 per 30 days)
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG	4	PA; MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 2.5 MG	4	PA; MO; QL (240 per 30 days)
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 5 MG	4	PA; MO; QL (120 per 30 days)
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR	4	PA; MO
<i>sertraline oral concentrate</i>	2	MO
<i>sertraline oral tablet</i>	2	MO
SILENOR ORAL TABLET	4	MO; QL (30 per 30 days)
STRATTERA ORAL CAPSULE 10 MG, 100 MG, 40 MG, 60 MG, 80 MG	4	MO; QL (30 per 30 days)
STRATTERA ORAL CAPSULE 18 MG	4	MO; QL (60 per 30 days)
STRATTERA ORAL CAPSULE 25 MG	4	MO; QL (90 per 30 days)
<i>thioridazine oral tablet</i>	2	MO
<i>thiothixene oral capsule</i>	2	MO
<i>tranylcypromine oral tablet</i>	4	MO
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	MO
<i>trazodone oral tablet 300 mg</i>	4	MO
<i>trifluoperazine oral tablet</i>	2	MO
<i>trimipramine oral capsule</i>	2	PA; MO
TRINTELLIX ORAL TABLET 10 MG	4	PA; MO; QL (60 per 30 days)
TRINTELLIX ORAL TABLET 20 MG	4	PA; MO; QL (30 per 30 days)
TRINTELLIX ORAL TABLET 5 MG	4	PA; MO; QL (120 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	2	MO; QL (90 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg</i>	2	MO; QL (300 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 75 mg</i>	2	MO; QL (150 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>venlafaxine oral tablet</i>	2	MO
VERSACLOZ ORAL SUSPENSION	5	PA; QL (540 per 30 days)
VIIIBRYD ORAL TABLET 10 MG	4	PA; MO; QL (120 per 30 days)
VIIIBRYD ORAL TABLET 20 MG	4	PA; MO; QL (60 per 30 days)
VIIIBRYD ORAL TABLET 40 MG	4	PA; MO; QL (30 per 30 days)
VIIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	4	PA; MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG	5	PA; MO; QL (120 per 30 days)
VRAYLAR ORAL CAPSULE 3 MG, 4.5 MG	5	PA; MO; QL (60 per 30 days)
VRAYLAR ORAL CAPSULE 6 MG	5	PA; MO; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK	4	PA; MO; QL (7 per 30 days)
XYREM ORAL SOLUTION	5	PA; MO; LA; QL (540 per 30 days)
<i>zaleplon oral capsule</i>	2	ST; MO; QL (30 per 30 days)
<i>zenzedi oral tablet 10 mg, 5 mg</i>	2	PA; MO; QL (180 per 30 days)
<i>ziprasidone hcl oral capsule 20 mg</i>	3	MO; QL (300 per 30 days)
<i>ziprasidone hcl oral capsule 40 mg</i>	3	MO; QL (150 per 30 days)
<i>ziprasidone hcl oral capsule 60 mg</i>	3	MO; QL (120 per 30 days)
<i>ziprasidone hcl oral capsule 80 mg</i>	3	MO; QL (90 per 30 days)
<i>zolpidem oral tablet</i>	2	ST; MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (3 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	4	MO
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	4	
CARDIOVASCULAR, HYPERTENSION / LIPIDS		
ANTIARRHYTHMIC AGENTS		
<i>amiodarone intravenous solution</i>	2	B/D; MO
<i>amiodarone intravenous syringe</i>	2	B/D
<i>amiodarone oral tablet 100 mg, 200 mg</i>	2	MO
<i>amiodarone oral tablet 400 mg</i>	4	MO
<i>disopyramide phosphate oral capsule</i>	2	MO
<i>dofetilide oral capsule</i>	3	MO
<i>flecainide oral tablet</i>	2	MO
<i>ibutilide fumarate intravenous solution</i>	2	MO
<i>lidocaine (pf) intravenous solution</i>	2	MO
<i>lidocaine (pf) intravenous syringe</i>	2	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 4 mg/ml (0.4 %), 8 mg/ml (0.8 %)</i>	2	
<i>mexiletine oral capsule</i>	2	MO
MULTAQ ORAL TABLET	3	MO
<i>pacerone oral tablet 100 mg, 200 mg</i>	2	MO
<i>pacerone oral tablet 400 mg</i>	4	MO
<i>procainamide injection solution 100 mg/ml</i>	2	MO
<i>procainamide injection solution 500 mg/ml</i>	2	
<i>propafenone oral capsule, extended release 12 hr</i>	4	MO
<i>propafenone oral tablet</i>	2	MO
<i>quinidine gluconate injection solution</i>	2	MO
<i>quinidine sulfate oral tablet</i>	2	MO
<i>sorine oral tablet 120 mg, 160 mg, 80 mg</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>sorine oral tablet 240 mg</i>	2	
<i>sotalol af oral tablet</i>	2	MO
<i>sotalol oral tablet</i>	2	MO
ANTIHYPERTENSIVE THERAPY		
<i>acebutolol oral capsule</i>	2	MO
<i>afeditab cr oral tablet extended release</i>	2	MO
<i>amiloride oral tablet</i>	2	MO
<i>amiloride-hydrochlorothiazide oral tablet</i>	2	MO
<i>amlodipine oral tablet</i>	2	MO
<i>amlodipine-benazepril oral capsule</i>	2	MO
<i>amlodipine-valsartan oral tablet</i>	2	MO
<i>atenolol oral tablet</i>	1	MO
<i>atenolol-chlorthalidone oral tablet</i>	2	MO
<i>benazepril oral tablet</i>	1	MO
<i>benazepril-hydrochlorothiazide oral tablet</i>	2	MO
<i>betaxolol oral tablet</i>	2	MO
<i>bisoprolol fumarate oral tablet</i>	2	MO
<i>bisoprolol-hydrochlorothiazide oral tablet</i>	1	MO
<i>bumetanide injection solution</i>	2	MO
<i>bumetanide oral tablet</i>	2	MO
<i>candesartan oral tablet</i>	4	MO
<i>candesartan-hydrochlorothiazid oral tablet</i>	4	MO
<i>captopril oral tablet</i>	2	MO
<i>captopril-hydrochlorothiazide oral tablet</i>	2	MO
CARDENE IV IN DEXTROSE INTRAVENOUS PIGGYBACK	4	
CARDENE IV IN SODIUM CHLORIDE INTRAVENOUS PIGGYBACK	4	
<i>cartia xt oral capsule,extended release 24hr</i>	2	MO
<i>carvedilol oral tablet</i>	1	MO
<i>chlorothiazide oral tablet</i>	2	MO
<i>chlorothiazide sodium intravenous recon soln</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	MO
<i>clonidine (pf) epidural solution 1,000 mcg/10 ml (100 mcg/ml)</i>	2	B/D
<i>clonidine hcl oral tablet</i>	2	MO
<i>clonidine transdermal patch weekly</i>	2	MO
DEMSER ORAL CAPSULE	5	PA; MO
<i>diltiazem hcl intravenous recon soln</i>	2	
<i>diltiazem hcl intravenous solution</i>	2	
<i>diltiazem hcl oral capsule, extended release 120 mg, 180 mg, 240 mg, 300 mg, 420 mg</i>	2	MO
<i>diltiazem hcl oral capsule, extended release 360 mg</i>	4	MO
<i>diltiazem hcl oral capsule, ext release degradable</i>	2	MO
<i>diltiazem hcl oral capsule, extended release 12 hr</i>	2	MO
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	MO
<i>diltiazem hcl oral capsule, extended release 24hr 360 mg</i>	4	MO
<i>diltiazem hcl oral tablet</i>	1	MO
<i>diltiazem hcl oral tablet extended release 24 hr</i>	4	MO
<i>dilt-xr oral capsule, ext release degradable</i>	2	MO
DIURIL ORAL SUSPENSION	4	MO
<i>doxazosin oral tablet</i>	2	MO
<i>enalapril maleate oral tablet</i>	1	MO
<i>enalapril-hydrochlorothiazide oral tablet</i>	1	MO
<i>eplerenone oral tablet</i>	4	MO
<i>epoprostenol (glycine) intravenous recon soln</i>	5	PA; MO
<i>eprosartan oral tablet</i>	4	MO
<i>esmolol intravenous solution</i>	2	
<i>felodipine oral tablet extended release 24 hr</i>	2	MO
<i>fosinopril oral tablet</i>	1	MO
<i>fosinopril-hydrochlorothiazide oral tablet</i>	2	MO
<i>furosemide injection solution</i>	2	MO
<i>furosemide injection syringe</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	MO
<i>furosemide oral tablet</i>	1	MO
<i>hydralazine injection solution</i>	2	MO
<i>hydralazine oral tablet</i>	2	MO
<i>hydrochlorothiazide oral capsule</i>	1	MO
<i>hydrochlorothiazide oral tablet</i>	1	MO
<i>indapamide oral tablet</i>	1	MO
<i>irbesartan oral tablet</i>	1	MO
<i>irbesartan-hydrochlorothiazide oral tablet</i>	1	MO
<i>isradipine oral capsule</i>	2	MO
<i>labetalol intravenous solution</i>	2	MO
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet</i>	2	MO
<i>lisinopril oral tablet</i>	1	MO
<i>lisinopril-hydrochlorothiazide oral tablet</i>	1	MO
<i>losartan oral tablet</i>	1	MO
<i>losartan-hydrochlorothiazide oral tablet</i>	1	MO
<i>matzim la oral tablet extended release 24 hr</i>	4	MO
<i>methyclothiazide oral tablet</i>	2	MO
<i>metolazone oral tablet</i>	2	MO
<i>metoprolol succinate oral tablet extended release 24 hr</i>	2	MO
<i>metoprolol ta-hydrochlorothiaz oral tablet</i>	3	MO
<i>metoprolol tartrate intravenous solution</i>	2	MO
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>	1	MO
<i>minoxidil oral tablet</i>	2	MO
<i>moexipril oral tablet</i>	2	MO
<i>moexipril-hydrochlorothiazide oral tablet</i>	2	MO
<i>nadolol oral tablet</i>	3	MO
<i>nadolol-bendroflumethiazide oral tablet</i>	2	MO
<i>nicardipine intravenous solution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>nicardipine oral capsule</i>	2	MO
<i>nifedipine oral tablet extended release</i>	2	MO
<i>nifedipine oral tablet extended release 24hr</i>	2	MO
<i>nimodipine oral capsule</i>	2	MO
<i>perindopril erbumine oral tablet</i>	2	MO
<i>phenoxybenzamine oral capsule</i>	5	MO
<i>pindolol oral tablet</i>	2	MO
<i>prazosin oral capsule</i>	2	MO
<i>propranolol intravenous solution</i>	2	
<i>propranolol oral capsule, extended release 24 hr</i>	3	MO
<i>propranolol oral solution</i>	2	MO
<i>propranolol oral tablet</i>	1	MO
<i>propranolol-hydrochlorothiazid oral tablet</i>	2	MO
<i>quinapril oral tablet</i>	1	MO
<i>quinapril-hydrochlorothiazide oral tablet</i>	1	MO
<i>ramipril oral capsule</i>	1	MO
REMODULIN INJECTION SOLUTION	5	PA; MO; LA
<i>reserpine oral tablet</i>	2	MO
<i>spironolactone oral tablet</i>	1	MO
<i>spironolacton-hydrochlorothiaz oral tablet</i>	2	MO
<i>taztia xt oral capsule, extended release 120 mg, 180 mg, 240 mg, 300 mg</i>	2	MO
<i>taztia xt oral capsule, extended release 360 mg</i>	4	MO
TEKTURNA HCT ORAL TABLET	3	ST; MO
TEKTURNA ORAL TABLET	3	ST; MO
<i>telmisartan oral tablet</i>	2	MO
<i>telmisartan-amlodipine oral tablet</i>	4	MO
<i>telmisartan-hydrochlorothiazid oral tablet</i>	4	MO
<i>terazosin oral capsule</i>	1	MO
<i>timolol maleate oral tablet</i>	2	MO
<i>torseamide oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>trandolapril oral tablet</i>	1	MO
<i>triamterene-hydrochlorothiazid oral capsule</i>	1	MO
<i>triamterene-hydrochlorothiazid oral tablet</i>	1	MO
UPTRAVI ORAL TABLET	5	PA; MO; LA; QL (60 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK	5	PA; MO; LA; QL (400 per 365 days)
<i>valsartan oral tablet</i>	2	MO
<i>valsartan-hydrochlorothiazide oral tablet</i>	2	MO
<i>veletri intravenous recon soln</i>	5	PA; MO
<i>verapamil intravenous solution</i>	2	MO
<i>verapamil intravenous syringe</i>	2	
<i>verapamil oral capsule, 24 hr er pellet ct</i>	2	MO
<i>verapamil oral capsule,ext rel. pellets 24 hr</i>	2	MO
<i>verapamil oral tablet</i>	1	MO
<i>verapamil oral tablet extended release</i>	2	MO
CARDIAC GLYCOSIDES		
<i>digitek oral tablet 125 mcg</i>	1	MO
<i>digitek oral tablet 250 mcg</i>	2	MO
<i>digox oral tablet</i>	2	MO
<i>digoxin injection solution</i>	2	MO
<i>digoxin oral solution 50 mcg/ml</i>	2	MO
<i>digoxin oral tablet 125 mcg</i>	1	MO
<i>digoxin oral tablet 250 mcg</i>	2	MO
COAGULATION THERAPY		
<i>aminocaproic acid intravenous solution</i>	2	MO
ARGATROBAN IN 0.9 % SOD CHLOR INTRAVENOUS PARENTERAL SOLUTION	5	
ARGATROBAN IN 0.9 % SOD CHLOR INTRAVENOUS SOLUTION	5	
ARGATROBAN IN NACL (ISO-OS) INTRAVENOUS SOLUTION	5	
ARGATROBAN INTRAVENOUS SOLUTION	5	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr</i>	2	MO
BRILINTA ORAL TABLET	3	MO; QL (60 per 30 days)
<i>cilostazol oral tablet</i>	2	MO
<i>clopidogrel oral tablet</i>	2	MO
<i>dipyridamole oral tablet</i>	2	MO
EFFIENT ORAL TABLET	3	MO; QL (30 per 30 days)
ELIQUIS ORAL TABLET 2.5 MG	3	MO; QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	3	MO; QL (74 per 30 days)
<i>enoxaparin subcutaneous solution</i>	4	MO; QL (360 per 365 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml</i>	4	MO; QL (120 per 365 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>	4	MO; QL (96 per 365 days)
<i>enoxaparin subcutaneous syringe 150 mg/ml</i>	5	MO; QL (120 per 365 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i>	4	MO; QL (36 per 365 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>	4	MO; QL (48 per 365 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i>	4	MO; QL (72 per 365 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>	5	MO; QL (48 per 365 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	4	MO; QL (30 per 365 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>	5	MO; QL (24 per 365 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i>	5	MO; QL (36 per 365 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
FRAGMIN SUBCUTANEOUS SOLUTION	5	MO; QL (60 per 365 days)
FRAGMIN SUBCUTANEOUS SYRINGE 10,000 ANTI-XA UNIT/ML	5	MO; QL (60 per 365 days)
FRAGMIN SUBCUTANEOUS SYRINGE 12,500 ANTI-XA UNIT/0.5 ML	5	MO; QL (30 per 365 days)
FRAGMIN SUBCUTANEOUS SYRINGE 15,000 ANTI-XA UNIT/0.6 ML	5	MO; QL (36 per 365 days)
FRAGMIN SUBCUTANEOUS SYRINGE 18,000 ANTI-XA UNIT/0.72 ML	5	MO; QL (43.2 per 365 days)
FRAGMIN SUBCUTANEOUS SYRINGE 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML	4	MO; QL (12 per 365 days)
FRAGMIN SUBCUTANEOUS SYRINGE 7,500 ANTI-XA UNIT/0.3 ML	5	MO; QL (18 per 365 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 12,500 unit/250 ml, 20,000 unit/500 ml (40 unit/ml)</i>	2	
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	2	MO
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml, 2,000 unit/1,000 ml</i>	2	
<i>heparin (porcine) injection cartridge</i>	2	MO
<i>heparin (porcine) injection solution</i>	2	MO
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	
HEPARIN(PORCINE) IN 0.45% NACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML	2	
<i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i>	2	MO
<i>heparin, porcine (pf) injection solution</i>	2	MO
<i>heparin, porcine (pf) injection syringe</i>	2	MO
<i>jantoven oral tablet</i>	2	MO
<i>pentoxifylline oral tablet extended release</i>	2	MO
PRADAXA ORAL CAPSULE 110 MG	4	MO; QL (180 per 365 days)
PRADAXA ORAL CAPSULE 150 MG, 75 MG	4	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
PROMACTA ORAL TABLET 12.5 MG, 25 MG	5	PA; MO; LA; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; MO; LA; QL (60 per 30 days)
<i>ticlopidine oral tablet</i>	2	MO
<i>tranexamic acid intravenous solution</i>	2	MO
<i>warfarin oral tablet</i>	1	MO
XARELTO ORAL TABLET 10 MG	3	MO; QL (70 per 365 days)
XARELTO ORAL TABLET 15 MG	3	MO; QL (42 per 30 days)
XARELTO ORAL TABLET 20 MG	3	MO; QL (30 per 30 days)
XARELTO ORAL TABLETS,DOSE PACK	3	MO; QL (51 per 30 days)
ZONTIVITY ORAL TABLET	4	PA; MO; QL (30 per 30 days)
LIPID/CHOLESTEROL LOWERING AGENTS		
<i>atorvastatin oral tablet</i>	1	MO
<i>cholestyramine (with sugar) oral powder</i>	3	MO
<i>cholestyramine (with sugar) oral powder in packet</i>	3	MO
<i>cholestyramine light oral powder</i>	3	MO
<i>cholestyramine light oral powder in packet</i>	3	MO
<i>colestipol oral granules</i>	3	MO
<i>colestipol oral packet</i>	3	MO
<i>colestipol oral tablet</i>	3	MO
<i>fenofibrate micronized oral capsule 130 mg, 200 mg</i>	4	MO; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 43 mg</i>	3	MO; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 67 mg</i>	2	MO; QL (30 per 30 days)
<i>fenofibrate nanocrystallized oral tablet 145 mg</i>	4	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>fenofibrate nanocrystallized oral tablet 48 mg</i>	2	MO; QL (30 per 30 days)
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	MO; QL (30 per 30 days)
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg</i>	4	MO; QL (30 per 30 days)
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 45 mg</i>	3	MO; QL (30 per 30 days)
<i>fenofibric acid oral tablet</i>	2	MO
<i>fluvastatin oral capsule</i>	4	MO
<i>gemfibrozil oral tablet</i>	2	MO
JUXTAPID ORAL CAPSULE	5	PA; MO; LA; QL (30 per 30 days)
KYNAMRO SUBCUTANEOUS SYRINGE	5	PA; MO; LA; QL (4 per 28 days)
<i>lovastatin oral tablet</i>	1	MO
<i>niacin oral tablet extended release 24 hr</i>	4	MO
<i>omega-3 acid ethyl esters oral capsule</i>	3	MO
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (2 per 28 days)
PRALUENT SYRINGE SUBCUTANEOUS SYRINGE 75 MG/ML	5	PA; MO; QL (2 per 28 days)
<i>pravastatin oral tablet</i>	1	MO
<i>prevalite oral powder</i>	3	MO
<i>prevalite oral powder in packet</i>	3	MO
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR	5	PA; MO; QL (1 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE	5	PA; MO; QL (3 per 28 days)
<i>rosuvastatin oral tablet</i>	4	MO
<i>simvastatin oral tablet</i>	1	MO
VASCEPA ORAL CAPSULE	3	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
WELCHOL ORAL POWDER IN PACKET	3	MO
WELCHOL ORAL TABLET	3	MO
ZETIA ORAL TABLET	3	MO
MISCELLANEOUS CARDIOVASCULAR AGENTS		
CORLANOR ORAL TABLET	4	PA; MO; QL (60 per 30 days)
ENTRESTO ORAL TABLET	3	MO; QL (60 per 30 days)
ISUPREL INJECTION SOLUTION	4	
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR	3	MO; QL (60 per 30 days)
VECAMYL ORAL TABLET	5	PA
NITRATES		
<i>isosorbide dinitrate oral tablet</i>	3	MO
<i>isosorbide dinitrate oral tablet extended release</i>	3	MO
<i>isosorbide mononitrate oral tablet</i>	1	MO
<i>isosorbide mononitrate oral tablet extended release 24 hr</i>	1	MO
<i>nitro-bid transdermal ointment</i>	2	MO
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	4	MO
<i>nitroglycerin intravenous solution</i>	2	B/D
<i>nitroglycerin sublingual tablet</i>	2	MO
<i>nitroglycerin transdermal patch 24 hour</i>	2	MO
<i>nitroglycerin translingual aerosol,spray</i>	2	MO
<i>nitroglycerin translingual spray,non-aerosol</i>	2	MO
NITROSTAT SUBLINGUAL TABLET	3	MO
DERMATOLOGICALS/TOPICAL THERAPY		
ANTIPSORIATIC / ANTISEBORRHEIC		
<i>acitretin oral capsule</i>	5	PA; MO
<i>calcipotriene scalp solution</i>	4	MO
<i>calcipotriene topical cream</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>calcipotriene topical ointment</i>	4	MO
<i>calcitriol topical ointment</i>	4	MO; QL (800 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE	5	PA; MO; QL (2 per 28 days)
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (2 per 28 days)
COSENTYX PEN SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (2 per 28 days)
COSENTYX SUBCUTANEOUS SYRINGE	5	PA; MO; QL (2 per 28 days)
<i>selenium sulfide topical lotion</i>	2	MO
STELARA INTRAVENOUS SOLUTION	5	PA; MO; QL (208 per 365 days)
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	5	PA; MO; QL (0.5 per 28 days)
STELARA SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; MO; QL (1 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR	5	PA; QL (3 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) SUBCUTANEOUS AUTO-INJECTOR	5	PA; QL (3 per 28 days)
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (3 per 28 days)
TALTZ SYRINGE (2 PACK) SUBCUTANEOUS SYRINGE	5	PA; QL (3 per 28 days)
TALTZ SYRINGE (3 PACK) SUBCUTANEOUS SYRINGE	5	PA; QL (3 per 28 days)
TALTZ SYRINGE SUBCUTANEOUS SYRINGE	5	PA; MO; QL (3 per 28 days)
BURN THERAPY		
<i>silver sulfadiazine topical cream</i>	1	MO
<i>ssd topical cream</i>	1	MO
<i>thermazene topical cream</i>	2	
MISCELLANEOUS DERMATOLOGICALS		
<i>ammonium lactate topical cream</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>ammonium lactate topical lotion</i>	2	MO
CONDYLOX TOPICAL GEL	4	MO
ELIDEL TOPICAL CREAM	4	PA; MO
EUCRISA TOPICAL OINTMENT	4	PA; MO
<i>fluorouracil topical cream 5 %</i>	3	MO
<i>fluorouracil topical solution</i>	3	MO
<i>imiquimod topical cream in packet</i>	3	MO
<i>methoxsalen oral capsule, liqd-filled, rapid rel</i>	5	PA; MO
PANRETIN TOPICAL GEL	5	PA; MO
PICATO TOPICAL GEL	5	PA; MO
<i>podofilox topical solution</i>	2	MO
REGRANEX TOPICAL GEL	5	PA; MO
<i>tacrolimus topical ointment</i>	4	PA; MO
UVADEX INJECTION SOLUTION	4	
VALCHLOR TOPICAL GEL	5	PA; MO
THERAPY FOR ACNE		
<i>adapalene topical cream</i>	4	PA; MO
<i>adapalene topical gel 0.1 %</i>	4	PA; MO
<i>avita topical cream</i>	3	PA; MO
<i>claravis oral capsule</i>	4	MO
<i>clindacin etz topical swab</i>	2	MO
<i>clindacin p topical swab</i>	2	MO
<i>clindamycin phosphate topical gel</i>	2	MO
<i>clindamycin phosphate topical lotion</i>	2	MO
<i>clindamycin phosphate topical solution</i>	2	MO
<i>clindamycin phosphate topical swab</i>	2	MO
<i>ery pads topical swab</i>	2	MO
<i>erygel topical gel</i>	4	MO
<i>erythromycin with ethanol topical gel</i>	4	MO
<i>erythromycin with ethanol topical solution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>erythromycin with ethanol topical swab</i>	2	MO
<i>erythromycin-benzoyl peroxide topical gel</i>	3	MO
<i>metronidazole topical cream</i>	3	MO
<i>metronidazole topical gel 0.75 %</i>	3	MO
<i>metronidazole topical lotion</i>	3	MO
<i>myorisan oral capsule 10 mg, 20 mg, 40 mg</i>	4	MO
<i>myorisan oral capsule 30 mg</i>	4	
<i>rosadan topical cream</i>	3	MO
<i>rosadan topical gel</i>	3	MO
TAZORAC TOPICAL CREAM	4	PA; MO
TAZORAC TOPICAL GEL	4	PA; MO
<i>tretinoin topical cream</i>	3	PA; MO
<i>tretinoin topical gel 0.01 %, 0.025 %</i>	3	PA; MO
<i>zenatane oral capsule</i>	4	MO
TOPICAL ANESTHETICS		
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	2	MO
<i>lidocaine (pf) injection solution 15 mg/ml (1.5 %)</i>	2	
<i>lidocaine hcl injection solution</i>	2	MO
<i>lidocaine hcl laryngotracheal solution</i>	2	MO
<i>lidocaine hcl mucous membrane jelly</i>	2	MO
<i>lidocaine hcl mucous membrane jelly in applicator</i>	2	MO
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	MO
<i>lidocaine hcl urethral gel</i>	2	MO
<i>lidocaine topical adhesive patch,medicated</i>	4	PA; MO; QL (90 per 30 days)
<i>lidocaine topical ointment</i>	4	MO
<i>lidocaine viscous mucous membrane solution</i>	1	MO
<i>lidocaine-prilocaine topical cream</i>	4	MO
<i>ropivacaine (pf) injection solution</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
TOPICAL ANTIBACTERIALS		
<i>gentamicin topical cream</i>	1	MO
<i>gentamicin topical ointment</i>	1	MO
<i>mupirocin topical ointment</i>	2	MO
<i>sulfacetamide sodium (acne) topical suspension</i>	2	MO
SULFAMYLON TOPICAL CREAM	4	MO
TOPICAL ANTIFUNGALS		
<i>ciclodan topical cream</i>	2	MO
<i>ciclopirox topical cream</i>	3	MO
<i>ciclopirox topical gel</i>	4	MO
<i>ciclopirox topical solution</i>	2	MO
<i>ciclopirox topical suspension</i>	2	MO
<i>clotrimazole topical cream</i>	2	MO
<i>clotrimazole topical solution</i>	2	MO
<i>clotrimazole-betamethasone topical cream</i>	2	MO
<i>clotrimazole-betamethasone topical lotion</i>	4	MO
<i>econazole topical cream</i>	4	MO
<i>ketconazole topical cream</i>	2	MO
<i>ketconazole topical shampoo</i>	2	MO
<i>nyamyc topical powder</i>	2	MO
<i>nyata topical powder</i>	2	
<i>nystatin topical cream</i>	1	MO
<i>nystatin topical ointment</i>	1	MO
<i>nystatin topical powder</i>	2	MO
<i>nystatin-triamcinolone topical cream</i>	4	MO
<i>nystatin-triamcinolone topical ointment</i>	4	MO
<i>nystop topical powder</i>	2	MO
TOPICAL ANTIVIRALS		
<i>acyclovir topical ointment</i>	2	MO
DENAVIR TOPICAL CREAM	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
TOPICAL CORTICOSTEROIDS		
<i>ala-cort topical cream 1 %</i>	1	MO
<i>ala-cort topical cream 2.5 %</i>	1	
<i>alclometasone topical cream</i>	3	MO
<i>alclometasone topical ointment</i>	4	MO
<i>amcinonide topical cream</i>	4	MO
<i>amcinonide topical lotion</i>	2	MO
<i>amcinonide topical ointment</i>	2	MO
<i>betamethasone dipropionate topical cream</i>	4	MO
<i>betamethasone dipropionate topical lotion</i>	2	MO
<i>betamethasone dipropionate topical ointment</i>	4	MO
<i>betamethasone valerate topical cream</i>	2	MO
<i>betamethasone valerate topical lotion</i>	3	MO
<i>betamethasone valerate topical ointment</i>	2	MO
<i>betamethasone, augmented topical cream</i>	2	MO
<i>betamethasone, augmented topical gel</i>	4	MO
<i>betamethasone, augmented topical lotion</i>	4	MO
<i>betamethasone, augmented topical ointment</i>	4	MO
<i>clobetasol scalp solution</i>	2	MO
<i>clobetasol topical cream</i>	4	MO
<i>clobetasol topical gel</i>	4	MO
<i>clobetasol topical ointment</i>	4	MO
<i>clobetasol-emollient topical cream</i>	4	MO
<i>cormax scalp solution</i>	2	
<i>desonide topical cream</i>	4	MO
<i>desonide topical lotion</i>	4	MO
<i>desonide topical ointment</i>	4	MO
<i>desoximetasone topical cream</i>	4	MO
<i>desoximetasone topical gel</i>	4	MO
<i>desoximetasone topical ointment 0.25 %</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>diflorasone topical cream</i>	4	MO
<i>diflorasone topical ointment</i>	4	MO
<i>fluocinolone and shower cap scalp oil</i>	4	MO
<i>fluocinolone topical cream</i>	4	MO
<i>fluocinolone topical oil</i>	4	MO
<i>fluocinolone topical ointment</i>	4	MO
<i>fluocinolone topical solution</i>	4	MO
<i>fluocinonide topical cream 0.05 %</i>	3	MO
<i>fluocinonide topical gel</i>	4	MO
<i>fluocinonide topical ointment</i>	4	MO
<i>fluocinonide topical solution</i>	4	MO
<i>fluocinonide-e topical cream</i>	3	MO
<i>fluticasone topical cream</i>	2	MO
<i>fluticasone topical ointment</i>	2	MO
<i>halobetasol propionate topical cream</i>	2	MO
<i>halobetasol propionate topical ointment</i>	4	MO
<i>hydrocortisone butyrate topical ointment</i>	4	MO
<i>hydrocortisone butyrate topical solution</i>	3	MO
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	1	MO
<i>hydrocortisone topical lotion 2.5 %</i>	1	MO
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	1	MO
<i>hydrocortisone valerate topical cream</i>	4	MO
<i>hydrocortisone valerate topical ointment</i>	4	MO
<i>hydrocortisone-min oil-wht pet topical ointment</i>	1	MO
<i>mometasone topical cream</i>	2	MO
<i>mometasone topical ointment</i>	2	MO
<i>mometasone topical solution</i>	2	MO
<i>prednicarbate topical cream</i>	2	MO
<i>prednicarbate topical ointment</i>	2	MO
<i>triamcinolone acetonide topical cream</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>triamcinolone acetonide topical lotion</i>	2	MO
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	MO
<i>triderm topical cream</i>	2	MO
TOPICAL ENZYMES		
SANTYL TOPICAL OINTMENT	4	MO
TOPICAL SCABICIDES / PEDICULICIDES		
<i>lindane topical shampoo</i>	4	MO
<i>malathion topical lotion</i>	4	MO
<i>permethrin topical cream</i>	3	MO
DIAGNOSTICS / MISCELLANEOUS AGENTS		
ANTIDOTES		
<i>acetylcysteine intravenous solution</i>	2	MO
IRRIGATING SOLUTIONS		
<i>lactated ringers irrigation solution</i>	2	MO
<i>neomycin-polymyxin b gu irrigation solution</i>	2	MO
PHYSIOLYTE IRRIGATION SOLUTION	3	
PHYSIOSOL IRRIGATION SOLUTION	3	
<i>ringer's irrigation solution</i>	2	MO
<i>tis-u-sol pentalyte irrigation solution</i>	2	MO
MISCELLANEOUS AGENTS		
<i>acamprosate oral tablet, delayed release (dr/ec)</i>	2	MO
<i>acetic acid irrigation solution</i>	2	MO
ADAGEN INTRAMUSCULAR SOLUTION	5	PA; MO; LA
<i>alendronate oral tablet 40 mg</i>	1	MO
<i>anagrelide oral capsule</i>	2	MO
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	5	PA; MO
ARALAST NP INTRAVENOUS RECON SOLN 500 MG	5	PA; MO; LA
AURYXIA ORAL TABLET	3	MO
BUPHENYL ORAL TABLET	5	PA; MO
CARBAGLU ORAL TABLET, DISPERSIBLE	5	PA; MO; LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>cevimeline oral capsule</i>	4	MO
CHEMET ORAL CAPSULE	4	PA; MO
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	2	MO
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	2	MO
<i>deferoxamine injection recon soln</i>	2	MO
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	2	
<i>dextrose 10 % in water (d10w) intravenous parenteral solution</i>	2	MO
<i>dextrose 20 % in water (d20w) intravenous parenteral solution</i>	2	
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	2	
<i>dextrose 30 % in water (d30w) intravenous parenteral solution</i>	2	
<i>dextrose 40 % in water (d40w) intravenous parenteral solution</i>	2	
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	MO
<i>dextrose 5 % in water (d5w) intravenous piggyback</i>	2	MO
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	2	MO
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	2	
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	2	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	2	MO
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	2	
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	2	MO
<i>dextrose with sodium chloride intravenous parenteral solution</i>	2	
<i>disulfiram oral tablet</i>	2	MO
<i>etidronate disodium oral tablet</i>	2	MO
EXJADE ORAL TABLET, DISPERSIBLE	5	PA; MO; LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
FERRIPROX ORAL SOLUTION	5	PA
FERRIPROX ORAL TABLET	5	PA; MO
FOSRENOL ORAL POWDER IN PACKET	5	MO
FOSRENOL ORAL TABLET,CHEWABLE	5	MO
GLASSIA INTRAVENOUS SOLUTION	5	PA; MO; LA
INCRELEX SUBCUTANEOUS SOLUTION	5	PA; MO; LA
JADENU ORAL TABLET	5	PA; MO
<i>kionex (with sorbitol) oral suspension</i>	2	MO
<i>kionex oral powder</i>	2	MO
<i>levocarnitine (with sugar) oral solution</i>	2	MO
<i>levocarnitine intravenous solution</i>	2	MO
<i>levocarnitine oral tablet</i>	2	MO
LITHOSTAT ORAL TABLET	3	MO
<i>midodrine oral tablet</i>	3	MO
NORTHERA ORAL CAPSULE 100 MG	5	PA; MO; QL (540 per 30 days)
NORTHERA ORAL CAPSULE 200 MG	5	PA; MO; QL (360 per 30 days)
NORTHERA ORAL CAPSULE 300 MG	5	PA; MO; QL (180 per 30 days)
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG	5	PA; LA
ORFADIN ORAL CAPSULE 20 MG	5	PA; MO
ORFADIN ORAL SUSPENSION	5	PA; MO; LA
<i>pilocarpine hcl oral tablet</i>	2	MO
PROLASTIN-C INTRAVENOUS RECON SOLN	5	PA; LA
RAVICTI ORAL LIQUID	5	PA; MO; QL (525 per 30 days)
REVELA ORAL POWDER IN PACKET	3	MO
REVELA ORAL TABLET	3	MO
<i>riluzole oral tablet</i>	3	MO
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	MO
<i>sodium chloride 0.9 % intravenous piggyback</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>sodium chloride irrigation solution</i>	2	MO
<i>sodium phenylbutyrate oral powder</i>	5	PA; MO
<i>sodium polystyrene (sorb free) oral suspension</i>	2	MO
<i>sodium polystyrene sulfonate oral powder</i>	2	MO
<i>sodium polystyrene sulfonate oral suspension</i>	2	
<i>sodium polystyrene sulfonate rectal enema 30 gram/120 ml</i>	2	
SODIUM POLYSTYRENE SULFONATE RECTAL ENEMA 50 GRAM/200 ML	2	
SOLIRIS INTRAVENOUS SOLUTION	5	PA; MO
<i>sps (with sorbitol) oral suspension</i>	2	MO
<i>sps (with sorbitol) rectal enema</i>	2	
SYPRINE ORAL CAPSULE	5	PA; MO
THIOLA ORAL TABLET	4	PA; MO
VELTASSA ORAL POWDER IN PACKET	4	PA; MO; QL (30 per 30 days)
<i>water for irrigation, sterile irrigation solution</i>	2	MO
ZEMAIRA INTRAVENOUS RECON SOLN	5	PA; MO; LA
ZOLEDRONIC ACID-MANNITOL-WATER INTRAVENOUS PIGGYBACK 5 MG/100 ML	2	QL (100 per 365 days)
<i>zoledronic acid-mannitol-water intravenous solution</i>	2	MO; QL (100 per 365 days)
SMOKING DETERRENTS		
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr</i>	2	MO
CHANTIX CONTINUING MONTH BOX ORAL TABLET	4	MO; QL (336 per 365 days)
CHANTIX ORAL TABLET	4	MO; QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK	4	MO; QL (106 per 365 days)
NICOTROL INHALATION CARTRIDGE	4	MO
NICOTROL NS NASAL SPRAY, NON-AEROSOL	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
EAR, NOSE / THROAT MEDICATIONS		
MISCELLANEOUS AGENTS		
<i>azelastine nasal aerosol,spray 137 mcg</i>	2	MO
BACTROBAN NASAL OINTMENT	4	MO
<i>chlorhexidine gluconate mucous membrane mouthwash</i>	1	MO
<i>denta 5000 plus dental cream</i>	2	MO
<i>dentagel dental gel</i>	2	MO
<i>ipratropium bromide nasal spray,non-aerosol</i>	1	MO
<i>oralone dental paste</i>	2	MO
<i>paroex oral rinse mucous membrane mouthwash</i>	1	MO
<i>perio gard mucous membrane mouthwash</i>	2	MO
<i>sf 5000 plus dental cream</i>	2	MO
<i>sf dental gel</i>	2	MO
<i>triamcinolone acetonide dental paste</i>	2	MO
MISCELLANEOUS OTIC PREPARATIONS		
<i>acetasol hc otic drops</i>	2	MO
<i>acetic acid otic solution</i>	2	MO
<i>acetic acid-aluminum acetate otic drops</i>	2	MO
<i>floxin otic drops</i>	2	
<i>fluocinolone acetonide oil otic drops</i>	2	MO
<i>hydrocortisone-acetic acid otic drops</i>	2	MO
<i>ofloxacin otic drops</i>	2	MO
OTIC STEROID / ANTIBIOTIC		
CIPRO HC OTIC DROPS,SUSPENSION	4	MO
CIPRODEX OTIC DROPS,SUSPENSION	4	MO
COLY-MYCIN S OTIC DROPS,SUSPENSION	4	MO
<i>neomycin-polymyxin-hc otic drops,suspension</i>	1	MO
<i>neomycin-polymyxin-hc otic solution</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
-----------	-----------	---------------------

ENDOCRINE/DIABETES

ADRENAL HORMONES

ACTHAR H.P. INJECTION GEL	5	PA; MO; QL (35 per 28 days)
<i>a-hydrocort injection recon soln</i>	2	MO
ARISTOSPAN INTRA-ARTICULAR INJECTION SUSPENSION	4	
ARISTOSPAN INTRALESIONAL INJECTION SUSPENSION	4	
<i>betamethasone acet,sod phos injection suspension</i>	2	MO
<i>cortisone oral tablet</i>	2	MO
<i>deltasone oral tablet 20 mg</i>	2	MO
DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML	4	MO
<i>dexamethasone intensol oral drops</i>	2	MO
<i>dexamethasone oral elixir</i>	2	MO
<i>dexamethasone oral solution</i>	2	MO
<i>dexamethasone oral tablet</i>	1	MO
<i>dexamethasone sodium phos (pf) injection solution</i>	2	MO
<i>dexamethasone sodium phosphate injection solution</i>	2	MO
<i>dexamethasone sodium phosphate injection syringe</i>	2	MO
<i>fludrocortisone oral tablet</i>	2	MO
<i>hydrocortisone oral tablet</i>	2	MO
<i>methylprednisolone acetate injection suspension</i>	2	MO
<i>methylprednisolone oral tablet</i>	2	MO
<i>methylprednisolone oral tablets,dose pack</i>	2	MO
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	MO
<i>methylprednisolone sodium succ intravenous recon soln</i>	2	MO
<i>prednisolone oral solution 15 mg/5 ml</i>	2	MO
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	MO
<i>prednisone intensol oral concentrate</i>	2	MO
<i>prednisone oral solution</i>	1	MO
<i>prednisone oral tablet</i>	1	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>prednisone oral tablets,dose pack</i>	1	MO
SOLU-CORTEF (PF) INJECTION RECON SOLN	4	MO
SOLU-CORTEF INJECTION RECON SOLN	4	MO
SOLU-MEDROL (PF) INJECTION RECON SOLN	4	MO
SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN	4	MO
SOLU-MEDROL INTRAVENOUS RECON SOLN	4	MO
<i>triamcinolone acetonide injection suspension 10 mg/ml</i>	2	MO
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	2	
ANTITHYROID AGENTS		
<i>methimazole oral tablet 10 mg, 5 mg</i>	2	MO
<i>propylthiouracil oral tablet</i>	2	MO
DIABETES THERAPY		
<i>acarbose oral tablet</i>	6	MO
AFREZZA INHALATION CARTRIDGE WITH INHALER 4 UNIT, 4 UNIT (30)/ 8 UNIT (60), 4 UNIT (60)/ 8 UNIT (30), 4 UNIT (90)/ 8 UNIT (90), 8 UNIT (60)/ 12 UNIT (30)	4	PA; MO
AFREZZA INHALATION CARTRIDGE WITH INHALER 4 UNIT/8 UNIT/ 12 UNIT (60)	4	PA
<i>alcohol pads topical pads, medicated</i>	6	MO
BASAGLAR KWIKPEN SUBCUTANEOUS INSULIN PEN	4	MO; QL (45 per 30 days)
BYDUREON SUBCUTANEOUS PEN INJECTOR	4	ST; MO; QL (4 per 28 days)
BYDUREON SUBCUTANEOUS SUSPENSION,EXTENDED REL RECON	4	ST; MO; QL (4 per 28 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	4	ST; MO; QL (2.4 per 28 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	4	ST; MO; QL (1.2 per 28 days)
FARXIGA ORAL TABLET	4	ST; MO; QL (30 per 30 days)
GAUZE PADS 2 X 2	6	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>glimepiride oral tablet 1 mg</i>	1	MO; QL (240 per 30 days)
<i>glimepiride oral tablet 2 mg</i>	1	MO; QL (120 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	MO; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	MO; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	MO; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	1	MO; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg</i>	1	MO; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 5 mg</i>	1	MO; QL (120 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	MO; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	MO; QL (120 per 30 days)
GLUCAGEN HYPOKIT INJECTION RECON SOLN	3	MO
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION KIT	4	MO
GLYXAMBI ORAL TABLET	6	MO; QL (30 per 30 days)
HUMALOG KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	6	MO; QL (45 per 30 days)
HUMALOG KWIKPEN SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	6	MO; QL (30 per 30 days)
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN	6	MO; QL (45 per 30 days)
HUMALOG MIX 50-50 SUBCUTANEOUS SUSPENSION	6	MO; QL (50 per 30 days)
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN	6	MO; QL (45 per 30 days)
HUMALOG MIX 75-25 SUBCUTANEOUS SUSPENSION	6	MO; QL (50 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
HUMALOG SUBCUTANEOUS CARTRIDGE	6	MO; QL (45 per 30 days)
HUMALOG SUBCUTANEOUS SOLUTION	6	MO; QL (50 per 30 days)
HUMULIN 70/30 KWIKPEN SUBCUTANEOUS INSULIN PEN	6	MO; QL (45 per 30 days)
HUMULIN 70/30 SUBCUTANEOUS SUSPENSION	6	MO; QL (50 per 30 days)
HUMULIN N KWIKPEN SUBCUTANEOUS INSULIN PEN	6	MO; QL (45 per 30 days)
HUMULIN N SUBCUTANEOUS SUSPENSION	6	MO; QL (50 per 30 days)
HUMULIN R U-100 INJECTION SOLUTION	6	MO; QL (50 per 30 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN	6	MO; QL (36 per 30 days)
HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION	6	MO; QL (40 per 30 days)
INSULIN PEN NEEDLE	6	MO
INSULIN SYRINGE (DISP) U-100 0.3 ML, 1 ML, 1/2 ML	6	MO
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG	6	MO; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	6	MO; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG	6	MO; QL (60 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 50-500 MG	6	MO; QL (120 per 30 days)
INVOKANA ORAL TABLET	6	MO; QL (30 per 30 days)
JANUMET ORAL TABLET	6	MO
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR	6	MO
JANUVIA ORAL TABLET	6	MO
JARDIANCE ORAL TABLET 10 MG	6	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
JARDIANCE ORAL TABLET 25 MG	6	MO; QL (30 per 30 days)
JENTADUETO ORAL TABLET	6	MO
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR	6	MO
LANTUS SOLOSTAR SUBCUTANEOUS INSULIN PEN	6	MO; QL (45 per 30 days)
LANTUS SUBCUTANEOUS SOLUTION	6	MO; QL (50 per 30 days)
LEVEMIR FLEXTOUCH SUBCUTANEOUS INSULIN PEN	6	MO; QL (45 per 30 days)
LEVEMIR SUBCUTANEOUS SOLUTION	6	MO; QL (50 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	MO; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	MO; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	MO; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg (generic for Glucophage XR)</i>	1	MO
<i>metformin oral tablet extended release 24 hr 750 mg (generic for Glucophage XR)</i>	1	MO; QL (60 per 30 days)
<i>nateglinide oral tablet</i>	6	MO
NEEDLES, INSULIN DISP.,SAFETY	6	MO
NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION	6	MO; QL (50 per 30 days)
NOVOLIN N SUBCUTANEOUS SUSPENSION	6	MO; QL (50 per 30 days)
NOVOLIN R INJECTION SOLUTION	6	MO; QL (50 per 30 days)
NOVOLOG FLEXPEN SUBCUTANEOUS INSULIN PEN	6	MO; QL (45 per 30 days)
NOVOLOG MIX 70-30 FLEXPEN SUBCUTANEOUS INSULIN PEN	6	MO; QL (45 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
NOVOLOG MIX 70-30 SUBCUTANEOUS SOLUTION	6	MO; QL (50 per 30 days)
NOVOLOG PENFILL SUBCUTANEOUS CARTRIDGE	6	MO; QL (45 per 30 days)
NOVOLOG SUBCUTANEOUS SOLUTION	6	MO; QL (50 per 30 days)
<i>pioglitazone oral tablet</i>	6	MO; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet</i>	4	MO; QL (90 per 30 days)
PROGLYCEM ORAL SUSPENSION	4	MO
<i>repaglinide oral tablet</i>	6	MO
RIOMET ORAL SOLUTION	4	MO; QL (765 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR	3	ST; MO; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR	3	ST; MO; QL (12 per 28 days)
SYNJARDY ORAL TABLET	6	MO; QL (60 per 30 days)
<i>tolazamide oral tablet 250 mg</i>	6	MO; QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	6	MO; QL (60 per 30 days)
<i>tolbutamide oral tablet</i>	6	MO; QL (180 per 30 days)
TOUJEO SOLOSTAR SUBCUTANEOUS INSULIN PEN	6	MO; QL (9 per 30 days)
TRADJENTA ORAL TABLET	6	MO
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN	6	MO; QL (45 per 30 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN	6	MO; QL (27 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR	3	MO; QL (2 per 28 days)
VICTOZA 2-PAK SUBCUTANEOUS PEN INJECTOR	3	MO; QL (9 per 30 days)
VICTOZA 3-PAK SUBCUTANEOUS PEN INJECTOR	3	MO; QL (9 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	4	ST; MO; QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG, 5-500 MG	4	ST; MO; QL (60 per 30 days)
MISCELLANEOUS HORMONES		
ALDURAZYME INTRAVENOUS SOLUTION	5	PA; MO; LA
ANADROL-50 ORAL TABLET	5	PA; MO
ANDRODERM TRANSDERMAL PATCH 24 HOUR	4	PA; MO
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; MO
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	3	PA; MO
<i>androxy oral tablet</i>	2	MO
<i>cabergoline oral tablet</i>	2	MO
<i>calcitonin (salmon) nasal spray,non-aerosol</i>	2	MO
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	MO
<i>calcitriol oral capsule</i>	2	MO
<i>calcitriol oral solution</i>	2	MO
CERDELGA ORAL CAPSULE	5	PA; MO; QL (60 per 30 days)
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	PA; MO; LA
<i>chorionic gonadotropin, human intramuscular recon soln</i>	3	PA; MO
<i>danazol oral capsule</i>	2	MO
<i>desmopressin injection solution</i>	2	MO
<i>desmopressin nasal aerosol,spray</i>	2	MO
<i>desmopressin nasal solution</i>	2	
<i>desmopressin nasal spray,non-aerosol</i>	2	MO
<i>desmopressin oral tablet</i>	2	MO
<i>doxercalciferol intravenous solution</i>	4	
<i>doxercalciferol oral capsule 0.5 mcg, 2.5 mcg</i>	4	MO
<i>doxercalciferol oral capsule 1 mcg</i>	5	MO
ELAPRASE INTRAVENOUS SOLUTION	5	PA; MO; LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ELELYSO INTRAVENOUS RECON SOLN	5	PA; MO
FABRAZYME INTRAVENOUS RECON SOLN 35 MG	5	PA; MO; LA
FABRAZYME INTRAVENOUS RECON SOLN 5 MG	5	PA; MO
KANUMA INTRAVENOUS SOLUTION	5	PA; MO
KORLYM ORAL TABLET	5	PA; MO; QL (120 per 30 days)
KUVAN ORAL POWDER IN PACKET	5	PA; MO
KUVAN ORAL TABLET,SOLUBLE	5	PA; MO; LA
LUMIZYME INTRAVENOUS RECON SOLN	5	PA; MO
<i>methyltestosterone oral capsule</i>	4	PA; MO
MIACALCIN INJECTION SOLUTION	4	MO
MYALEPT SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (60 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION	5	PA; MO; LA
NATPARA SUBCUTANEOUS CARTRIDGE	5	PA; MO; LA; QL (2 per 28 days)
<i>oxandrolone oral tablet</i>	3	PA; MO
<i>pamidronate intravenous recon soln</i>	2	MO
<i>pamidronate intravenous solution</i>	2	MO
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION	4	
<i>paricalcitol intravenous solution</i>	4	
<i>paricalcitol oral capsule</i>	2	MO
SAMSCA ORAL TABLET 15 MG	5	PA; MO; QL (30 per 30 days)
SAMSCA ORAL TABLET 30 MG	5	PA; MO; QL (60 per 30 days)
SENSIPAR ORAL TABLET 30 MG	3	MO
SENSIPAR ORAL TABLET 60 MG, 90 MG	5	MO
SOMAVERT SUBCUTANEOUS RECON SOLN	5	PA; MO; QL (30 per 30 days)
STIMATE NASAL SPRAY,NON-AEROSOL	4	MO
STRENSIQ SUBCUTANEOUS SOLUTION	5	PA; MO; LA

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
STRIANT BUCCAL MUCOADHESIVE SYSTEM ER 12 HR	4	PA; MO
SYNAREL NASAL SPRAY, NON-AEROSOL	5	PA; MO
TESTIM TRANSDERMAL GEL	4	PA; MO
<i>testosterone cypionate intramuscular oil</i>	2	PA; MO
<i>testosterone enanthate intramuscular oil</i>	2	PA; MO
TESTOSTERONE TRANSDERMAL GEL	4	PA; MO
TESTOSTERONE TRANSDERMAL GEL IN METERED-DOSE PUMP 12.5 MG/ 1.25 GRAM (1 %)	4	PA; MO
TESTOSTERONE TRANSDERMAL GEL IN PACKET	4	PA; MO
VPRIV INTRAVENOUS RECON SOLN	5	PA; MO
ZAVESCA ORAL CAPSULE	5	PA; MO; LA
ZEMPLAR INTRAVENOUS SOLUTION	4	MO
<i>zoledronic acid intravenous recon soln</i>	4	
<i>zoledronic acid intravenous solution</i>	4	MO
ZOMETA INTRAVENOUS SOLUTION 4 MG/100 ML	5	MO
THYROID HORMONES		
<i>levothyroxine intravenous recon soln 200 mcg, 500 mcg</i>	2	MO
<i>levothyroxine oral tablet</i>	1	MO
<i>liothyronine intravenous solution</i>	2	MO
<i>liothyronine oral tablet</i>	2	MO
SYNTHROID ORAL TABLET	4	MO
<i>unithroid oral tablet</i>	2	MO
GASTROENTEROLOGY		
ANTIDIARRHEALS / ANTISPASMODICS		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	2	
BENTYL INTRAMUSCULAR SOLUTION	4	MO
<i>dicyclomine oral capsule</i>	2	MO
<i>dicyclomine oral solution</i>	2	MO
<i>dicyclomine oral tablet</i>	2	MO
<i>diphenoxylate-atropine oral liquid</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>diphenoxylate-atropine oral tablet</i>	2	MO
<i>glycopyrrolate injection solution</i>	2	MO
<i>glycopyrrolate oral tablet</i>	2	MO
<i>loperamide oral capsule</i>	2	MO
<i>methscopolamine oral tablet</i>	2	MO
MYTESI ORAL TABLET,DELAYED RELEASE (DR/EC)	4	PA; MO
<i>propantheline oral tablet</i>	2	MO
MISCELLANEOUS GASTROINTESTINAL AGENTS		
AKYNZEO ORAL CAPSULE	4	B/D; MO; QL (2 per 30 days)
<i>alosetron oral tablet</i>	5	PA; MO
ALOXI INTRAVENOUS SOLUTION	4	MO
AMITIZA ORAL CAPSULE	4	PA; MO
<i>aprepitant oral capsule 125 mg</i>	4	B/D; QL (2 per 30 days)
<i>aprepitant oral capsule 40 mg</i>	4	B/D; QL (1 per 30 days)
<i>aprepitant oral capsule 80 mg</i>	4	B/D; MO; QL (4 per 30 days)
<i>aprepitant oral capsule,dose pack</i>	4	B/D; MO; QL (6 per 30 days)
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR	3	MO
ASACOL HD ORAL TABLET,DELAYED RELEASE (DR/EC)	3	MO
<i>balsalazide oral capsule</i>	2	MO
<i>budesonide oral capsule,delayed,extend.release</i>	5	MO
CANASA RECTAL SUPPOSITORY	5	MO
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT	5	PA; MO; QL (3 per 28 days)
CIMZIA STARTER KIT SUBCUTANEOUS SYRINGE KIT	5	PA; MO; QL (3 per 28 days)
CIMZIA SUBCUTANEOUS SYRINGE KIT	5	PA; MO; QL (3 per 28 days)
<i>compro rectal suppository</i>	2	MO
<i>constulose oral solution</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC)	3	MO
<i>cromolyn oral concentrate</i>	2	MO
CYSTADANE ORAL POWDER	5	MO
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS)	3	MO
DIPENTUM ORAL CAPSULE	5	ST; MO
<i>dronabinol oral capsule 10 mg</i>	5	PA; MO
<i>dronabinol oral capsule 2.5 mg, 5 mg</i>	4	PA; MO
EMEND INTRAVENOUS RECON SOLN	4	MO
EMEND ORAL CAPSULE 125 MG	4	B/D; MO; QL (2 per 30 days)
EMEND ORAL CAPSULE 40 MG	4	B/D; MO; QL (1 per 30 days)
EMEND ORAL CAPSULE 80 MG	4	B/D; MO; QL (4 per 30 days)
EMEND ORAL CAPSULE,DOSE PACK	4	B/D; MO; QL (6 per 30 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION	4	B/D; QL (2 per 30 days)
<i>enulose oral solution</i>	2	MO
GATTEX 30-VIAL SUBCUTANEOUS KIT	5	PA; MO; QL (30 per 30 days)
GATTEX ONE-VIAL SUBCUTANEOUS KIT	5	PA; MO; QL (30 per 30 days)
<i>gavilyte-c oral recon soln</i>	2	MO
<i>gavilyte-g oral recon soln</i>	2	MO
<i>gavilyte-h and bisacodyl oral kit</i>	2	MO
<i>gavilyte-n oral recon soln</i>	2	MO
<i>generlac oral solution</i>	2	MO
<i>granisetron (pf) intravenous solution</i>	2	MO
<i>granisetron hcl intravenous solution</i>	2	MO
<i>granisetron hcl oral tablet</i>	4	B/D; ST; MO; QL (30 per 30 days)
<i>hydrocortisone rectal enema</i>	2	MO
<i>hydrocortisone topical cream with perineal applicator 1 %</i>	1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i>	1	MO
<i>lactulose oral solution</i>	2	MO
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC)	4	ST; MO
LINZESS ORAL CAPSULE	3	MO; QL (30 per 30 days)
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	MO
<i>mesalamine rectal enema</i>	4	MO
<i>mesalamine with cleansing wipe rectal enema kit</i>	4	MO
<i>metoclopramide hcl injection solution</i>	2	MO
<i>metoclopramide hcl injection syringe</i>	2	
<i>metoclopramide hcl oral solution</i>	1	MO
<i>metoclopramide hcl oral tablet</i>	1	MO
MOVANTIK ORAL TABLET	3	MO; QL (30 per 30 days)
OCALIVA ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days)
<i>ondansetron hcl (pf) injection solution</i>	2	MO
<i>ondansetron hcl (pf) injection syringe</i>	2	MO
<i>ondansetron hcl intravenous solution</i>	2	MO
<i>ondansetron hcl oral solution</i>	2	B/D; MO; QL (900 per 30 days)
<i>ondansetron hcl oral tablet 24 mg</i>	4	B/D; QL (30 per 30 days)
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	2	B/D; MO; QL (90 per 30 days)
<i>ondansetron oral tablet,disintegrating</i>	2	B/D; MO; QL (90 per 30 days)
PANCREAZE ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,500-35,500- 61,500 UNIT, 16,800-56,800- 98,400 UNIT, 2,600- 6,200- 10,850 UNIT, 21,000-54,700- 83,900 UNIT, 4,200-14,200- 24,600 UNIT	4	ST; MO
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	MO
<i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>peg-3350 with flavor packs oral recon soln</i>	2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>peg-electrolyte soln oral recon soln</i>	2	
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG	4	MO
PENTASA ORAL CAPSULE, EXTENDED RELEASE 500 MG	5	MO
PERTZYE ORAL CAPSULE, DELAYED RELEASE (DR/EC) 16,000-57,500- 60,500 UNIT, 8,000-28,750- 30,250 UNIT	4	ST; MO
PERTZYE ORAL CAPSULE, DELAYED RELEASE (DR/EC) 4,000- 14,375- 15,125 UNIT	4	ST
<i>polyethylene glycol 3350 oral powder</i>	2	MO
<i>polyethylene glycol 3350 oral powder in packet</i>	2	MO
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	2	MO
<i>prochlorperazine maleate oral tablet</i>	1	MO
<i>prochlorperazine rectal suppository</i>	2	MO
<i>procto-med hc topical cream with perineal applicator</i>	2	MO
<i>procto-pak topical cream with perineal applicator</i>	2	MO
<i>proctosol hc topical cream with perineal applicator</i>	2	MO
<i>proctozone-hc topical cream with perineal applicator</i>	2	MO
RELISTOR ORAL TABLET	5	PA; MO; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION	5	PA; MO
RELISTOR SUBCUTANEOUS SYRINGE	5	PA; MO
REMICADE INTRAVENOUS RECON SOLN	5	PA; MO
SANCUSO TRANSDERMAL PATCH WEEKLY	5	ST; MO; QL (4 per 28 days)
SUCRAID ORAL SOLUTION	5	PA; MO
<i>sulfasalazine oral tablet</i>	2	MO
<i>sulfasalazine oral tablet, delayed release (dr/ec)</i>	2	MO
SUPREP BOWEL PREP KIT ORAL RECON SOLN	3	MO
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY	4	MO
<i>trilyte with flavor packets oral recon soln</i>	2	MO
UCERIS ORAL TABLET, DELAYED AND EXT. RELEASE	5	PA; MO
UCERIS RECTAL FOAM	4	PA; MO
<i>ursodiol oral capsule</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>ursodiol oral tablet</i>	2	MO
VIBERZI ORAL TABLET	5	PA; MO; QL (60 per 30 days)
VIOKACE ORAL TABLET	4	ST; MO
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-34,000 -55,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000-68,000 -109,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000- 16,000 UNIT	4	ST; MO
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 40,000-136,000- 218,000 UNIT	5	ST; MO
ULCER THERAPY		
<i>carafate oral suspension</i>	4	MO
<i>cimetidine hcl oral solution</i>	2	MO
<i>cimetidine oral tablet</i>	2	MO
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEAS	4	ST; MO; QL (30 per 30 days)
<i>famotidine (pf) intravenous solution</i>	2	MO
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback</i>	4	MO
<i>famotidine intravenous solution</i>	2	MO
<i>famotidine oral suspension</i>	4	MO
<i>famotidine oral tablet 20 mg, 40 mg</i>	1	MO
<i>lansoprazole oral capsule,delayed release(dr/ec)</i>	3	MO; QL (30 per 30 days)
<i>misoprostol oral tablet 100 mcg</i>	2	MO
<i>misoprostol oral tablet 200 mcg</i>	3	MO
<i>nizatidine oral capsule 150 mg</i>	2	MO
<i>nizatidine oral capsule 300 mg</i>	4	MO
<i>nizatidine oral solution</i>	2	MO
<i>omeprazole oral capsule,delayed release(dr/ec)</i>	2	MO; QL (60 per 30 days)
<i>pantoprazole intravenous recon soln</i>	4	MO
<i>pantoprazole oral tablet,delayed release (dr/ec)</i>	2	MO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>ranitidine hcl injection solution</i>	2	MO
<i>ranitidine hcl oral capsule</i>	3	MO
<i>ranitidine hcl oral syrup</i>	4	MO
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>	1	MO
<i>sucralfate oral tablet</i>	2	MO

IMMUNOLOGY, VACCINES / BIOTECHNOLOGY

BIOTECHNOLOGY DRUGS

ACTIMMUNE SUBCUTANEOUS SOLUTION	5	PA; MO; LA
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 300 MCG/ML, 60 MCG/ML	5	PA; MO
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 150 MCG/0.75 ML	5	PA
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 25 MCG/ML, 40 MCG/ML	4	PA; MO
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 25 MCG/0.42 ML, 40 MCG/0.4 ML	4	PA; MO
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 300 MCG/0.6 ML, 500 MCG/ML, 60 MCG/0.3 ML	5	PA; MO
ARCALYST SUBCUTANEOUS RECON SOLN	5	PA; MO; LA
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT	5	MO; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT	5	MO; QL (4 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT	5	MO; QL (4 per 28 days)
BETASERON SUBCUTANEOUS KIT	5	ST; MO; QL (14 per 28 days)
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	5	PA; MO; QL (60 per 30 days)
EGRIFTA SUBCUTANEOUS RECON SOLN 2 MG	5	PA; QL (60 per 30 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	4	PA; MO
EPOGEN INJECTION SOLUTION 20,000 UNIT/ML	5	PA; MO
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	3	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; MO
GENOTROPIN SUBCUTANEOUS CARTRIDGE	5	PA; MO
GRANIX SUBCUTANEOUS SYRINGE	5	PA; MO
HUMATROPE INJECTION CARTRIDGE	5	PA; MO
HUMATROPE INJECTION RECON SOLN	5	PA; MO
ILARIS (PF) SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (2 per 28 days)
INTRON A INJECTION RECON SOLN	5	MO
INTRON A INJECTION SOLUTION	5	MO
LEUKINE INJECTION RECON SOLN	5	PA; MO
MOZOBIL SUBCUTANEOUS SOLUTION	5	PA; MO; QL (9.6 per 4 days)
NEULASTA SUBCUTANEOUS SYRINGE	5	PA; MO
NEULASTA SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR	5	PA; MO
NEUPOGEN INJECTION SOLUTION	5	PA; MO
NEUPOGEN INJECTION SYRINGE	5	PA; MO
NORDITROPIN FLEXPLO SUBCUTANEOUS PEN INJECTOR	5	PA; MO
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR	5	PA; MO
OMNITROPE SUBCUTANEOUS CARTRIDGE	5	PA; MO
OMNITROPE SUBCUTANEOUS RECON SOLN	5	PA; MO
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR	5	MO; QL (2 per 28 days)
PEGASYS SUBCUTANEOUS SOLUTION	5	MO; QL (4 per 28 days)
PEGASYS SUBCUTANEOUS SYRINGE	5	MO; QL (2 per 28 days)
PEGINTRON REDIPEN SUBCUTANEOUS PEN INJECTOR KIT 120 MCG/0.5 ML	5	MO; QL (4 per 28 days)
PEGINTRON REDIPEN SUBCUTANEOUS PEN INJECTOR KIT 150 MCG/0.5 ML, 50 MCG/0.5 ML, 80 MCG/0.5 ML	5	QL (4 per 28 days)
PEGINTRON SUBCUTANEOUS KIT 120 MCG/0.5 ML, 150 MCG/0.5 ML, 80 MCG/0.5 ML	5	QL (4 per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	MO; QL (4 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR	5	MO; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE	5	MO; QL (1 per 28 days)
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; MO
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	5	PA; MO
PROLEUKIN INTRAVENOUS RECON SOLN	5	MO
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE	5	ST; MO; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	ST; MO; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	ST; MO; QL (8.4 per 365 days)
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE	5	ST; MO; QL (8.4 per 365 days)
SAIZEN CLICK.EASY SUBCUTANEOUS CARTRIDGE	5	PA; MO
SAIZEN SUBCUTANEOUS RECON SOLN	5	PA; MO
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; MO; LA
SYLATRON SUBCUTANEOUS KIT	5	MO
ZARXIO INJECTION SYRINGE	5	PA; MO
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; MO
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA; MO
ZORBTIVE SUBCUTANEOUS RECON SOLN	5	PA; MO; LA
VACCINES / MISCELLANEOUS IMMUNOLOGICALS		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN	3	MO
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION	3	MO
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE	3	MO
ATGAM INTRAVENOUS SOLUTION	5	B/D
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
BEXSERO INTRAMUSCULAR SYRINGE	3	MO
BIVIGAM INTRAVENOUS SOLUTION	5	PA; MO
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION	3	MO
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE	3	MO
BOTOX INJECTION RECON SOLN 100 UNIT	4	PA; MO; QL (4 per 84 days)
BOTOX INJECTION RECON SOLN 200 UNIT	4	PA; MO; QL (2 per 84 days)
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM	5	PA; MO
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION	3	MO
DYSPORT INTRAMUSCULAR RECON SOLN	4	PA; MO; QL (3 per 84 days)
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION	3	B/D; MO
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE	3	B/D; MO
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SUSPENSION	3	B/D; MO
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE	3	B/D; MO
FLEBOGAMMA DIF INTRAVENOUS SOLUTION	5	PA; MO
<i>fomepizole intravenous solution</i>	2	MO
GAMASTAN S/D INTRAMUSCULAR SOLUTION	3	PA; MO
GAMMAGARD LIQUID INJECTION SOLUTION	5	PA; MO
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN	5	PA; MO
GAMMAKED INJECTION SOLUTION	5	PA; MO
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION	5	PA; MO
GAMMAPLEX INTRAVENOUS SOLUTION	5	PA; MO
GAMUNEX-C INJECTION SOLUTION	5	PA; MO
GARDASIL (PF) INTRAMUSCULAR SUSPENSION	3	PA; MO
GARDASIL (PF) INTRAMUSCULAR SYRINGE	3	PA; MO
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION	3	PA; MO
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE	3	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
GRASTEK SUBLINGUAL TABLET	4	PA; MO; QL (30 per 30 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION	3	MO
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	MO
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN	3	MO
HIZENTRA SUBCUTANEOUS SOLUTION	5	PA; MO
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION	3	MO
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN	3	MO
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION	3	MO
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE	3	MO
IPOL INJECTION SUSPENSION	3	MO
IXIARO (PF) INTRAMUSCULAR SYRINGE	3	MO
KINRIX (PF) INTRAMUSCULAR SUSPENSION	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE	3	MO
MENACTRA (PF) INTRAMUSCULAR SOLUTION	3	MO
MENHIBRIX (PF) INTRAMUSCULAR RECON SOLN	3	
MENOMUNE - A/C/Y/W-135 (PF) SUBCUTANEOUS RECON SOLN	3	MO
MENOMUNE - A/C/Y/W-135 SUBCUTANEOUS RECON SOLN	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT	3	MO
M-M-R II (PF) SUBCUTANEOUS RECON SOLN	3	MO
OCTAGAM INTRAVENOUS SOLUTION	5	PA; MO
ORALAIR SUBLINGUAL TABLET 300 INDX REACTIVITY	4	PA; MO; QL (30 per 30 days)
PEDIARIX (PF) INTRAMUSCULAR SYRINGE	3	MO
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION	3	MO
PENTACEL ACTHIB COMPONENT (PF) INTRAMUSCULAR RECON SOLN	3	
PRIVIGEN INTRAVENOUS SOLUTION	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	3	MO
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION	3	
RBAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	3	MO
RAGWITEK SUBLINGUAL TABLET	4	PA; MO; QL (30 per 30 days)
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION	3	B/D; MO
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML	3	B/D; MO
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 5 MCG/0.5 ML	3	B/D
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION	3	
ROTATEQ VACCINE ORAL SOLUTION	3	MO
TENIVAC (PF) INTRAMUSCULAR SUSPENSION	3	MO
TENIVAC (PF) INTRAMUSCULAR SYRINGE	3	MO
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION	3	MO
TETANUS-DIPHThERIA TOXOIDS-TD INTRAMUSCULAR SUSPENSION	3	MO
THYMOGLOBULIN INTRAVENOUS RECON SOLN	5	B/D
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION	4	MO
TRUMENBA INTRAMUSCULAR SYRINGE	3	MO
TWINRIX (PF) INTRAMUSCULAR SUSPENSION	3	MO
TWINRIX (PF) INTRAMUSCULAR SYRINGE	3	MO
TYPHIM VI INTRAMUSCULAR SOLUTION	3	
TYPHIM VI INTRAMUSCULAR SYRINGE	3	MO
VAQTA (PF) INTRAMUSCULAR SUSPENSION	3	MO
VAQTA (PF) INTRAMUSCULAR SYRINGE	3	MO
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	3	MO
XEOMIN INTRAMUSCULAR RECON SOLN 100 UNIT	4	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
XEOMIN INTRAMUSCULAR RECON SOLN 50 UNIT	4	PA; MO; QL (8 per 84 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	3	MO
ZINPLAVA INTRAVENOUS SOLUTION	5	PA
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION	3	PA; MO; QL (1 per 365 days)
MUSCULOSKELETAL / RHEUMATOLOGY		
GOUT THERAPY		
<i>allopurinol oral tablet</i>	2	MO
<i>allopurinol sodium intravenous recon soln</i>	2	
COLCRYS ORAL TABLET	3	MO
<i>probenecid oral tablet</i>	2	MO
<i>probenecid-colchicine oral tablet</i>	2	MO
ULORIC ORAL TABLET	3	ST; MO; QL (30 per 30 days)
ZURAMPIC ORAL TABLET	4	PA; MO
OSTEOPOROSIS THERAPY		
<i>alendronate oral solution</i>	4	MO
<i>alendronate oral tablet 10 mg, 35 mg, 5 mg, 70 mg</i>	1	MO
FORTEO SUBCUTANEOUS PEN INJECTOR	5	ST; MO; QL (2.4 per 28 days)
<i>ibandronate intravenous solution</i>	3	MO; QL (3 per 90 days)
<i>ibandronate intravenous syringe</i>	3	MO; QL (3 per 90 days)
<i>ibandronate oral tablet</i>	3	MO; QL (1 per 28 days)
PROLIA SUBCUTANEOUS SYRINGE	4	PA; MO; QL (1 per 168 days)
<i>raloxifene oral tablet</i>	2	MO
<i>risedronate oral tablet 150 mg</i>	4	ST; MO; QL (1 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack)</i>	4	ST; MO; QL (12 per 84 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>risedronate oral tablet 35 mg, 35 mg (4 pack)</i>	4	ST; MO; QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (dr/ec)</i>	4	ST; MO; QL (4 per 28 days)
OTHER RHEUMATOLOGICALS		
ACTEMRA INTRAVENOUS SOLUTION	5	PA; MO; QL (40 per 28 days)
ACTEMRA SUBCUTANEOUS SYRINGE	5	PA; MO; QL (3.6 per 28 days)
BENLYSTA INTRAVENOUS RECON SOLN	5	PA; MO
DEPEN TITRATABS ORAL TABLET	5	PA; MO
ENBREL SUBCUTANEOUS RECON SOLN	5	PA; MO; QL (16 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE	5	PA; MO; QL (8 per 28 days)
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR	5	PA; MO; QL (8 per 28 days)
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT	5	PA; MO
HUMIRA PEN CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (12 per 365 days)
HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (8 per 365 days)
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT	5	PA; MO; QL (6 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML	5	PA; MO; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 20 MG/0.4 ML	5	PA; MO; QL (1 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; MO; QL (6 per 28 days)
KINERET SUBCUTANEOUS SYRINGE	5	PA; MO; QL (18.76 per 28 days)
<i>leflunomide oral tablet</i>	2	MO
ORENCIA (WITH MALTULOSE) INTRAVENOUS RECON SOLN	5	PA; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR	5	PA; MO; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE	5	PA; MO; QL (4 per 28 days)
OTEZLA ORAL TABLET	5	PA; MO; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47)	5	PA; MO; QL (110 per 365 days)
OTREXUP (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	4	PA; MO; QL (1.6 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML	3	PA; MO; QL (0.8 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 12.5 MG/0.25 ML	3	PA; MO; QL (1 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 15 MG/0.3 ML	3	PA; MO; QL (1.2 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 17.5 MG/0.35 ML	3	PA; MO; QL (1.4 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 20 MG/0.4 ML	3	PA; MO; QL (1.6 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 22.5 MG/0.45 ML	3	PA; MO; QL (1.8 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 25 MG/0.5 ML	3	PA; MO; QL (2 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 27.5 MG/0.55 ML	3	PA; MO; QL (2.2 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 30 MG/0.6 ML	3	PA; MO; QL (2.4 per 28 days)
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 7.5 MG/0.15 ML	3	PA; MO; QL (0.6 per 28 days)
RIDAURA ORAL CAPSULE	5	MO
SAVELLA ORAL TABLET	4	PA; MO; QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK	4	PA; MO; QL (110 per 365 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
SIMPONI ARIA INTRAVENOUS SOLUTION	5	PA; MO
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML	5	PA; MO; QL (1 per 28 days)
SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML	5	PA; MO; QL (0.5 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; MO; QL (1 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML	5	PA; MO; QL (0.5 per 28 days)
XELJANZ ORAL TABLET	5	PA; MO; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR	5	PA; MO; QL (30 per 30 days)
OBSTETRICS / GYNECOLOGY		
ESTROGENS / PROGESTINS		
<i>amabelz oral tablet</i>	2	MO
<i>camila oral tablet</i>	2	MO
<i>deblitane oral tablet</i>	2	MO
DEPO-ESTRADIOL INTRAMUSCULAR OIL	4	MO
DEPO-PROVERA INTRAMUSCULAR SOLUTION	4	MO
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE	4	MO; QL (0.65 per 84 days)
DIVIGEL TRANSDERMAL GEL IN PACKET	4	MO
DUAVEE ORAL TABLET	3	PA; MO
<i>errin oral tablet</i>	2	MO
ESTRACE VAGINAL CREAM	4	MO
<i>estradiol oral tablet</i>	2	MO
<i>estradiol transdermal patch semiweekly</i>	2	MO; QL (8 per 28 days)
<i>estradiol transdermal patch weekly</i>	2	MO; QL (4 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	MO
<i>estradiol-norethindrone acet oral tablet</i>	2	MO
ESTRING VAGINAL RING	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>estropipate oral tablet</i>	2	MO
FEMRING VAGINAL RING	4	MO
<i>fyavolv oral tablet 1-5 mg-mcg</i>	2	MO
<i>heather oral tablet</i>	2	MO
<i>hydroxyprogesterone caproate intramuscular oil</i>	5	PA; MO
<i>jencycla oral tablet</i>	2	MO
<i>jinteli oral tablet</i>	3	MO
<i>jolivette oral tablet</i>	2	MO
<i>lyza oral tablet</i>	2	MO
MAKENA INTRAMUSCULAR OIL	5	PA; MO
<i>medroxyprogesterone intramuscular suspension</i>	2	MO; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe</i>	2	MO; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet</i>	2	MO
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG	4	MO
MENOSTAR TRANSDERMAL PATCH WEEKLY	4	MO; QL (4 per 28 days)
<i>mimvey lo oral tablet</i>	2	MO
<i>mimvey oral tablet</i>	2	MO
<i>nora-be oral tablet</i>	2	MO
<i>norethindrone (contraceptive) oral tablet</i>	2	MO
<i>norethindrone acetate oral tablet</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 1-5 mg-mcg</i>	2	MO
<i>norlyroc oral tablet</i>	2	
PREMARIN INJECTION RECON SOLN	4	MO
PREMARIN ORAL TABLET	3	MO
PREMARIN VAGINAL CREAM	3	MO
PREMPHASE ORAL TABLET	3	MO
PREMPRO ORAL TABLET	3	MO
<i>progesterone micronized oral capsule</i>	2	MO
<i>sharobel oral tablet</i>	2	MO
VAGIFEM VAGINAL TABLET	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>yuvafem vaginal tablet</i>	4	MO
MISCELLANEOUS OB/GYN		
CLEOCIN VAGINAL SUPPOSITORY	4	MO
<i>clindamycin phosphate vaginal cream</i>	2	MO
LUPANETA PACK (1 MONTH) KIT. SYRINGE AND TABLET	5	PA; MO; QL (1 per 28 days)
LUPANETA PACK (3 MONTH) KIT. SYRINGE AND TABLET	5	PA; MO; QL (1 per 84 days)
<i>metronidazole vaginal gel</i>	2	MO
<i>miconazole-3 vaginal suppository</i>	2	MO
NUVARING VAGINAL RING	4	MO; QL (1 per 28 days)
<i>terconazole vaginal cream</i>	2	MO
<i>terconazole vaginal suppository</i>	4	MO
<i>tranexamic acid oral tablet</i>	3	MO; QL (30 per 28 days)
<i>vandazole vaginal gel</i>	2	MO
<i>xulane transdermal patch weekly</i>	4	MO; QL (3 per 28 days)
ORAL CONTRACEPTIVES / RELATED AGENTS		
<i>altavera (28) oral tablet</i>	2	MO
<i>alyacen 1/35 (28) oral tablet</i>	2	MO
<i>alyacen 7/7/7 (28) oral tablet</i>	2	MO
<i>amethia lo oral tablets,dose pack,3 month</i>	2	MO
<i>amethia oral tablets,dose pack,3 month</i>	2	MO
<i>amethyst oral tablet</i>	2	MO
<i>apri oral tablet</i>	2	MO
<i>aranelle (28) oral tablet</i>	2	MO
<i>ashlyna oral tablets,dose pack,3 month</i>	2	MO
<i>aubra oral tablet</i>	2	MO
<i>aviane oral tablet</i>	2	MO
<i>azurette (28) oral tablet</i>	2	MO
<i>balziva (28) oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>bekyree (28) oral tablet</i>	2	MO
<i>blisovi 24 fe oral tablet</i>	2	MO
<i>blisovi fe 1.5/30 (28) oral tablet</i>	2	MO
<i>blisovi fe 1/20 (28) oral tablet</i>	2	MO
<i>briellyn oral tablet</i>	2	MO
<i>camrese lo oral tablets,dose pack,3 month</i>	2	MO
<i>camrese oral tablets,dose pack,3 month</i>	2	MO
<i>caziant (28) oral tablet</i>	2	MO
<i>chateal oral tablet</i>	2	MO
<i>cryselle (28) oral tablet</i>	2	MO
<i>cyclafem 1/35 (28) oral tablet</i>	2	MO
<i>cyclafem 7/7/7 (28) oral tablet</i>	2	MO
<i>cyred oral tablet</i>	2	MO
<i>dasetta 1/35 (28) oral tablet</i>	2	MO
<i>dasetta 7/7/7 (28) oral tablet</i>	2	MO
<i>daysee oral tablets,dose pack,3 month</i>	2	MO
<i>delyla (28) oral tablet</i>	2	
<i>desog-e.estradiol/e.estradiol oral tablet</i>	2	MO
<i>drospirenone-ethinyl estradiol oral tablet</i>	2	MO
<i>elinest oral tablet</i>	2	MO
ELLA ORAL TABLET	3	
<i>emoquette oral tablet</i>	2	MO
<i>enpresse oral tablet</i>	2	MO
<i>enskyce oral tablet</i>	2	MO
<i>estarylla oral tablet</i>	2	MO
<i>ethynodiol diac-eth estradiol oral tablet</i>	2	
<i>falmina (28) oral tablet</i>	2	MO
<i>femynor oral tablet</i>	2	
<i>gianvi (28) oral tablet</i>	2	MO
<i>gildagia oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>introvale oral tablets,dose pack,3 month</i>	2	MO
<i>jolessa oral tablets,dose pack,3 month</i>	2	MO
<i>juleber oral tablet</i>	2	MO
<i>junel 1.5/30 (21) oral tablet</i>	2	MO
<i>junel 1/20 (21) oral tablet</i>	2	MO
<i>junel fe 1.5/30 (28) oral tablet</i>	2	MO
<i>junel fe 1/20 (28) oral tablet</i>	2	MO
<i>junel fe 24 oral tablet</i>	2	MO
<i>kaitlib fe oral tablet,chewable</i>	2	MO
<i>kariva (28) oral tablet</i>	2	MO
<i>kelnor 1/35 (28) oral tablet</i>	2	MO
<i>kimidess (28) oral tablet</i>	2	MO
<i>kurvelo oral tablet</i>	2	MO
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month</i>	2	MO
<i>larin 1.5/30 (21) oral tablet</i>	2	MO
<i>larin 1/20 (21) oral tablet</i>	2	MO
<i>larin 24 fe oral tablet</i>	2	MO
<i>larin fe 1.5/30 (28) oral tablet</i>	2	MO
<i>larin fe 1/20 (28) oral tablet</i>	2	MO
<i>larissia oral tablet</i>	2	MO
<i>layolis fe oral tablet,chewable</i>	2	MO
<i>leena 28 oral tablet</i>	2	MO
<i>lessina oral tablet</i>	2	MO
<i>levonest (28) oral tablet</i>	2	MO
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg</i>	2	MO
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i>	2	MO
<i>levonorg-eth estrad triphasic oral tablet</i>	2	MO
<i>levora-28 oral tablet</i>	2	MO
<i>lomedia 24 fe oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>loryna (28) oral tablet</i>	2	MO
<i>low-ogestrel (28) oral tablet</i>	2	MO
<i>lutura (28) oral tablet</i>	2	MO
<i>marlissa oral tablet</i>	2	MO
<i>microgestin 1.5/30 (21) oral tablet</i>	2	MO
<i>microgestin 1/20 (21) oral tablet</i>	2	MO
<i>microgestin fe 1.5/30 (28) oral tablet</i>	2	MO
<i>microgestin fe 1/20 (28) oral tablet</i>	2	MO
<i>mono-linyah oral tablet</i>	2	MO
<i>mononessa (28) oral tablet</i>	2	MO
<i>myzilra oral tablet</i>	2	MO
<i>necon 0.5/35 (28) oral tablet</i>	2	MO
<i>necon 1/50 (28) oral tablet</i>	2	MO
<i>necon 10/11 (28) oral tablet</i>	2	MO
<i>necon 7/7/7 (28) oral tablet</i>	2	MO
<i>nikki (28) oral tablet</i>	2	MO
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	2	
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	2	MO
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	2	MO
<i>norethindrone-e.estradiol-iron oral tablet</i>	2	MO
<i>norgestimate-ethinyl estradiol oral tablet</i>	2	MO
<i>nortrel 0.5/35 (28) oral tablet</i>	2	MO
<i>nortrel 1/35 (21) oral tablet</i>	2	MO
<i>nortrel 1/35 (28) oral tablet</i>	2	MO
<i>nortrel 7/7/7 (28) oral tablet</i>	2	MO
<i>ocella oral tablet</i>	2	MO
<i>ogestrel (28) oral tablet</i>	2	MO
<i>orsythia oral tablet</i>	2	MO
<i>philith oral tablet</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>pimtrea (28) oral tablet</i>	2	MO
<i>pirmella oral tablet</i>	2	MO
<i>portia oral tablet</i>	2	MO
<i>previfem oral tablet</i>	2	MO
<i>quasense oral tablets,dose pack,3 month</i>	2	MO
<i>reclipsen (28) oral tablet</i>	2	MO
<i>setlakin oral tablets,dose pack,3 month</i>	2	MO
<i>sprintec (28) oral tablet</i>	2	MO
<i>sronyx oral tablet</i>	2	MO
<i>syeda oral tablet</i>	2	MO
<i>tarina fe 1/20 (28) oral tablet</i>	2	MO
<i>tilia fe oral tablet</i>	2	MO
<i>tri-estarylla oral tablet</i>	2	MO
<i>tri-legest fe oral tablet</i>	2	MO
<i>tri-linyah oral tablet</i>	2	MO
<i>tri-lo-estarylla oral tablet</i>	2	MO
<i>tri-lo-marzia oral tablet</i>	2	MO
<i>tri-lo-sprintec oral tablet</i>	2	MO
<i>trinessa (28) oral tablet</i>	2	MO
<i>trinessa lo oral tablet</i>	2	MO
<i>tri-previfem (28) oral tablet</i>	2	MO
<i>tri-sprintec (28) oral tablet</i>	2	MO
<i>trivora (28) oral tablet</i>	2	MO
<i>velivet triphasic regimen (28) oral tablet</i>	2	MO
<i>vestura (28) oral tablet</i>	2	MO
<i>vienva oral tablet</i>	2	MO
<i>viorele (28) oral tablet</i>	2	MO
<i>vyfemla (28) oral tablet</i>	2	MO
<i>wera (28) oral tablet</i>	2	MO
<i>wymzya fe oral tablet,chewable</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>zarah oral tablet</i>	2	MO
<i>zenchent (28) oral tablet</i>	2	MO
<i>zenchent fe oral tablet, chewable</i>	2	MO
<i>zovia 1/35e (28) oral tablet</i>	2	MO
<i>zovia 1/50e (28) oral tablet</i>	2	MO
OXYTOCICS		
<i>methergine oral tablet</i>	2	
<i>methylergonovine injection solution</i>	2	MO
<i>oxytocin injection solution</i>	2	MO
OPHTHALMOLOGY		
ANTIBIOTICS		
AZASITE OPHTHALMIC DROPS	4	MO
<i>bacitracin ophthalmic ointment</i>	2	MO
<i>bacitracin-polymyxin b ophthalmic ointment</i>	2	MO
BESIVANCE OPHTHALMIC DROPS, SUSPENSION	4	MO
CILOXAN OPHTHALMIC OINTMENT	4	MO
<i>ciprofloxacin hcl ophthalmic drops</i>	2	MO
<i>erythromycin ophthalmic ointment</i>	1	MO
<i>gatifloxacin ophthalmic drops</i>	4	MO
<i>gentak ophthalmic ointment</i>	1	MO
<i>gentamicin ophthalmic drops</i>	1	MO
<i>gentamicin ophthalmic ointment</i>	2	MO
<i>levofloxacin ophthalmic drops</i>	2	MO
MOXEZA OPHTHALMIC DROPS, VISCOUS	4	MO
NATACYN OPHTHALMIC DROPS, SUSPENSION	4	MO
<i>neomycin-bacitracin-polymyxin ophthalmic ointment</i>	1	MO
<i>neomycin-polymyxin-gramicidin ophthalmic drops</i>	1	MO
<i>neo-polycin ophthalmic ointment</i>	1	MO
<i>ofloxacin ophthalmic drops</i>	2	MO
<i>polycin ophthalmic ointment</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>polymyxin b sulf-trimethoprim ophthalmic drops</i>	1	MO
<i>tobramycin ophthalmic drops</i>	1	MO
TOBREX OPHTHALMIC OINTMENT	4	MO
VIGAMOX OPHTHALMIC DROPS	4	MO
ANTIVIRALS		
<i>trifluridine ophthalmic drops</i>	2	MO
ZIRGAN OPHTHALMIC GEL	4	MO
BETA-BLOCKERS		
<i>betaxolol ophthalmic drops</i>	2	MO
BETIMOL OPHTHALMIC DROPS	4	MO
BETOPTIC S OPHTHALMIC DROPS,SUSPENSION	4	MO
<i>carteolol ophthalmic drops</i>	2	MO
<i>levobunolol ophthalmic drops 0.5 %</i>	1	MO
<i>metipranolol ophthalmic drops</i>	2	
<i>timolol maleate ophthalmic drops</i>	1	MO
<i>timolol maleate ophthalmic gel forming solution</i>	3	MO
CHOLINESTERASE INHIBITOR MIOTICS		
PHOSPHOLINE IODIDE OPHTHALMIC DROPS	4	MO
CYCLOPLEGIC MYDRIATICS		
<i>atropine ophthalmic drops</i>	2	MO
DIRECT ACTING MIOTICS		
<i>pilocarpine hcl ophthalmic drops 1 %, 2 %, 4 %</i>	2	MO
MISCELLANEOUS OPHTHALMOLOGICS		
ALOCRIAL OPHTHALMIC DROPS	4	MO
ALOMIDE OPHTHALMIC DROPS	4	MO
<i>azelastine ophthalmic drops</i>	2	MO
BEPREVE OPHTHALMIC DROPS	4	MO
<i>cromolyn ophthalmic drops</i>	2	MO
CYSTARAN OPHTHALMIC DROPS	5	PA; MO
EMADINE OPHTHALMIC DROPS	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>epinastine ophthalmic drops</i>	2	MO
RESTASIS MULTIDOSE OPHTHALMIC DROPS	3	MO; QL (60 per 30 days)
RESTASIS OPHTHALMIC DROPPERETTE	3	MO; QL (60 per 30 days)
NON-STEROIDAL ANTI-INFLAMMATORY AGENTS		
ACUVAIL (PF) OPHTHALMIC DROPPERETTE	4	MO
<i>bromfenac ophthalmic drops</i>	4	MO
<i>diclofenac sodium ophthalmic drops</i>	2	MO
<i>flurbiprofen sodium ophthalmic drops</i>	2	MO
<i>ketorolac ophthalmic drops</i>	2	MO
ORAL DRUGS FOR GLAUCOMA		
<i>acetazolamide oral capsule, extended release</i>	2	MO
<i>acetazolamide oral tablet</i>	2	MO
<i>acetazolamide sodium injection recon soln</i>	2	MO
<i>methazolamide oral tablet</i>	4	MO
OTHER GLAUCOMA DRUGS		
<i>bimatoprost ophthalmic drops</i>	3	ST; MO
COMBIGAN OPHTHALMIC DROPS	3	MO
<i>dorzolamide ophthalmic drops</i>	2	MO
<i>dorzolamide-timolol ophthalmic drops</i>	2	MO
<i>latanoprost ophthalmic drops</i>	2	MO
LUMIGAN OPHTHALMIC DROPS 0.01 %	3	MO
SIMBRINZA OPHTHALMIC DROPS,SUSPENSION	3	MO
TRAVATAN Z OPHTHALMIC DROPS	4	ST; MO
ZIOPTAN (PF) OPHTHALMIC DROPPERETTE	4	ST; MO
STEROID-ANTIBIOTIC COMBINATIONS		
<i>neomycin-bacitracin-poly-hc ophthalmic ointment</i>	1	MO
<i>neomycin-polymyxin b-dexameth ophthalmic drops,suspension</i>	1	MO
<i>neomycin-polymyxin b-dexameth ophthalmic ointment</i>	1	MO
<i>neomycin-polymyxin-hc ophthalmic drops,suspension</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>neo-polycin hc ophthalmic ointment</i>	2	MO
PRED-G OPHTHALMIC DROPS,SUSPENSION	4	MO
PRED-G S.O.P. OPHTHALMIC OINTMENT	4	MO
TOBRADEX OPHTHALMIC OINTMENT	4	MO
<i>tobramycin-dexamethasone ophthalmic drops,suspension</i>	2	MO
ZYLET OPHTHALMIC DROPS,SUSPENSION	4	MO
STEROIDS		
ALREX OPHTHALMIC DROPS,SUSPENSION	4	MO
<i>dexamethasone sodium phosphate ophthalmic drops</i>	2	MO
DUREZOL OPHTHALMIC DROPS	3	MO
<i>fluorometholone ophthalmic drops,suspension</i>	2	MO
FML FORTE OPHTHALMIC DROPS,SUSPENSION	4	MO
FML S.O.P. OPHTHALMIC OINTMENT	4	MO
LOTEMAX OPHTHALMIC DROPS,GEL	4	MO
LOTEMAX OPHTHALMIC DROPS,SUSPENSION	4	MO
LOTEMAX OPHTHALMIC OINTMENT	4	MO
MAXIDEX OPHTHALMIC DROPS,SUSPENSION	4	MO
PRED MILD OPHTHALMIC DROPS,SUSPENSION	4	MO
<i>prednisolone acetate ophthalmic drops,suspension</i>	2	MO
<i>prednisolone sodium phosphate ophthalmic drops</i>	2	MO
STEROID-SULFONAMIDE COMBINATIONS		
BLEPHAMIDE OPHTHALMIC DROPS,SUSPENSION	4	MO
BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT	4	MO
<i>sulfacetamide-prednisolone ophthalmic drops</i>	2	MO
SULFONAMIDES		
<i>sulfacetamide sodium ophthalmic drops</i>	1	MO
<i>sulfacetamide sodium ophthalmic ointment</i>	2	MO
SYMPATHOMIMETICS		
ALPHAGAN P OPHTHALMIC DROPS 0.1 %	3	MO
<i>apraclonidine ophthalmic drops</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>brimonidine ophthalmic drops</i>	2	MO
IOPIDINE OPHTHALMIC DROPPERETTE	4	MO
RESPIRATORY AND ALLERGY		
ANTI-HISTAMINE / ANTI-ALLERGENIC AGENTS		
<i>arbinoxa oral tablet</i>	2	PA; MO
<i>carbinoxamine maleate oral liquid</i>	2	PA; MO
<i>carbinoxamine maleate oral tablet</i>	2	PA; MO
<i>clemastine oral tablet 2.68 mg</i>	2	PA; MO
<i>cyproheptadine oral syrup</i>	2	PA; MO
<i>cyproheptadine oral tablet</i>	2	PA; MO
<i>desloratadine oral tablet</i>	4	MO
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	MO
<i>diphenhydramine hcl injection syringe</i>	2	MO
<i>diphenhydramine hcl oral elixir</i>	2	PA
EPIPEN 2-PAK INJECTION AUTO-INJECTOR	3	MO
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR	3	MO
<i>hydroxyzine hcl intramuscular solution</i>	4	MO
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	4	PA; MO
<i>hydroxyzine hcl oral tablet</i>	2	PA; MO
<i>hydroxyzine pamoate oral capsule</i>	2	PA; MO
<i>levocetirizine oral solution</i>	4	MO
<i>levocetirizine oral tablet</i>	2	MO
<i>phenadoz rectal suppository</i>	2	MO
<i>phenergan rectal suppository</i>	2	
<i>promethazine injection solution</i>	2	MO
<i>promethazine oral syrup</i>	2	PA; MO
<i>promethazine oral tablet</i>	2	PA; MO
<i>promethazine rectal suppository 12.5 mg, 25 mg</i>	2	MO
<i>promethazine rectal suppository 50 mg</i>	2	
<i>promethegan rectal suppository</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
PULMONARY AGENTS		
<i>acetylcysteine solution</i>	2	B/D; MO
ADCIRCA ORAL TABLET	5	PA; MO; QL (60 per 30 days)
ADEMPAS ORAL TABLET	5	PA; MO; LA; QL (90 per 30 days)
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE	3	MO
ADVAIR HFA INHALATION HFA AEROSOL INHALER	3	MO
<i>albuterol sulfate inhalation solution for nebulization</i>	1	B/D; MO
<i>albuterol sulfate oral syrup</i>	1	MO
<i>albuterol sulfate oral tablet</i>	4	MO
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg</i>	4	MO
<i>albuterol sulfate oral tablet extended release 12 hr 8 mg</i>	2	MO
<i>aminophylline intravenous solution 500 mg/20 ml</i>	2	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE	3	MO
ARCAPTA NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE	4	MO
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE	3	MO
ASMANEX HFA INHALATION HFA AEROSOL INHALER	3	MO
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (30 DOSES), 220 MCG (120 DOSES), 220 MCG (30 DOSES), 220 MCG (60 DOSES)	3	MO
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (7 DOSES), 220 MCG (14 DOSES)	3	
ATROVENT HFA INHALATION HFA AEROSOL INHALER	4	MO
BERINERT INTRAVENOUS KIT	5	PA; MO
BREO ELLIPTA INHALATION BLISTER WITH DEVICE	3	MO
BROVANA INHALATION SOLUTION FOR NEBULIZATION	4	B/D; MO
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	2	B/D; MO
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	4	B/D; MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
CINRYZE INTRAVENOUS RECON SOLN	5	PA; MO; QL (20 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST	3	MO
<i>cromolyn inhalation solution for nebulization</i>	2	B/D; MO
DALIRESP ORAL TABLET	4	PA; MO
DULERA INHALATION HFA AEROSOL INHALER	3	MO
ELIXOPHYLLIN ORAL ELIXIR 80 MG/15 ML	4	MO
ESBRIET ORAL CAPSULE	5	PA; MO; QL (270 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE	5	PA; MO
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE	3	MO
FLOVENT HFA INHALATION HFA AEROSOL INHALER	3	MO
<i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>	2	MO
<i>fluticasone nasal spray, suspension</i>	2	MO
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE	3	MO
<i>ipratropium bromide inhalation solution</i>	1	B/D; MO
<i>ipratropium-albuterol inhalation solution for nebulization</i>	1	B/D; MO
KALYDECO ORAL GRANULES IN PACKET	5	PA; MO; QL (56 per 28 days)
KALYDECO ORAL TABLET	5	PA; MO; QL (60 per 30 days)
LETAIRIS ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days)
<i>levalbuterol hcl inhalation solution for nebulization</i>	2	B/D; MO
LEVALBUTEROL TARTRATE INHALATION HFA AEROSOL INHALER	4	ST; MO; QL (30 per 30 days)
<i>metaproterenol oral syrup</i>	2	MO
<i>metaproterenol oral tablet</i>	2	MO
<i>montelukast oral granules in packet</i>	2	MO; QL (30 per 30 days)
<i>montelukast oral tablet</i>	2	MO; QL (30 per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>montelukast oral tablet, chewable</i>	2	MO; QL (30 per 30 days)
NUCALA SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (1 per 28 days)
OFEV ORAL CAPSULE	5	PA; MO; QL (60 per 30 days)
OPSUMIT ORAL TABLET	5	PA; MO; LA; QL (30 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG	5	PA; MO; QL (112 per 28 days)
ORKAMBI ORAL TABLET 200-125 MG	5	PA; MO; QL (120 per 30 days)
PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION	4	B/D; MO
PULMOZYME INHALATION SOLUTION	5	PA; MO; QL (150 per 30 days)
REVATIO ORAL SUSPENSION FOR RECONSTITUTION	5	PA; MO; QL (180 per 30 days)
RUCONEST INTRAVENOUS RECON SOLN	5	PA; MO
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE	3	MO
<i>sildenafil oral tablet</i>	3	PA; MO; QL (90 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST	3	MO
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE	3	MO
STIOLTO RESPIMAT INHALATION MIST	3	MO
STRIVERDI RESPIMAT INHALATION MIST	4	MO
<i>terbutaline oral tablet</i>	2	MO
<i>terbutaline subcutaneous solution</i>	2	MO
<i>theophylline oral elixir</i>	2	
<i>theophylline oral solution</i>	2	
<i>theophylline oral tablet extended release 12 hr</i>	2	MO
<i>theophylline oral tablet extended release 24 hr</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
TRACLEER ORAL TABLET	5	PA; MO; LA; QL (60 per 30 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION	5	PA; MO
TYVASO INSTITUTIONAL START KIT INHALATION SOLUTION FOR NEBULIZATION	5	PA
TYVASO REFILL KIT INHALATION SOLUTION FOR NEBULIZATION	5	PA; MO
TYVASO STARTER KIT INHALATION SOLUTION FOR NEBULIZATION	5	PA; MO
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION	5	PA; MO
VENTOLIN HFA INHALATION HFA AEROSOL INHALER	3	MO; QL (36 per 30 days)
XOLAIR SUBCUTANEOUS RECON SOLN	5	PA; MO; LA; QL (6 per 28 days)
XOPENEX HFA INHALATION HFA AEROSOL INHALER	4	ST; MO; QL (30 per 30 days)
<i>zafirlukast oral tablet</i>	4	MO

UROLOGICALS

ANTICHOLINERGICS / ANTISPASMODICS

<i>flavoxate oral tablet</i>	2	MO
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR	3	MO; QL (30 per 30 days)
<i>oxybutynin chloride oral syrup</i>	1	MO
<i>oxybutynin chloride oral tablet</i>	1	MO
<i>oxybutynin chloride oral tablet extended release 24hr</i>	2	MO
<i>tolterodine oral capsule, extended release 24hr</i>	3	MO
<i>tolterodine oral tablet</i>	3	MO
<i>trospium oral capsule, extended release 24hr</i>	2	MO
<i>trospium oral tablet</i>	2	MO
VESICARE ORAL TABLET	3	MO

BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY

<i>alfuzosin oral tablet extended release 24 hr</i>	2	MO
<i>dutasteride oral capsule</i>	4	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>finasteride oral tablet 5 mg</i>	1	MO
<i>tamsulosin oral capsule, extended release 24hr</i>	2	MO
CHOLINERGIC STIMULANTS		
<i>bethanechol chloride oral tablet</i>	2	MO
MISCELLANEOUS UROLOGICALS		
CYSTAGON ORAL CAPSULE	3	PA; MO; LA
ELMIRON ORAL CAPSULE	4	MO
<i>glycine irrigation solution</i>	2	
<i>potassium citrate oral tablet extended release</i>	4	MO
VITAMINS, HEMATINICS / ELECTROLYTES		
ELECTROLYTES		
<i>calcium acetate oral capsule</i>	2	MO
<i>calcium acetate oral tablet 667 mg</i>	2	MO
<i>calcium gluconate intravenous solution</i>	2	MO
<i>dextrose-kcl-nacl intravenous solution</i>	2	MO
<i>effer-k oral tablet, effervescent 25 meq</i>	2	MO
<i>eliphos oral tablet</i>	2	MO
<i>k-effervescent oral tablet, effervescent</i>	2	MO
<i>klor-con 10 oral tablet extended release</i>	2	MO
<i>klor-con 8 oral tablet extended release</i>	2	MO
<i>klor-con m10 oral tablet, er particles/crystals</i>	2	MO
<i>klor-con m15 oral tablet, er particles/crystals</i>	2	MO
<i>klor-con m20 oral tablet, er particles/crystals</i>	2	MO
<i>klor-con oral packet</i>	2	MO
<i>klor-con sprinkle oral capsule, extended release</i>	2	MO
<i>klor-con/ef oral tablet, effervescent</i>	2	MO
<i>k-tab oral tablet extended release 8 meq</i>	2	MO
<i>lactated ringers intravenous parenteral solution</i>	2	MO
MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML	4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>magnesium sulfate in water intravenous parenteral solution</i>	2	
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/50 ml (8 %)</i>	2	
<i>magnesium sulfate in water intravenous piggyback 4 gram/100 ml (4 %)</i>	2	MO
<i>magnesium sulfate injection solution</i>	2	MO
<i>magnesium sulfate injection syringe</i>	2	
NORMOSOL-R IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium acetate intravenous solution 2 meq/ml</i>	2	
<i>potassium bicarb and chloride oral tablet, effervescent</i>	2	MO
<i>potassium bicarb-citric acid oral tablet, effervescent</i>	2	MO
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride in lr-d5 intravenous parenteral solution 40 meq/l</i>	2	
<i>potassium chloride intravenous piggyback 10 meq/100 ml, 10 meq/50 ml</i>	2	MO
<i>potassium chloride intravenous piggyback 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	2	
<i>potassium chloride intravenous solution</i>	4	MO
<i>potassium chloride oral capsule, extended release</i>	2	MO
<i>potassium chloride oral liquid 20 meq/15 ml</i>	4	MO
<i>potassium chloride oral liquid 40 meq/15 ml</i>	3	MO
<i>potassium chloride oral packet</i>	2	MO
<i>potassium chloride oral tablet extended release</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride oral tablet,er particles/crystals</i>	2	MO
<i>potassium chloride-0.45 % nacl intravenous parenteral solution</i>	2	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l</i>	2	MO
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 40 meq/l</i>	2	
<i>potassium phosphate m-/d-basic intravenous solution</i>	2	MO
<i>ringer's intravenous parenteral solution</i>	2	
<i>sodium acetate intravenous solution</i>	2	
<i>sodium bicarbonate intravenous solution</i>	2	MO
<i>sodium bicarbonate intravenous syringe 10 meq/10 ml (8.4 %), 7.5 % (0.9 meq/ml)</i>	2	MO
<i>sodium bicarbonate intravenous syringe 4.2 % (0.5 meq/ml), 8.4 % (1 meq/ml)</i>	2	
<i>sodium chloride 0.45 % intravenous parenteral solution</i>	2	MO
<i>sodium chloride 0.45 % intravenous piggyback</i>	2	
<i>sodium chloride 3 % intravenous parenteral solution</i>	2	MO
<i>sodium chloride 5 % intravenous parenteral solution</i>	2	
<i>sodium chloride intravenous parenteral solution</i>	2	MO
<i>sodium lactate intravenous solution</i>	2	
TPN ELECTROLYTES INTRAVENOUS SOLUTION	3	
MISCELLANEOUS NUTRITION PRODUCTS		
<i>amino acids 15 % intravenous parenteral solution</i>	2	B/D
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION	4	B/D
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION	4	B/D
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D; MO
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	2	
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
<i>freamine iii 10 % intravenous parenteral solution</i>	4	B/D
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION	4	B/D
<i>intralipid intravenous emulsion 20 %</i>	2	B/D
INTRALIPID INTRAVENOUS EMULSION 30 %	4	B/D
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
KABIVEN INTRAVENOUS EMULSION	4	B/D
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PERIKABIVEN INTRAVENOUS EMULSION	4	B/D

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>premasol 10 % intravenous parenteral solution</i>	2	B/D; MO
PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION	4	B/D
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D; MO
SMOFLIPID INTRAVENOUS EMULSION	4	B/D
<i>travasol 10 % intravenous parenteral solution</i>	2	B/D; MO
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION	4	B/D; MO
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION	4	B/D
VITAMINS / HEMATINICS		
<i>fluoritab oral tablet, chewable 0.5 mg fluoride (1.1 mg)</i>	2	MO
<i>ludent fluoride oral tablet, chewable 0.25 mg fluorid (0.55 mg), 0.5 mg fluoride (1.1 mg)</i>	2	MO
<i>multi-vit with fluoride-iron oral drops</i>	2	MO
<i>multi-vitamin with fluoride oral drops</i>	2	MO
<i>multivitamin with fluoride oral tablet, chewable</i>	2	MO
<i>multivitamins with fluoride oral tablet, chewable</i>	2	MO
<i>mvc-fluoride oral tablet, chewable</i>	2	MO
<i>prenatal vitamin oral tablet</i>	2	MO
<i>sodium fluoride oral tablet</i>	2	MO
<i>sodium fluoride oral tablet, chewable 0.5 mg fluoride (1.1 mg)</i>	2	MO
<i>triple vitamin with fluoride oral drops</i>	2	MO
<i>tri-vit with fluoride and iron oral drops</i>	2	MO
<i>tri-vitamin with fluoride oral drops</i>	2	MO
<i>vitamins a,c,d and fluoride oral drops</i>	2	MO

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index

- A**
- abacavir 3
 - abacavir-lamivudine 3
 - abacavir-lamivudine-
 zidovudine 3
 - ABELCET 2
 - ABILIFY MAINTENA 44
 - ABRAXANE 17
 - ABSTRAL 36, 37
 - acamprosate 74
 - acarbose 80
 - acebutolol 58
 - acetaminophen-codeine 37
 - acetazol hc 78
 - acetazolamide 111
 - acetazolamide sodium 111
 - acetic acid 74, 78
 - acetic acid-aluminum acetate
 78
 - acetylcysteine 74, 114
 - acitretin 67
 - ACTEMRA 100
 - ACTHAR H.P. 79
 - ACTHIB (PF) 95
 - ACTIMMUNE 93
 - ACUVAIL (PF) 111
 - acyclovir 3, 71
 - acyclovir sodium 3
 - ADACEL(TDAP
 ADOLESN/ADULT)(PF)
 95
 - ADAGEN 74
 - adapalene 69
 - ADCIRCA 114
 - adefovir 3
 - ADEMPAS 114
 - adriamycin 17
 - adrucil 17
 - ADVAIR DISKUS 114
 - ADVAIR HFA 114
 - afeditab cr 58
 - AFINITOR 17, 18
 - AFINITOR DISPERZ 17
 - AFREZZA 80
 - a-hydrocort 79
 - AKYNZEO 88
 - ala-cort 72
 - ALBENZA 10
 - albuterol sulfate 114
 - alclometasone 72
 - alcohol pads 80
 - ALDURAZYME 85
 - ALECENSA 18
 - alendronate 74, 99
 - alfuzosin 117
 - ALIMTA 18
 - ALINIA 10
 - ALKERAN 18
 - allopurinol 99
 - allopurinol sodium 99
 - ALOCRIAL 110
 - ALOMIDE 110
 - alosetron 88
 - ALOXI 88
 - ALPHAGAN P 112
 - alprazolam 44, 45
 - ALREX 112
 - altavera (28) 104
 - alyacen 1/35 (28) 104
 - alyacen 7/7/7 (28) 104
 - amabelz 102
 - amantadine hcl 3
 - AMBISOME 2
 - amcinonide 72
 - amethia 104
 - amethia lo 104
 - amethyst 104
 - amifostine crystalline 17
 - amikacin 10
 - amiloride 58
 - amiloride-
 hydrochlorothiazide 58
 - amino acids 15 % 120
 - aminocaproic acid 62
 - aminophylline 114
 - AMINOSYN 10 % 120
 - AMINOSYN 7 % WITH
 ELECTROLYTES 120
 - AMINOSYN 8.5 % 120
 - AMINOSYN 8.5 %-
 ELECTROLYTES 121
 - AMINOSYN II 10 % 121
 - AMINOSYN II 15 % 121
 - AMINOSYN II 7 % 121
 - AMINOSYN II 8.5 % 121
 - AMINOSYN II 8.5 %-
 ELECTROLYTES 121
 - AMINOSYN M 3.5 % 121
 - AMINOSYN-HBC 7% ... 121
 - AMINOSYN-PF 10 % 121
 - AMINOSYN-PF 7 %
 (SULFITE-FREE) 121
 - AMINOSYN-RF 5.2 % .. 121
 - amiodarone 57
 - AMITIZA 88
 - amitriptyline 45
 - amitriptyline-
 chlordiazepoxide 45
 - amlodipine 58
 - amlodipine-benazepril 58
 - amlodipine-valsartan 58
 - ammonium lactate 68, 69
 - amoxapine 45
 - amoxicillin 13
 - amoxicillin-pot clavulanate 13
 - amphotericin b 2
 - ampicillin 13
 - ampicillin sodium 13
 - ampicillin-sulbactam 13
 - AMPYRA 34
 - ANADROL-50 85
 - anagrelide 74
 - anastrozole 18
 - ANDRODERM 85
 - ANDROGEL 85
 - androxy 85
 - ANORO ELLIPTA 114
 - APOKYN 33
 - apraclonidine 112
 - aprepitant 88
 - apri 104
 - APRISO 88
 - APTIOM 29
 - APTIVUS 3
 - ARALAST NP 74
 - aranelle (28) 104
 - ARANESP (IN
 POLYSORBATE) 93
 - arbinoxa 113
 - ARCALYST 93
 - ARCAPTA NEOHALER 114

ARGATROBAN.....	62	azathioprine sodium.....	18	BILTRICIDE	10
ARGATROBAN IN 0.9 %		azelastine.....	78, 110	bimatoprost	111
SOD CHLOR.....	62	AZILECT	33	bisoprolol fumarate.....	58
ARGATROBAN IN NACL		azithromycin	9	bisoprolol-	
(ISO-OS).....	62	aztreonam.....	10	hydrochlorothiazide	58
aripiprazole	45	azurette (28)	104	BIVIGAM.....	96
ARISTADA	45	B		bleo 15k.....	18
ARISTOSPAN INTRA-		baciiim.....	10	bleomycin.....	18
ARTICULAR.....	79	bacitracin.....	10, 109	BLEPHAMIDE.....	112
ARISTOSPAN		bacitracin-polymyxin b ...	109	BLEPHAMIDE S.O.P. ...	112
INTRALESIONAL.....	79	baclofen.....	36	BLINCYTO	18
armodafinil.....	45	BACTROBAN NASAL ...	78	blisovi 24 fe.....	105
ARNUITY ELLIPTA	114	balsalazide.....	88	blisovi fe 1.5/30 (28).....	105
ARRANON.....	18	balziva (28)	104	blisovi fe 1/20 (28).....	105
ARZERRA.....	18	BANZEL.....	29	BOOSTRIX TDAP.....	96
ASACOL HD.....	88	BARACLUDGE	3	BOSULIF	18
ascomp with codeine.....	37	BASAGLAR KWIKPEN..	80	BOTOX.....	96
ashlyna	104	BCG VACCINE, LIVE (PF)		BREO ELLIPTA.....	114
ASMANEX HFA.....	114	95	brillyn	105
ASMANEX TWISTHALER		bekyree (28)	105	BRILINTA	63
.....	114	BELEODAQ.....	18	brimonidine.....	113
aspirin-dipyridamole.....	63	benazepril.....	58	BRIVIACT.....	29
atenolol.....	58	benazepril-		bromfenac	111
atenolol-chlorthalidone	58	hydrochlorothiazide	58	bromocriptine.....	33
ATGAM.....	95	BENDEKA	18	BROVANA.....	114
atorvastatin	65	BENLYSTA.....	100	budesonide	88, 114
atovaquone	10	BENTYL.....	87	bumetanide.....	58
atovaquone-proguanil	10	benztropine.....	33	BUPHENYL	74
ATRIPLA.....	3	BEPREVE.....	110	buprenorphine hcl	37
atropine	87, 110	BERINERT	114	bupropion hcl	45
ATROVENT HFA	114	BESIVANCE	109	bupropion hcl (smoking	
AUBAGIO	34	betamethasone acet,sod phos		deter)	77
aubra.....	104	79	buspiron.....	45
AURYXIA	74	betamethasone dipropionate		BUSULFEX.....	18
AVASTIN.....	18	72	butalbital compound	
AVELOX IN NACL (ISO-		betamethasone valerate	72	w/codeine	37
OSMOTIC).....	14	betamethasone, augmented	72	butalbital-acetaminop-caf-	
aviane	104	BETASERON.....	93	cod.....	37
avita.....	69	betaxolol.....	58, 110	butorphanol tartrate.....	42
AVONEX.....	93	bethanechol chloride.....	118	BYDUREON	80
AVONEX (WITH		BETHKIS.....	10	BYETTA.....	80
ALBUMIN).....	93	BETIMOL.....	110	C	
AVYCAZ.....	7	BETOPTIC S	110	cabergoline.....	85
azacitidine	18	bexarotene	18	CABOMETYX.....	18
AZACTAM.....	10	BEXSERO	96	calcipotriene.....	67, 68
AZACTAM IN DEXTROSE		bicalutamide.....	18	calcitonin (salmon).....	85
(ISO-OSM)	10	BICILLIN C-R.....	13	calcitriol	68, 85
AZASITE.....	109	BICILLIN L-A.....	13	calcium acetate.....	118
azathioprine.....	18	BICNU	18	calcium gluconate	118

camila.....	102	cefotaxime.....	7, 8	cidofovir.....	3
camrese	105	cefotetan.....	8	cilostazol.....	63
camrese lo.....	105	CEFOTETAN IN		CILOXAN.....	109
CANASA.....	88	DEXTROSE, ISO-OSM.	8	cimetidine.....	92
CANCIDAS.....	2	cefoxitin.....	8	cimetidine hcl.....	92
candesartan.....	58	cefoxitin in dextrose, iso-osm		CIMZIA.....	88
candesartan-		8	CIMZIA POWDER FOR	
hydrochlorothiazid.....	58	cefpodoxime.....	8	RECONST.....	88
CAPASTAT.....	10	cefprozil.....	8	CIMZIA STARTER KIT..	88
CAPRELSA.....	19	ceftazidime.....	8	CINRYZE.....	115
captopril.....	58	CEFTAZIDIME IN D5W...	8	CIPRO HC.....	78
captopril-hydrochlorothiazide		ceftibuten.....	8	CIPRODEX.....	78
.....	58	ceftriaxone.....	8	ciprofloxacin (mixture).....	15
carafate.....	92	CEFTRIAZONE.....	8	ciprofloxacin hcl.....	15, 109
CARBAGLU.....	74	ceftriaxone in dextrose,iso-os		ciprofloxacin in 5 % dextrose	
carbamazepine.....	29, 30	8	15
carbidopa.....	33	cefuroxime axetil.....	8	ciprofloxacin lactate.....	15
carbidopa-levodopa.....	33	cefuroxime sodium.....	8	cisplatin.....	19
carbidopa-levodopa-		celecoxib.....	42	citalopram.....	46
entacapone.....	33	CELLCEPT		cladribine.....	19
carbinoxamine maleate ...	113	INTRAVENOUS.....	19	claravis.....	69
carboplatin.....	19	CELONTIN.....	30	clarithromycin.....	9
CARDENE IV IN		cephalexin.....	8	clemastine.....	113
DEXTROSE.....	58	CERDELGA.....	85	CLEOCIN.....	104
CARDENE IV IN SODIUM		CEREZYME.....	85	clindacin etz.....	69
CHLORIDE.....	58	cevimeline.....	75	clindacin p.....	69
CARIMUNE NF		CHANTIX.....	77	clindamycin hcl.....	10
NANOFILTERED.....	96	CHANTIX CONTINUING		clindamycin in 5 % dextrose	
carisoprodol.....	36	MONTH BOX.....	77	10
carisoprodol-asa-codeine ..	36	CHANTIX STARTING		clindamycin palmitate hcl.	10
carisoprodol-aspirin.....	36	MONTH BOX.....	77	clindamycin pediatric.....	10
carteolol.....	110	chateal.....	105	clindamycin phosphate.....	69,
cartia xt.....	58	CHEMET.....	75	104	
carvedilol.....	58	chloramphenicol sod		CLINIMIX 5%/D15W	
CAYSTON.....	10	succinate.....	10	SULFITE FREE.....	121
caziant (28).....	105	chlorhexidine gluconate....	78	CLINIMIX 5%/D25W	
cefaclor.....	7	chloroquine phosphate.....	10	SULFITE-FREE.....	121
cefadroxil.....	7	chlorothiazide.....	58	CLINIMIX 2.75%/D5W	
cefazolin.....	7	chlorothiazide sodium.....	58	SULFIT FREE.....	121
cefazolin in dextrose (iso-os)		chlorpromazine.....	46	CLINIMIX 4.25%/D10W	
.....	7	chlorthalidone.....	59	SULF FREE.....	121
CEFAZOLIN IN		chlorzoxazone.....	36	CLINIMIX 4.25%/D5W	
DEXTROSE (ISO-OS) ...	7	cholestyramine (with sugar)		SULFIT FREE.....	75
cefdinir.....	7	65	CLINIMIX 4.25%-D20W	
cefepime.....	7	cholestyramine light.....	65	SULF-FREE.....	121
CEFEPIME IN DEXTROSE		chorionic gonadotropin,		CLINIMIX 4.25%-D25W	
5 %.....	7	human.....	85	SULF-FREE.....	121
cefepime in dextrose,iso-osm		ciclodan.....	71		
.....	7	ciclopirox.....	71		

CLINIMIX 5%- D20W(SULFITE-FREE)	constulose.....	88	DAPTACEL (DTAP PEDIATRIC) (PF)	96
CLINIMIX E 2.75%/D10W SUL FREE	COPAXONE.....	35	daptomycin.....	11
CLINIMIX E 2.75%/D5W SULF FREE	CORLANOR.....	67	DARAPRIM	11
CLINIMIX E 4.25%/D10W SUL FREE	cormax.....	72	DARZALEX.....	19
CLINIMIX E 4.25%/D25W SUL FREE	cortisone.....	79	dasetta 1/35 (28).....	105
CLINIMIX E 4.25%/D5W SULF FREE	COSENTYX	68	dasetta 7/7/7 (28).....	105
CLINIMIX E 5%/D15W SULFIT FREE	COSENTYX (2 SYRINGES)	68	daunorubicin	19
CLINIMIX E 5%/D20W SULFIT FREE	COSENTYX PEN.....	68	daysee.....	105
CLINIMIX E 5%/D25W SULFIT FREE	COSENTYX PEN (2 PENS)	68	deblitane	102
CLINISOL SF 15 %.....	COTELLIC	19	decitabine	19
clobetasol	CREON.....	89	deferoxamine.....	75
clobetasol-emollient.....	CRESEMBA.....	2	deltasone	79
CLOLAR.....	CRIXIVAN.....	3	delyla (28).....	105
clomipramine	cromolyn	89, 110, 115	DELZICOL.....	89
clonazepam	cryelle (28)	105	DEMSEER	59
clonidine.....	CUBICIN	10	DENAVIR.....	71
clonidine (pf).....	CUBICIN RF	10	denta 5000 plus	78
clonidine hcl.....	cyclafem 1/35 (28).....	105	dentagel	78
clopidogrel	cyclafem 7/7/7 (28).....	105	DEPEN TITRATABS.....	100
clorazepate dipotassium	cyclobenzaprine	36	DEPO-ESTRADIOL.....	102
clotrimazole.....	cyclophosphamide.....	19	DEPO-MEDROL.....	79
clotrimazole-betamethasone	CYCLOPHOSPHAMIDE. 19		DEPO-PROVERA	102
clozapine	cyclosporine	19	DEPO-SUBQ PROVERA 104.....	102
CLOZAPINE	cyclosporine modified.....	19	DESCOVY	3
COARTEM.....	cyproheptadine.....	113	desipramine	46
codeine sulfate	CYRAMZA.....	19	desloratadine	113
codeine-butalbital-asa-caff 37	cyred.....	105	desmopressin.....	85
COLCRYS	CYSTADANE	89	desog-e.estradiol/e.estradiol	105
colestipol.....	CYTAGON.....	118	desonide	72
colistin (colistimethate na) 10	CYSTARAN.....	110	desoximetasone.....	72
COLY-MYCIN S.....	cytarabine.....	19	DESVENLAFAXINE. 46, 47	
COMBIGAN.....	cytarabine (pf).....	19	DESVENLAFAXINE FUMARATE.....	46
COMBIVENT RESPIMAT	D		desvenlafaxine succinate... 47	
COMETRIQ.....	d10 %-0.45 % sodium chloride	75	dexamethasone.....	79
COMPLERA.....	d2.5 %-0.45 % sodium chloride	75	dexamethasone intensol 79	
compro	d5 % and 0.9 % sodium chloride	75	dexamethasone sodium phos (pf).....	79
CONDYLOX.....	d5 %-0.45 % sodium chloride	75	dexamethasone sodium phosphate	79, 112
	dacarbazine	19	DEXILANT	92
	DALIRESP	115	dexmethylphenidate	47
	DALVANCE.....	10	dextrazoxane hcl	17
	danazol	85	dextroamphetamine.....	47
	dantrolene.....	36	dextroamphetamine- amphetamine.....	47
	DAPSONE	10		

dextrose 10 % and 0.2 % nacl	75	disopyramide phosphate....	57	elinest	105
dextrose 10 % in water (d10w).....	75	disulfiram	75	eliphos	118
dextrose 20 % in water (d20w).....	75	DIURIL	59	ELIQUIS	63
dextrose 25 % in water (d25w).....	75	divalproex	30	ELITEK	17
dextrose 30 % in water (d30w).....	75	DIVIGEL	102	ELIXOPHYLLIN	115
dextrose 40 % in water (d40w).....	75	docetaxel	19, 20	ELLA	105
dextrose 5 % in water (d5w)	75	dofetilide	57	ELMIRON	118
dextrose 5 %-lactated ringers	75	donepezil	35	EMADINE	110
dextrose 5%-0.2 % sod chloride	75	DORIBAX	11	EMCYT.....	20
dextrose 5%-0.3 % sod.chloride.....	75	DORIPENEM.....	11	EMEND	89
dextrose 50 % in water (d50w).....	75	dorzolamide.....	111	emoquette.....	105
dextrose 70 % in water (d70w).....	75	dorzolamide-timolol.....	111	EMPLICITI.....	20
dextrose with sodium chloride	75	doxazosin	59	EMSAM.....	48
dextrose-kcl-nacl.....	118	doxepin.....	48	EMTRIVA	4
diazepam	30, 47, 48	doxercalciferol	85	enalapril maleate	59
diazepam intensol.....	47	doxorubicin	20	enalapril-hydrochlorothiazide	59
diclofenac potassium.....	42	doxorubicin, peg-liposomal	20	ENBREL.....	100
diclofenac sodium.....	42, 43, 111	doxy-100	15	ENBREL SURECLICK..	100
dicloxacillin.....	13	doxycycline hyclate	15	endocet	37, 38
dicyclomine.....	87	doxycycline monohydrate 15, 16		ENGERIX-B (PF).....	96
didanosine	3	dronabinol	89	ENGERIX-B PEDIATRIC (PF)	96
DIFICID.....	9	drospirenone-ethinyl estradiol.....	105	enoxaparin.....	63
diflorasone.....	73	DUAVEE	102	enpresse.....	105
diflunisal	43	DULERA	115	enskyce.....	105
digitek	62	duloxetine.....	48	entacapone.....	33
digox	62	DUOPA.....	33	entecavir.....	4
digoxin	62	duramorph (pf).....	37	ENTRESTO	67
dihydroergotamine	34	DUREZOL	112	enulose	89
DILANTIN 30 MG.....	30	dutasteride	117	EPCLUSA.....	4
diltiazem hcl.....	59	DYSPORT	96	epinastine	111
dilt-xr.....	59	E		EPIPEN 2-PAK.....	113
DIPENTUM.....	89	e.e.s. 400	9	EPIPEN JR 2-PAK	113
diphenhydramine hcl.....	113	E.E.S. GRANULES	9	epirubicin	20
diphenoxylate-atropine	87, 88	econazole.....	71	epitol	30
dipyridamole	63	EDURANT	3	EPIVIR HBV	4
diskets	37	effer-k.....	118	eplerenone.....	59
		EFFIENT.....	63	EPOGEN.....	93
		EGRIFTA.....	93	epoprostenol (glycine)	59
		ELAPRASE	85	eprosartan	59
		electrolyte-48 in d5w	122	EPZICOM.....	4
		ELELYSO.....	86	EQUETRO	30
		ELIDEL.....	69	ERAXIS(WATER DILUENT).....	2
		ELIGARD.....	20	ERBITUX	20
		ELIGARD (3 MONTH)....	20	ergoloid	48
		ELIGARD (4 MONTH)....	20	ERIVEDGE.....	20
		ELIGARD (6 MONTH)....	20	errin.....	102

ERWINAZE.....	20	FARYDAK.....	20	fluorouracil.....	21, 69
ery pads.....	69	FASLODEX.....	20	fluoxetine.....	49
erygel.....	69	felbamate.....	30	fluphenazine decanoate.....	49
ERYPED 200.....	9	felodipine.....	59	fluphenazine hcl.....	49
ERYPED 400.....	9	FEMRING.....	103	flurbiprofen.....	43
ery-tab.....	9	femynor.....	105	flurbiprofen sodium.....	111
ERY-TAB.....	9	fenofibrate.....	66	flutamide.....	21
ERYTHROCIN.....	9	fenofibrate micronized.....	65	fluticasone.....	73, 115
erythrocin (as stearate).....	9	fenofibrate nanocrystallized.....	65, 66	fluvastatin.....	66
erythromycin.....	9, 109	fenofibric acid.....	66	fluvoxamine.....	49
erythromycin ethylsuccinate.....	9	fenofibric acid (choline).....	66	FML FORTE.....	112
erythromycin with ethanol.....	69, 70	fenopropfen.....	43	FML S.O.P.....	112
erythromycin-benzoyl peroxide.....	70	fenofibrin.....	38	FOLOTYN.....	21
ESBRIET.....	115	fenofibrin citrate.....	38	fomepizole.....	96
escitalopram oxalate.....	48	fenofibrin citrate (pf).....	38	fondaparinux.....	63
esmolol.....	59	FENTORA.....	38	FORTAZ.....	8, 9
estarylla.....	105	FERRIPROX.....	76	FORTAZ IN DEXTROSE 5 %.....	8
ESTRACE.....	102	FETZIMA.....	49	FORTEO.....	99
estradiol.....	102	finasteride.....	118	foscarnet.....	4
estradiol valerate.....	102	FIRAZYR.....	115	fosinopril.....	59
estradiol-norethindrone acet.....	102	FIRMAGON KIT W DILUENT SYRINGE.....	20	fosinopril-hydrochlorothiazide.....	59
ESTRING.....	102	flavoxate.....	117	fosphenytoin.....	30
estropipate.....	103	FLEBOGAMMA DIF.....	96	FOSRENOL.....	76
ethambutol.....	11	flecainide.....	57	FRAGMIN.....	64
ethosuximide.....	30	FLOVENT DISKUS.....	115	FREAMINE HBC 6.9 %.....	122
ethynodiol diac-eth estradiol.....	105	FLOVENT HFA.....	115	freamine iii 10 %.....	122
etidronate disodium.....	75	floxin.....	78	furosemide.....	59, 60
etodolac.....	43	floxuridine.....	21	FUSILEV.....	17
ETOPOPHOS.....	20	fluconazole.....	2	FUZEON.....	4
etoposide.....	20	fluconazole in dextrose(iso-o).....	2	fyavolv.....	103
EUCRISA.....	69	fluconazole in nacl (iso-osm).....	2	FYCOMPA.....	31
EVOTAZ.....	4	FLUCONAZOLE IN NAACL (ISO-OSM).....	2	G	
exemestane.....	20	flucytosine.....	2	gabapentin.....	31
EXJADE.....	75	fludarabine.....	21	GABITRIL.....	31
F		fludrocortisone.....	79	GABLOFEN.....	36
FABRAZYME.....	86	flunisolide.....	115	galantamine.....	35
falmina (28).....	105	fluocinolone.....	73	GAMASTAN S/D.....	96
famciclovir.....	4	fluocinolone acetonide oil.....	78	GAMMAGARD LIQUID.....	96
famotidine.....	92	fluocinolone and shower cap.....	73	GAMMAGARD S-D (IGA < 1 MCG/ML).....	96
famotidine (pf).....	92	fluocinonide.....	73	GAMMAKED.....	96
famotidine (pf)-nacl (iso-os).....	92	fluocinonide-e.....	73	GAMMAPLEX.....	96
FANAPT.....	48, 49	fluoritab.....	123	GAMMAPLEX (WITH SORBITOL).....	96
FARESTON.....	20	fluorometholone.....	112	GAMUNEX-C.....	96
FARXIGA.....	80			ganciclovir sodium.....	4
				GARDASIL (PF).....	96

GARDASIL 9 (PF).....	96	griseofulvin microsize.....	2	HUMULIN N.....	82
gatifloxacin	109	griseofulvin ultramicrosize .	2	HUMULIN N KWIKPEN	82
GATTEX 30-VIAL.....	89	guanidine.....	49	HUMULIN R U-100.....	82
GATTEX ONE-VIAL	89	H		HUMULIN R U-500	
GAUZE PAD.....	80	HALAVEN.....	21	(CONC) KWIKPEN	82
gavilyte-c.....	89	halobetasol propionate	73	HUMULIN R U-500	
gavilyte-g	89	haloperidol	49	(CONCENTRATED)....	82
gavilyte-h and bisacodyl ...	89	haloperidol decanoate	49	hydralazine.....	60
gavilyte-n	89	haloperidol lactate.....	49	hydrochlorothiazide	60
GAZYVA.....	21	HARVONI.....	4	hydrocodone-acetaminophen	
gemcitabine.....	21	HAVRIX (PF).....	97	38
gemfibrozil.....	66	heather.....	103	hydrocodone-ibuprofen.....	39
generlac	89	heparin (porcine).....	64	hydrocortisone. 73, 79, 89, 90	
gengraf	21	heparin (porcine) in 5 % dex		hydrocortisone butyrate ...	73
GENOTROPIN.....	94	64	hydrocortisone valerate.....	73
GENOTROPIN		heparin (porcine) in nacl (pf)		hydrocortisone-acetic acid	78
MINIQUICK.....	93, 94	64	hydrocortisone-min oil-wht	
gentak.....	109	heparin(porcine) in 0.45%		pet.....	73
gentamicin.....	11, 71, 109	nacl.....	64	hydromorphone.....	39
gentamicin in nacl (iso-osm)		HEPARIN(PORCINE) IN		HYDROMORPHONE (PF)	
.....	11	0.45% NACL	64	39
GENTAMICIN IN NACL		heparin, porcine (pf).....	64	hydroxychloroquine	11
(ISO-OSM)	11	HEPATAMINE 8%	122	hydroxyprogesterone	
GENVOYA.....	4	HERCEPTIN.....	21	caproate.....	103
GEODON.....	49	HETLIOZ.....	49	hydroxyurea	21
gianvi (28).....	105	HEXALEN.....	21	hydroxyzine hcl.....	113
gildagia.....	105	HIBERIX (PF)	97	hydroxyzine pamoate	113
GILENYA.....	35	HIZENTRA.....	97	I	
GILOTRIF	21	HORIZANT	35	ibandronate.....	99
GLASSIA.....	76	HUMALOG	82	IBRANCE.....	21
GLEEVEC	21	HUMALOG KWIKPEN...	81	ibuprofen	43
GLEOSTINE.....	21	HUMALOG MIX 50-50 ...	81	ibuprofen-oxycodone	39
glimepiride	81	HUMALOG MIX 50-50		ibutilide fumarate.....	57
glipizide.....	81	KWIKPEN	81	ICLUSIG.....	21, 22
glipizide-metformin	81	HUMALOG MIX 75-25 ...	81	idarubicin	22
GLUCAGEN HYPOKIT ..	81	HUMALOG MIX 75-25		ifosfamide	22
GLUCAGON		KWIKPEN	81	ILARIS (PF).....	94
EMERGENCY KIT		HUMATROPE.....	94	IMBRUVICA.....	22
(HUMAN).....	81	HUMIRA	100	imipenem-cilastatin.....	11
glycine.....	118	HUMIRA PEDIATRIC		imipramine hcl	50
glycopyrrolate	88	CROHN'S START	100	imipramine pamoate.....	50
GLYXAMBI.....	81	HUMIRA PEN.....	100	imiquimod	69
GRALISE.....	31	HUMIRA PEN CROHN'S-		IMOGAM RABIES-HT (PF)	
GRALISE 30-DAY		UC-HS START	100	97
STARTER PACK.....	31	HUMIRA PEN PSORIASIS-		IMOVAX RABIES	
granisetron (pf).....	89	UVEITIS.....	100	VACCINE (PF).....	97
granisetron hcl.....	89	HUMULIN 70/30.....	82	INCRELEX.....	76
GRANIX.....	94	HUMULIN 70/30		INCRUSE ELLIPTA	115
GRASTEK	97	KWIKPEN	82	indapamide.....	60

INFANRIX (DTAP) (PF) .	97	JANUVIA	82	KUVAN	86
INLYTA	22	JARDIANCE	82, 83	KYNAMRO	66
INSULIN PEN NEEDLE .	82	jencycla	103	KYPROLIS	22
INSULIN SYRINGE (DISP)		JENTADUETO	83	L	
U-100	82	JENTADUETO XR	83	l norgest/e.estradiol-e.estrad	
INTELENCE	4	JEVTANA	22	106
intralipid	122	jinteli	103	labetalol	60
INTRALIPID	122	jolessa	106	lactated ringers	74, 118
INTRON A	94	jolivetle	103	lactulose	90
introvale	106	juleber	106	lamivudine	4
INVANZ	11	junel 1.5/30 (21)	106	lamivudine-zidovudine	4
INVEGA SUSTENNA	50	junel 1/20 (21)	106	lamotrigine	31
INVEGA TRINZA	50	junel fe 1.5/30 (28)	106	lansoprazole	92
INVIRASE	4	junel fe 1/20 (28)	106	LANTUS	83
INVOKAMET	82	junel fe 24	106	LANTUS SOLOSTAR	83
INVOKAMET XR	82	JUXTAPID	66	larin 1.5/30 (21)	106
INVOKANA	82	K		larin 1/20 (21)	106
IONOSOL-B IN D5W	122	KABIVEN	122	larin 24 fe	106
IONOSOL-MB IN D5W .	122	KADCYLA	22	larin fe 1.5/30 (28)	106
IOPIDINE	113	kaitlib fe	106	larin fe 1/20 (28)	106
IPOL	97	KALETRA	4	larissia	106
ipratropium bromide .	78, 115	KALYDECO	115	LARTRUVO	22
ipratropium-albuterol	115	KANUMA	86	latanoprost	111
irbesartan	60	kariva (28)	106	LATUDA	50
irbesartan-		k-effervescent	118	layolis fe	106
hydrochlorothiazide	60	kelnor 1/35 (28)	106	LAZANDA	39
IRESSA	22	KEPIVANCE	17	leena 28	106
irinotecan	22	ketoconazole	2, 71	leflunomide	100
ISENTRESS	4	ketoprofen	43	LENVIMA	22, 23
ISOLYTE S PH 7.4	122	ketorolac	111	lessina	106
ISOLYTE-P IN 5 %		KEVEYIS	35	LETAIRIS	115
DEXTROSE	122	KEYTRUDA	22	letrozole	23
ISOLYTE-S	122	KHEDEZLA	50	leucovorin calcium	17
isoniazid	11	kimidess (28)	106	LEUKERAN	23
isosorbide dinitrate	67	KINERET	100	LEUKINE	94
isosorbide mononitrate	67	KINRIX (PF)	97	leuprolide	23
isradipine	60	kionex	76	levabuterol hcl	115
ISTODAX	22	kionex (with sorbitol)	76	LEVALBUTEROL	
ISUPREL	67	klor-con	118	TARTRATE	115
itraconazole	2	klor-con 10	118	LEVEMIR	83
ivermectin	11	klor-con 8	118	LEVEMIR FLEXTOUCH	83
IXEMPRA	22	klor-con m10	118	levetiracetam	31
IXIARO (PF)	97	klor-con m15	118	LEVETIRACETAM IN	
J		klor-con m20	118	NACL (ISO-OS)	31
JADENU	76	klor-con sprinkle	118	levobunolol	110
JAKAFI	22	klor-con/ef	118	levocarnitine	76
jantoven	64	KORLYM	86	levocarnitine (with sugar) .	76
JANUMET	82	k-tab	118	levocetirizine	113
JANUMET XR	82	kurvelo	106	levofloxacin	15, 109

levofloxacin in d5w.....	15	losartan-hydrochlorothiazide	60	melphalan hcl.....	23
levoleucovorin.....	17	60	memantine.....	35
LEVOLEUCOVORIN.....	17	LOTEMAX.....	112	MEMANTINE.....	35
levonest (28).....	106	lovastatin.....	66	MENACTRA (PF).....	97
levonorgestrel-ethinyl estrad		low-ogestrel (28).....	107	MENEST.....	103
.....	106	loxapine succinate.....	51	MENHIBRIX (PF).....	97
levonorg-eth estrad triphasic		ludent fluoride.....	123	MENOMUNE - A/C/Y/W-	
.....	106	LUMIGAN.....	111	135.....	97
levora-28.....	106	LUMIZYME.....	86	MENOMUNE - A/C/Y/W-	
levorphanol tartrate.....	39	LUPANETA PACK (1		135 (PF).....	97
levothyroxine.....	87	MONTH).....	104	MENOSTAR.....	103
LEXIVA.....	4	LUPANETA PACK (3		MENVEO A-C-Y-W-135-	
LIALDA.....	90	MONTH).....	104	DIP (PF).....	97
lidocaine.....	70	LUPRON DEPOT.....	23	mercaptapurine.....	23
lidocaine (pf).....	57, 70	LUPRON DEPOT (3		meropenem.....	11
lidocaine hcl.....	70	MONTH).....	23	MEROPENEM-0.9%	
lidocaine in 5 % dextrose (pf)		LUPRON DEPOT (4		SODIUM CHLORIDE..	11
.....	57	MONTH).....	23	mesalamine.....	90
lidocaine viscous.....	70	LUPRON DEPOT (6		mesalamine with cleansing	
lidocaine-prilocaine.....	70	MONTH).....	23	wipe.....	90
LINCOCIN.....	11	LUPRON DEPOT-PED...	23	mesna.....	17
lincomycin.....	11	LUPRON DEPOT-PED (3		MESNEX.....	17
lindane.....	74	MONTH).....	23	MESTINON.....	36
linezolid.....	11	lutera (28).....	107	metadate er.....	51
linezolid-0.9% sodium		LYNPARZA.....	23	metaproterenol.....	115
chloride.....	11	LYRICA.....	31, 32	metformin.....	83
LINZESS.....	90	LYSODREN.....	23	methadone.....	40
LIORESAL.....	36	lyza.....	103	methadone intensol.....	40
liothyronine.....	87	M		methadose.....	40
lisinopril.....	60	magnesium sulfate.....	119	methamphetamine.....	51
lisinopril-hydrochlorothiazide		MAGNESIUM SULFATE		methazolamide.....	111
.....	60	IN D5W.....	118	methenamine hippurate....	16
lithium carbonate.....	50	magnesium sulfate in water		methenamine mandelate....	16
lithium citrate.....	50	119	methergine.....	109
LITHOSTAT.....	76	MAKENA.....	103	methimazole.....	80
lomedina 24 fe.....	106	malathion.....	74	methocarbamol.....	36
LONSURF.....	23	maprotiline.....	51	methotrexate sodium.....	24
loperamide.....	88	marlissa.....	107	methotrexate sodium (pf). 23,	
lopinavir-ritonavir.....	5	MARPLAN.....	51	24	
lorazepam.....	50, 51	MATULANE.....	23	methoxsalen.....	69
lorazepam intensol.....	50	matzim la.....	60	methscopolamine.....	88
lorcet (hydrocodone).....	39	MAXIDEX.....	112	methyclothiazide.....	60
lorcet hd.....	39	meclizine.....	90	methylergonovine.....	109
lorcet plus.....	39	meclofenamate.....	43	methylphenidate.....	51
lortab 10-325.....	39	medroxyprogesterone.....	103	methylprednisolone.....	79
lortab 5-325.....	40	mefloquine.....	11	methylprednisolone acetate	79
lortab 7.5-325.....	40	megestrol.....	23	methylprednisolone sodium	
loryna (28).....	107	MEKINIST.....	23	succ.....	79
losartan.....	60	meloxicam.....	43	methyltestosterone.....	86

metipranolol	110
metoclopramide hcl.....	90
metolazone	60
metoprolol succinate	60
metoprolol ta- hydrochlorothiaz	60
metoprolol tartrate.....	60
metro i.v.	11
metronidazole.....	12, 70, 104
metronidazole in nacl (iso-os)	11
mexiletine.....	57
MIACALCIN.....	86
miconazole-3.....	104
microgestin 1.5/30 (21)...	107
microgestin 1/20 (21).....	107
microgestin fe 1.5/30 (28)107	
microgestin fe 1/20 (28)..	107
midodrine	76
migergot.....	34
mimvey	103
mimvey lo	103
minocycline.....	16
minoxidil.....	60
mirtazapine.....	51
misoprostol.....	92
mitomycin	24
mitoxantrone	24
M-M-R II (PF)	97
modafinil.....	51
moderiba	5
moderiba dose pack.....	5
moexipril.....	60
moexipril- hydrochlorothiazide	60
molindone	52
mometasone	73
mondoxyne nl.....	16
mono-linyah	107
mononessa (28).....	107
montelukast.....	115, 116
MONUROL	16
morgidox.....	16
morphine	40, 41
morphine (pf)	40
morphine concentrate.....	40
MOVANTIK.....	90
MOXEZA	109
moxifloxacin	15
MOXIFLOXACIN- SOD.ACE,SUL-WATER	15
MOZOBIL	94
MULTAQ	57
multi-vit with fluoride-iron	123
multivitamin with fluoride	123
multi-vitamin with fluoride	123
multivitamins with fluoride	123
mupirocin	71
MUSTARGEN.....	24
mvc-fluoride.....	123
MYALEPT.....	86
MYCAMINE	2
mycophenolate mofetil.....	24
mycophenolate mofetil hcl	24
mycophenolate sodium	24
myorisan.....	70
MYRBETRIQ.....	117
MYTESI.....	88
myzilra	107
N	
nabumetone.....	43
nadolol.....	60
nadolol-bendroflumethiazide	60
nafcillin	13, 14
nafcillin in dextrose iso-osm	13
NAGLAZYME	86
nalbuphine.....	43
naloxone.....	43
naltrexone.....	43
naproxen.....	43
naproxen sodium.....	43
naratriptan	34
NATACYN.....	109
nateglinide.....	83
NATPARA.....	86
NEBUPENT.....	12
necon 0.5/35 (28)	107
necon 1/50 (28)	107
necon 10/11 (28)	107
necon 7/7/7 (28).....	107
NEEDLES, INSULIN DISP.,SAFETY.....	83
nefazodone	52
neomycin.....	12
neomycin-bacitracin-poly-hc	111
neomycin-bacitracin- polymyxin	109
neomycin-polymyxin b gu	74
neomycin-polymyxin b- dexameth	111
neomycin-polymyxin- gramicidin	109
neomycin-polymyxin-hc ..	78, 111
neo-polycin	109
neo-polycin hc.....	112
neostigmine methylsulfate	36
NEPHRAMINE 5.4 %....	122
NEULASTA	94
NEUPOGEN.....	94
NEUPRO.....	33
nevirapine.....	5
NEXAVAR.....	24
niacin.....	66
nicardipine.....	60, 61
NICOTROL	77
NICOTROL NS	77
nifedipine	61
nikki (28).....	107
NILANDRON.....	24
nilutamide	24
nimodipine	61
NINLARO.....	24
NIPENT	24
nitro-bid.....	67
NITRO-DUR.....	67
nitrofurantoin macrocrystal	16
nitrofurantoin monohyd/m- cryst.....	16
nitroglycerin.....	67
NITROSTAT	67
nizatidine.....	92
nora-be	103
NORDITROPIN FLEXP RO	94
noreth-ethinyl estradiol-iron	107

norethindrone (contraceptive)	ODEFSEY.....	5	paclitaxel.....	25
.....	ODOMZO.....	24	paliperidone.....	52
norethindrone acetate.....	OFEV.....	116	pamidronate.....	86
norethindrone ac-eth estradiol	ofloxacin.....	15, 78, 109	PANCREAZE.....	90
.....	ogestrel (28).....	107	PANRETIN.....	69
norethindrone-e.estradiol-	olanzapine.....	52	pantoprazole.....	92
iron.....	omega-3 acid ethyl esters..	66	paricalcitol.....	86
norgestimate-ethinyl estradiol	omeprazole.....	92	PARICALCITOL.....	86
.....	OMNITROPE.....	94	paroex oral rinse.....	78
norlyroc.....	ONCASPAS.....	24	paromomycin.....	12
NORMOSOL-M IN 5 %	ondansetron.....	90	paroxetine hcl.....	52
DEXTROSE.....	ondansetron hcl.....	90	PASER.....	12
NORMOSOL-R.....	ondansetron hcl (pf).....	90	PAXIL.....	52
NORMOSOL-R IN 5 %	ONFI.....	32	PEDIARIX (PF).....	97
DEXTROSE.....	ONMEL.....	3	PEDVAX HIB (PF).....	97
NORMOSOL-R PH 7.4..	OPANA ER.....	41	peg 3350-electrolytes.....	90
NORTHERA.....	OPDIVO.....	24	peg-3350 with flavor packs	90
nortrel 0.5/35 (28).....	OPSUMIT.....	116	PEGANONE.....	32
nortrel 1/35 (21).....	ORALAIR.....	97	PEGASYS.....	94
nortrel 1/35 (28).....	oralone.....	78	PEGASYS PROCLICK....	94
nortrel 7/7/7 (28).....	ORBACTIV.....	12	peg-electrolyte soln.....	91
nortriptyline.....	ORENCIA.....	101	PEGINTRON.....	94, 95
NORVIR.....	ORENCIA (WITH		PEGINTRON REDIPEN..	94
NOVOLIN 70/30.....	MALTOSE).....	100	PENICILLIN G POT IN	
NOVOLIN N.....	ORENCIA CLICKJECT.	101	DEXTROSE.....	14
NOVOLIN R.....	ORFADIN.....	76	penicillin g potassium.....	14
NOVOLOG.....	ORKAMBI.....	116	penicillin g procaine.....	14
NOVOLOG FLEXPEN....	orphenadrine citrate.....	36	penicillin g sodium.....	14
NOVOLOG MIX 70-30....	orsythia.....	107	penicillin v potassium.....	14
NOVOLOG MIX 70-30	oseltamivir.....	5	PENTACEL ACTHIB	
FLEXPEN.....	OTEZLA.....	101	COMPONENT (PF).....	97
NOVOLOG PENFILL.....	OTEZLA STARTER.....	101	PENTAM.....	12
NOXAFIL.....	OTREXUP (PF).....	101	PENTASA.....	91
NUCALA.....	oxacillin.....	14	pentoxifylline.....	64
NUEDEXTA.....	oxacillin in dextrose(iso-osm)	14	PERFOROMIST.....	116
NULOJIX.....	14	PERIKABIVEN.....	122
NUPLAZID.....	oxaliplatin.....	24, 25	perindopril erbumine.....	61
NUTROPIN AQ NUSPIN	oxandrolone.....	86	periogard.....	78
94	oxazepam.....	52	PERJETA.....	25
NUVARING.....	oxcarbazepine.....	32	permethrin.....	74
nyamyc.....	oxybutynin chloride.....	117	perphenazine.....	52
nyata.....	oxycodone.....	41	perphenazine-amitriptyline	53
nystatin.....	OXYCODONE.....	41	PERTZYE.....	91
nystatin-triamcinolone.....	oxycodone-acetaminophen	41	pfizerpen-g.....	14
nystop.....	oxycodone-aspirin.....	41	phenadoz.....	113
O	oxymorphone.....	42	phenelzine.....	53
OICALIVA.....	oxytocin.....	109	phenergan.....	113
ocella.....	P		phenobarbital.....	32
OCTAGAM.....	pacerone.....	57	phenobarbital sodium.....	32
octreotide acetate.....				

phenoxybenzamine	61	potassium chloride-0.45 % nacl.....	120	prochlorperazine	91
phenytoin.....	32	potassium chloride-d5- 0.2%nacl.....	120	prochlorperazine edisylate	91
phenytoin sodium.....	32	potassium chloride-d5- 0.3%nacl.....	120	prochlorperazine maleate..	91
phenytoin sodium extended	32	potassium chloride-d5- 0.9%nacl.....	120	PROCRIT.....	95
philith	107	potassium citrate	118	procto-med hc	91
PHOSPHOLINE IODIDE	110	potassium phosphate m-/d- basic	120	procto-pak	91
PHYSIOLYTE.....	74	POTIGA.....	32	proctosol hc.....	91
PHYSIOSOL IRRIGATION	74	PRADAXA	64	proctozone-hc.....	91
PICATO	69	PRALUENT PEN.....	66	progesterone micronized.	103
pilocarpine hcl.....	76, 110	PRALUENT SYRINGE ...	66	PROGLYCEM.....	84
pimozide.....	53	pramipexole.....	33	PROGRAF	25
pimtree (28).....	108	pravastatin.....	66	PROLASTIN-C.....	76
pindolol	61	prazosin	61	PROLEUKIN.....	95
pioglitazone.....	84	PRED MILD	112	PROLIA	99
pioglitazone-metformin....	84	PRED-G	112	PROMACTA	65
piperacillin-tazobactam....	14	PRED-G S.O.P.....	112	promethazine.....	113
PIPERACILLIN- TAZOBACTAM.....	14	prednicarbate.....	73	promethegan.....	113
pirmella	108	prednisolone.....	79	propafenone.....	57
piroxicam	43	prednisolone acetate.....	112	propantheline.....	88
PLASMA-LYTE 148.....	123	prednisolone sodium phosphate	79, 112	propranolol.....	61
PLASMA-LYTE A.....	123	prednisone.....	79, 80	propranolol- hydrochlorothiazid	61
PLEGRIDY.....	95	prednisone intensol	79	propylthiouracil.....	80
podofilox.....	69	PREMARIN.....	103	PROQUAD (PF).....	98
polycin.....	109	premasol 10 %.....	123	PROSOL 20 %.....	123
polyethylene glycol 3350..	91	PREMASOL 6 %.....	123	protiptyline.....	53
polymyxin b sulfate.....	12	PREMPHASE.....	103	PULMOZYME	116
polymyxin b sulf- trimethoprim	110	PREMPRO.....	103	PURIXAN.....	25
POMALYST	25	prenatal vitamin oral tablet	123	pyrazinamide.....	12
portia	108	prevalite.....	66	pyridostigmine bromide	36
PORTRAZZA.....	25	previfem	108	Q	
potassium acetate	119	PREZCOBIX	5	QUADRACEL (PF).....	98
potassium bicarb and chloride	119	PREZISTA	5	quasense	108
potassium bicarb-citric acid	119	PRIALT.....	43	quetiapine.....	53
potassium chlorid-d5- 0.45%nacl.....	119	PRIFTIN	12	quinapril	61
potassium chloride ..	119, 120	PRIMAQUINE	12	quinapril-hydrochlorothiazide	61
potassium chloride in 0.9%nacl.....	119	primidone	32	quinidine gluconate.....	57
potassium chloride in 5 % dex.....	119	PRISTIQ	53	quinidine sulfate.....	57
potassium chloride in lr-d5	119	PRIVIGEN.....	97	quinine sulfate.....	12
		probenecid.....	99	R	
		probenecid-colchicine.....	99	RABAVERT (PF).....	98
		procainamide.....	57	RAGWITEK	98
		PROCALAMINE 3%	123	raloxifene	99
				ramipril.....	61
				RANEXA	67
				ranitidine hcl	93
				RAPAMUNE	25
				rasagiline	33

RASUVO (PF).....	101	rivastigmine.....	35	SIRTURO	12
RAVICTI	76	rivastigmine tartrate	35	SIVEXTRO.....	12
REBETOL.....	5	rizatriptan	34	SMOFLIPID	123
REBIF (WITH ALBUMIN)		ropinirole.....	33	sodium acetate.....	120
.....	95	ropivacaine (pf).....	70	sodium bicarbonate	120
REBIF REBIDOSE.....	95	rosadan	70	sodium chloride.....	77, 120
REBIF TITRATION PACK		rosuvastatin	66	sodium chloride 0.45 % ..	120
.....	95	ROTARIX.....	98	sodium chloride 0.9 %	76
reclipsen (28)	108	ROTATEQ VACCINE	98	sodium chloride 3 %	120
RECOMBIVAX HB (PF)..	98	roweepra.....	32	sodium chloride 5 %	120
regonol	36	ROZEREM	54	sodium fluoride.....	123
REGRANEX.....	69	RUBRACA	25	sodium lactate	120
RELENZA DISKHALER... 5		RUCONEST	116	sodium phenylbutyrate.....	77
RELISTOR	91	S		sodium polystyrene (sorb	
REMICADE.....	91	SABRIL	32	free).....	77
REMODULIN.....	61	SAIZEN	95	sodium polystyrene sulfonate	
REVELA.....	76	SAIZEN CLICK.EASY ...	95	77
repaglinide.....	84	salsalate.....	43	SODIUM POLYSTYRENE	
REPATHA PUSHTRONEX		SAMSCA	86	SULFONATE	77
.....	66	SANCUSO.....	91	SOLIRIS	77
REPATHA SURECLICK. 66		SANDOSTATIN LAR		SOLTAMOX	26
REPATHA SYRINGE.....	66	DEPOT.....	25	SOLU-CORTEF	80
RESCRIPTOR	5	SANTYL.....	74	SOLU-CORTEF (PF)	80
reserpine.....	61	SAPHRIS (BLACK		SOLU-MEDROL	80
RESTASIS	111	CHERRY).....	54, 55	SOLU-MEDROL (PF).....	80
RESTASIS MULTIDOSE		SAVELLA	101	SOMATULINE DEPOT... 26	
.....	111	selegiline hcl	33, 34	SOMAVERT.....	86
RETROVIR.....	5	selenium sulfide	68	sorine.....	57, 58
REVATIO	116	SELZENTRY	6	sotalol.....	58
REVLIMID.....	25	SENSIPAR.....	86	sotalol af.....	58
REXULTI	53	SEREVENT DISKUS....	116	SOVALDI.....	6
REYATAZ.....	5	SEROQUEL XR	55	SPIRIVA RESPIMAT	116
ribasphere.....	5	SEROSTIM.....	95	SPIRIVA WITH	
ribasphere ribapak.....	5	sertraline.....	55	HANDIHALER	116
ribavirin.....	6	setlakin	108	spironolactone.....	61
RIDAURA	101	sf 78		spironolacton-	
rifabutin.....	12	sf 5000 plus.....	78	hydrochlorothiaz	61
RIFAMATE	12	sharobel	103	sprintec (28)	108
rifampin.....	12	SIGNIFOR	25	SPRITAM	32
RIFATER	12	SIGNIFOR LAR	25	SPRYCEL	26
riluzole	76	sildenafil.....	116	sps (with sorbitol)	77
rimantadine	6	SILENOR.....	55	sronyx.....	108
ringer's.....	74, 120	silver sulfadiazine	68	ssd	68
RIOMET	84	SIMBRINZA.....	111	stavudine	6
risedronate.....	99, 100	SIMPONI	102	STELARA.....	68
RISPERDAL CONSTA... 53,		SIMPONI ARIA	102	STIMATE	86
54		SIMULECT.....	25	STIOLTO RESPIMAT ...	116
risperidone.....	54	simvastatin	66	STIVARGA	26
RITUXAN.....	25	sirolimus.....	26	STRATTERA	55

STRENSIQ	86	TALTZ SYRINGE.....	68	ticlopidine	65
STREPTOMYCIN.....	12	TALTZ SYRINGE (2		TIGECYCLINE	12
STRIANT.....	87	PACK).....	68	tilia fe	108
STRIBILD.....	6	TALTZ SYRINGE (3		timolol maleate.....	61, 110
STRIVERDI RESPIMAT	116	PACK).....	68	tinidazole.....	12
SUBOXONE.....	43	TAMIFLU.....	6	tis-u-sol pentalyte.....	74
SUBSYS	42	tamoxifen	27	TIVICAY	6
SUCRAID.....	91	tamsulosin	118	tizanidine.....	36
sucralfate.....	93	TARCEVA.....	27	TOBI PODHALER.....	12
sulfacetamide sodium.....	112	TARGRETIN.....	27	TOBRADEX.....	112
sulfacetamide sodium (acne)		tarina fe 1/20 (28).....	108	tobramycin	110
.....	71	TASIGNA.....	27	tobramycin in 0.225 % nacl	
sulfacetamide-prednisolone		TAZORAC.....	70	12
.....	112	taztia xt.....	61	tobramycin sulfate.....	12, 13
sulfadiazine	15	TECENTRIQ	27	tobramycin-dexamethasone	
sulfamethoxazole-		TECFIDERA.....	35	112
trimethoprim	15	TEFLARO.....	9	TOBREX.....	110
SULFAMYLON.....	71	TEKURNA.....	61	tolazamide.....	84
sulfasalazine.....	91	TEKURNA HCT	61	tolbutamide	84
sulindac	44	telmisartan.....	61	tolmetin	44
sumatriptan.....	34	telmisartan-amlodipine	61	tolterodine	117
sumatriptan succinate.....	34	telmisartan-		topiramate	32, 33
SUPRAX.....	9	hydrochlorothiazid	61	toposar.....	27
SUPREP BOWEL PREP		TEMODAR.....	27	topotecan.....	27
KIT.....	91	TENIVAC (PF).....	98	TORISEL	27
SUSTIVA.....	6	terazosin	61	torsemide.....	61
SUTENT	26	terbinafine hcl	3	TOUJEO SOLOSTAR.....	84
syeda	108	terbutaline	116	TPN ELECTROLYTES..	120
SYLATRON	95	terconazole	104	TRACLEER.....	117
SYLVANT.....	26	TESTIM	87	TRADJENTA	84
SYMLINPEN 120.....	84	TESTOSTERONE	87	tramadol	44
SYMLINPEN 60.....	84	testosterone cypionate.....	87	tramadol-acetaminophen...	44
SYNAGIS	6	testosterone enanthate	87	trandolapril.....	62
SYNAREL	87	TETANUS, DIPHThERIA		tranexamic acid	65, 104
SYNERCID.....	12	TOX PED(PF).....	98	TRANSDERM-SCOP.....	91
SYNJARDY.....	84	TETANUS-DIPHThERIA		tranlycypromine	55
SYNRIBO.....	26	TOXOIDS-TD	98	travasol 10 %.....	123
SYNTHROID	87	tetrabenazine	35	TRAVATAN Z.....	111
SYPRINE.....	77	tetracycline.....	16	trazodone.....	55
T		THALOMID	27	TREANDA	27
TABLOID.....	26	theophylline.....	116	TRECTOR	13
tacrolimus.....	26, 69	thermazene	68	TRELSTAR	27, 28
TAFINLAR.....	26, 27	THIOLA.....	77	TRESIBA FLEXTOUCH U-	
TAGRISSO.....	27	thioridazine	55	100.....	84
TALTZ AUTOINJECTOR	68	thiotepa.....	27	TRESIBA FLEXTOUCH U-	
TALTZ AUTOINJECTOR (2		thiothixene.....	55	200.....	84
PACK).....	68	THYMOGLOBULIN	98	tretinoin.....	70
TALTZ AUTOINJECTOR (3		tiagabine.....	32	tretinoin (chemotherapy)...	28
PACK).....	68	TICE BCG	98		

triamcinolone acetonide ... 73, 74, 78, 80	U	vestura (28) 108
triamterene-	UCERIS 91	VIBATIV 16
hydrochlorothiazid 62	ULORIC 99	VIBERZI 92
triderm 74	unithroid 87	VIBRAMYCIN 16
tri-estarylla 108	UNITUXIN 28	vicodin 42
trifluoperazine 55	UPTRAVI 62	vicodin es 42
trifluridine 110	ursodiol 91, 92	vicodin hp 42
trihexyphenidyl 34	UVADEX 69	VICTOZA 2-PAK 84
tri-legest fe 108	V	VICTOZA 3-PAK 84
tri-linyah 108	VAGIFEM 103	VIDEX 2 GRAM PEDIATRIC 6
tri-lo-estarylla 108	valacyclovir 6	VIDEX 4 GRAM PEDIATRIC 6
tri-lo-marzia 108	VALCHLOR 69	vienva 108
tri-lo-sprintec 108	VALCYTE 6	VIGAMOX 110
trilyte with flavor packets . 91	valganciclovir 6	VIIBRYD 56
trimethoprim 16	valproate sodium 33	VIMPAT 33
trimipramine 55	valproic acid 33	vinblastine 28
trinessa (28) 108	valproic acid (as sodium salt) 33	vincasar pfs 28
trinessa lo 108	valsartan 62	vincristine 28
TRINTELLIX 55	valsartan-hydrochlorothiazide 62	vinorelbine 28
triple vitamin with fluoride 123	VALSTAR 28	VIOKACE 92
tri-previfem (28) 108	vancomycin 16	viorele (28) 108
TRISENOX 28	VANCOMYCIN 16	VIRACEPT 7
tri-sprintec (28) 108	VANCOMYCIN IN 0.9% SODIUM CL 16	VIRAZOLE 7
TRIUMEQ 6	VANCOMYCIN IN DEXTROSE 5 % 16	VIREAD 7
tri-vit with fluoride and iron 123	vandazole 104	vitamins a,c,d and fluoride 123
tri-vitamin with fluoride.. 123	VAQTA (PF) 98	voriconazole 3
trivora (28) 108	VARIVAX (PF) 98	VOTRIENT 28
TROPHAMINE 10 % 123	VASCEPA 66	VPRIV 87
TROPHAMINE 6% 123	VECAMYL 67	VRAYLAR 56
tropium 117	VECTIBIX 28	vyfemla (28) 108
TRULICITY 84	VELCADE 28	W
TRUMENBA 98	veletri 62	warfarin 65
TRUVADA 6	velivet triphasic regimen (28) 108	water for irrigation, sterile 77
TWINRIX (PF) 98	VELTASSA 77	WELCHOL 67
TYBOST 6	VEMLIDY 6	wera (28) 108
TYGACIL 13	VENCLEXTA 28	wymzya fe 108
TYKERB 28	VENCLEXTA STARTING PACK 28	X
TYPHIM VI 98	venlafaxine 55, 56	XALKORI 28, 29
TYSABRI 35	VENTAVIS 117	XARELTO 65
TYVASO 117	VENTOLIN HFA 117	XELJANZ 102
TYVASO INSTITUTIONAL START KIT 117	verapamil 62	XELJANZ XR 102
TYVASO REFILL KIT .. 117	VERSACLOZ 56	XEOMIN 98, 99
TYVASO STARTER KIT 117	VESICARE 117	XGEVA 17
		XIFAXAN 13
		XIGDUO XR 85
		XOLAIR 117

XOPENEX HFA.....	117	zenchent (28).....	109	zolpidem.....	56
XTANDI.....	29	zenchent fe.....	109	ZOMACTON.....	95
xulane.....	104	ZENPEP.....	92	ZOMETA.....	87
XYREM.....	56	zenzedi.....	56	zonisamide.....	33
Y		ZERBAXA.....	9	ZONTIVITY.....	65
YERVOY.....	29	ZERIT.....	7	ZORBTIVE.....	95
YF-VAX (PF).....	99	ZETIA.....	67	ZORTRESS.....	29
YONDELIS.....	29	ZIAGEN.....	7	ZOSTAVAX (PF).....	99
yuvafem.....	104	zidovudine.....	7	ZOSYN.....	14
Z		ZINBRYTA.....	36	ZOSYN IN DEXTROSE	
zafirlukast.....	117	ZINECARD (AS HCL).....	17	(ISO-OSM).....	14
zaleplon.....	56	ZINPLAVA.....	99	zovia 1/35e (28).....	109
ZALTRAP.....	29	ZIOPTAN (PF).....	111	zovia 1/50e (28).....	109
ZANOSAR.....	29	ziprasidone hcl.....	56	ZUBSOLV.....	44
zarah.....	109	ZIRGAN.....	110	ZURAMPIC.....	99
ZARXIO.....	95	zoledronic acid.....	87	ZYDELIG.....	29
ZAVESCA.....	87	zoledronic acid-mannitol-		ZYKADIA.....	29
ZELAPAR.....	34	water.....	77	ZYLET.....	112
ZELBORAF.....	29	ZOLEDRONIC ACID-		ZYPREXA RELPREVV ..	57
ZEMAIRA.....	77	MANNITOL-WATER..	77	ZYTIGA.....	29
ZEMPLAR.....	87	ZOLINZA.....	29		
zenatane.....	70	zolmitriptan.....	34		

Nondiscrimination Notice

MedStar Medicare Choice complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. MedStar Medicare Choice does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

MedStar Medicare Choice:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact Member Services at **855-222-1041** (TTY users should call **855-250-5604**). Our hours of operation change twice a year. You can call us October 1 through February 14, seven days a week from 8 a.m. to 8 p.m. From February 15 through September 30, you can call us Monday through Friday from 8 a.m. to 8 p.m., and Saturday from 8 a.m. to 3 p.m.

If you believe that MedStar Medicare Choice has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with: Catherine Kajubi, JD, Director of Medicare Compliance, 5233 King Ave., Suite 400, Baltimore, MD 21237-4001, Fax Number: **410-350-7440**, Catherine.M.Kajubi@medstar.net.

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Catherine Kajubi, JD, Director of Medicare Compliance is available to help you. You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019**, **800-537-7697** (TDD).

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

Translation Services

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-855-222-1041 (TTY: 1-855-250-5604).

ማስታወሻ: የሚናገሩት ቋንቋ አማርኛ ከሆነ የትርጉም እርዳታ ድርጅቶች፣ በነጻ ሊያግዝዎት ተዘጋጅተዋል። ወደ ሚከተለው ቁጥር ይደውሉ 1-855-222-1041 (መስማት ለተሳናቸው፡ 1-855-250-5604)።

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-855-222-1041 (TTY : 1-855-250-5604) 。

ATTENTION: Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1-855-222-1041 (ATS: 1-855-250-5604).

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-855-222-1041 (TTY: 1-855-250-5604).

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-855-222-1041 (телетайп: 1-855-250-5604).

ATENÇÃO: Se fala português, encontram-se disponíveis serviços linguísticos, grátis. Ligue para 1-855-222-1041 (TTY: 1-855-250-5604).

ATTENZIONE: In caso la lingua parlata sia l'italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiamare il numero 1-855-222-1041 (TTY: 1-855-250-5604).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-855-222-1041 (TTY: 1-855-250-5604).

Dè dɛ nià kɛ dyédɛ gbo: ɔ jũ ké m̄ [Bàsòò-wùdù-po-nyò] jũ ní, ní, à wuɖu kà kò dò po-poò b̄éin m̄ gbo kpáa. Dá 1-855-222-1041 (TTY: 1-855-250-5604)

Ige nti: O buru na asu Ibo asusu, enyemaka diri gi site na call 1-855-222-1041 (TTY: 1-855-250-5604).

AKIYESI: Ti o ba nso ede Yoruba ofe ni iranlowo lori ede wa fun yin o. E pe ero ibanisoro yi 1-855-222-1041 (TTY: 1-855-250-5604).

লক্ষ্য করুন: যদি আপনি বাংলা, কথা বলতে পারেন, তাহলে নিঃখরচায় ভাষা সহায়তা পরিষেবা উপলব্ধ আছে। ফোন করুন 1-855-222-1041 (TTY: 1-855-250-5604)।

注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。1-855-222-1041 (TTY: 1-855-250-5604) まで、お電話にてご連絡ください。

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-855-222-1041 (TTY: 1-855-250-5604) 번으로 전화해 주십시오.

เรียน: ถ้าคุณพูดภาษาไทยคุณสามารถใช้บริการช่วยเหลือทางภาษาได้ฟรี โทร 1-855-222-1041 (TTY: 1-855-250-5604).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1-855-222-1041 (TTY: 1-855-250-5604).

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1041-222-855-1 (رقم هاتف الصم والبكم: 5604-250-855-1).

خبردار: اگر آپ اردو بولتے ہیں، تو آپ کو زبان کی مدد کی خدمات مفت میں دستیاب ہیں۔ کال کریں 1-855-222-1041 (TTY: 1-855-250-5604).

توجه: اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با (1-855-250-5604) (TTY: 1-855-222-1041) تماس بگیرید.

ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele 1-855-222-1041 (TTY: 1-855-250-5604).

सुचना: જો તમે ગુજરાતી બોલતા હો, તો નિ:શુલ્ક ભાષા સહાય સેવાઓ તમારા માટે ઉપલબ્ધ છે. ફોન કરો 1-855-222-1041 (TTY: 1-855-250-5604).



MedStar Medicare Choice

5233 King Ave.
Suite 400
Baltimore, MD 21237

**This formulary was updated
on 05/01/2017.**

For more recent information or other questions,
please contact MedStar Medicare Choice
Member Services at **855-222-1041** or,
for TTY users, **855-250-5604** seven days
a week from 8 a.m. to 8 p.m.,* or visit
MedStarMedicareChoice.com.

*Our hours of operation change twice a
year. We are available to take your call:


Oct. 1 through Feb. 14:

Monday through Sunday: 8 a.m. to 8 p.m.

Feb. 15 through Sept. 30:

Monday through Friday: 8 a.m. to 8 p.m.

Saturday: 8 a.m. to 3 p.m.



Comprehensive